

Revision Date 11/28/2014

Revision 2

SAFETY DATA SHEET

BISTITE II Paste A / B

1. IDENTIFICATION

Product Name	BISTITE II Paste A / B
Identified uses	Dental Cement, a component of kit. For dental professionals only.
Supplier	Tokuyama Dental America Inc. Tel: (877) 378 3548 (Toll-Free) http://www.tokuyama-dental.com/contact.htm
Contact Person	
Manufacturer	Tokuyama Dental Corporation 38-9, Taitou 1-chome, Taitou-ku, Tokyo 110-0016, Japan TEL: +81-3-3835-2261
Emergency Telephone	Washington National Capital Poison Center 3201 New Mexico Avenue, Suite 310 Washington, DC 20016 Telephone: +1 202 362 3867 Emergency telephone: +1 800 222 1222 Fax: +1 202 362 8377 E-mail: pc@poison.org Web site: http://www.poison.org San Francisco California Poison Control System at San Francisco General Hospital University of California San Francisco, Box 1369 1001 Potrero Avenue, Bldg 5 Rm 2A21 San Francisco, California 94143-1369 Telephone: +1 415 643 3200 Emergency telephone: +1 800 222 1222 Fax: +1 415 502 6010 E-mail: coadmin@calpoison.org Web site: http://www.calpoison.org http://www.who.int/ipcs/poisons/centre/en/

2. HAZARD(S) IDENTIFICATION

Appearance	Paste
Color	White to brown
Odor	No information available.
GHS Pictogram	



Signal Word Warning

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary Statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing vapour/spray.
P302+352	IF ON SKIN: Wash with plenty of soap and water.

BISTITE II Paste A / B

P305+351+338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+233

Store in a well-ventilated place. Keep container tightly closed.

P501

Dispose of contents/container in accordance with local regulations.

Contains

11-methacryloxy-1,1-undecanedicarboxylic acid (MAC-10)

2-DIMETHYLAMINOETHYL METHACRYLATE

BENZOYL PEROXIDE

bisphenol A polyethoxy dimethacrylate

NEOPENTANEDIOL DIMETHACRYLATE

GHS Classification

Physical and Chemical Hazards Not classified.

Human health

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; STOT SE 3 - H335

Environment

Not classified.

Hazard Not Otherwise Classified (HNOC)

Not applicable.

OSHA Regulatory Status

This Product is Hazardous under the OSHA Hazard Communication Standard.

General Information

IF SWALLOWED: Slightly Irritating. (DIGESTIVE SYSTEM.) This chemical may cause skin/eye irritation. May cause sensitization by skin contact.

3. COMPOSITION/INFORMATION ON INGREDIENTS

11-methacryloxy-1,1-undecanedicarboxylic acid (MAC-10)

1-5%

CAS No.: 108362-85-2

EC No.:

GHS Classification

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; STOT SE 3 - H335

2-DIMETHYLAMINOETHYL METHACRYLATE

<1%

CAS No.: 2867-47-2

EC No.: 220-688-8

GHS Classification

Acute Tox. 4 - H302; Acute Tox. 4 - H312; Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317

BENZOYL PEROXIDE

<1%

CAS No.: 94-36-0

EC No.: 202-327-6

GHS Classification

Org. Perox. B - H241; Eye Irrit. 2 - H319; Skin Sens. 1 - H317

bisphenol A polyethoxy dimethacrylate

5-10%

CAS No.: 41637-38-1

EC No.: 609-946-4

GHS Classification

Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; STOT SE 3 - H335

BISTITE II Paste A / B

camphorquinone		<1%
CAS No.: 10373-78-1	EC No.: 233-814-1	
GHS Classification Not classified.		
dibutyl hydroxy toluene		<1%
CAS No.: 128-37-0	EC No.: 204-881-4	
GHS Classification Aquatic Chronic 1 - H410		
MEQUINOL		<1%
CAS No.: 150-76-5	EC No.: 205-769-8	
GHS Classification Acute Tox. 4 - H302; Eye Irrit. 2 - H319; Skin Sens. 1 - H317		
N,N-DIMETHYL-PARA-TOLUIDINE		<1%
CAS No.: 99-97-8	EC No.: 202-805-4	
GHS Classification Acute Tox. 3 - H301; Acute Tox. 3 - H311; Acute Tox. 3 - H331; STOT RE 2 - H373; Aquatic Chronic 3 - H412		
NEOPENTANEDIOL DIMETHACRYLATE		10-30%
CAS No.: 1985-51-9	EC No.: 217-856-8	
GHS Classification Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; STOT SE 3 - H335		

4. FIRST-AID MEASURES

Description of first aid measures**General Information**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once.

Ingestion

Try to induce vomiting. Get medical attention if any discomfort continues.

Skin Contact

Wash the skin immediately with soap and water.

Eye Contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Contact physician if irritation persists.

BISTITE II Paste A / B

Most important symptoms and effects, both acute and delayed

Inhalation

Not irritating.

Ingestion

Slightly irritating. (DIGESTIVE SYSTEM.)

Skin Contact

Slightly irritating. May cause sensitization by skin contact.

Eye Contact

Slightly irritating.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Treat Symptomatically. Wear suitable protective clothing.

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Flash point (°C)

Not available.

Extinguishing Media

Fire can be extinguished using: Foam. Carbon dioxide or dry powder.

Specific Hazards

When heated and in case of fire, irritating vapors/gases may be formed.

Special Fire Fighting Procedures

Avoid breathing fire vapors.

Protective Equipment For Fire-Fighters

Wear full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective clothing as described in Section 8 of this material safety data sheet.

Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

Spill Clean Up Methods

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb in vermiculite, dry sand or earth and place into containers.

Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

7. HANDLING AND STORAGE

Handling

All handling to take place in well-ventilated area.

Storage

Store under refrigerated conditions at temperatures between 0 to 10°C (32 to 50°F). Keep away from heat, direct sunlight, sparks and open flames.

Storage Class

Chemical storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

BISTITE II Paste A / B

COMPONENT	STD	TWA (8-hrs)		STEL (15 min)		Notes
BENZOYL PEROXIDE	PEL		5 mg/m ³			
BENZOYL PEROXIDE	ACGIH		5 mg/m ³			A4
dibutyl hydroxy toluene	ACGIH		2 mg/m ³			A4

COMPONENT	IDLH
BENZOYL PEROXIDE	1500 mg/m ³

ACGIH=American Conference of Governmental Industrial Hygienists.

A4: Not Classifiable as a Human Carcinogen.

Protective Equipment



Engineering Measures

Provide adequate general and local exhaust ventilation.

Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

Hand Protection

Wear protective gloves.

Eye Protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene Measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Paste
Color	White to brown
Odor	No information available.
Solubility	Not available.
Initial boiling point and boiling range	
	Not available.
Melting point (°C)	
	Not available.
Relative density	
	Not available.
Vapor density (air=1)	
	Not available.
Vapor pressure	
	Not available.
Evaporation rate	
	Not available.
pH-Value, Conc. Solution	
	Not available.
pH-Value, Diluted Solution	
	Not available.
Viscosity	
	Not available.

BISTITE II Paste A / B

Decomposition temperature (°C)

Not available.

Odour Threshold, Lower

Not available.

Odour Threshold, Upper

Not available.

Flash point

Not available.

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not available.

Flammability Limit - Upper(%)

Not available.

Partition Coefficient

(N-Octanol/Water)

Not available.

Explosive properties

Not available.

Other Flammability

Not available.

Oxidising properties

Not available.

Contains Organic peroxides/hydroperoxides.

10. STABILITY AND REACTIVITY

Reactivity

May polymerise.

Stability

Stable under normal temperature conditions and recommended use.

Hazardous reactions:

Not available.

Conditions To Avoid

Keep away from heat, sparks and open flame. Protect against direct sunlight.

Materials To Avoid

Strong oxidizing agents.

Hazardous Decomposition Products

Toxic gases are generated when heated.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Not available.

Skin Corrosion/Irritation:

Slightly irritating.

Serious eye damage/irritation:

Slightly Irritating.

Respiratory or skin sensitisation:

Respiratory sensitisation

Not available.

Skin sensitisation

May cause sensitization by skin contact.

Germ cell mutagenicity:

Not available.

BISTITE II Paste A / B

Carcinogenicity:

Carcinogenicity

Not available.

IARC Carcinogenicity

Butylated hydroxytoluene (BHT) , BENZOYL PEROXIDE : IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP - Carcinogenicity

Not listed.

OSHA - Carcinogenicity

Not listed.

Reproductive Toxicity:

Not available.

Specific target organ toxicity - single exposure:

STOT - Single exposure

Not available.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Not available.

Aspiration hazard:

Viscosity

Not available.

12. ECOLOGICAL INFORMATION

Toxicity

No data available.

Degradability

No data available.

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not available.

Mobility:

No information available.

Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

Other adverse effects

Not known.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

General Not regulated.

UN No. (DOT/TDG) N/A

UN No. (IMDG) N/A

UN No. (ICAO) N/A

DOT Proper Shipping Name Not applicable.

DOT Hazard Class

No classification noted.

BISTITE II Paste A / B

DOT Hazard Label

No DOT label requirement noted

IMDG Class Not applicable.

ICAO Class Not applicable.

Transport Labels

No transport warning sign required.

DOT Pack Group Not applicable.

IMDG Pack Group Not applicable.

Air Pack Group Not applicable.

Environmentally Hazardous Substance/Marine Pollutant

No.

Special precautions for user Not available.

Transport in Bulk according to Annex II of MARPOL 73/78 and the IBC Code Notes

Not applicable.

15. REGULATORY INFORMATION

Regulatory Status (US)

This Product is Hazardous under the OSHA Hazard Communication Standard. California Proposition 65. Warning : N,N-DIMETHYL-PARA-TOLUIDINE
This product contains a chemical known to the State of California to cause cancer.

Regulatory References 29 CFR 1910. 1200(g) Federal Regulations (OSHA Standard).

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

The following ingredients are listed.

BENZOYL PEROXIDE 1.0%

CAA Accidental Release Prevention

None of the ingredients are listed.

SARA (311/312) Hazard Categories

Acute

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed.

N, N-DIMETHYL-PARA-TOLUIDINE; Known to the State of California to cause cancer.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed.

BENZOYL PEROXIDE

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE

BENZOYL PEROXIDE

dibutyl hydroxy toluene

MEQUINOL

BISTITE II Paste A / B

Rhode Island "Right To Know" List

The following ingredients are listed.

BENZOYL PEROXIDE
dibutyl hydroxy toluene
MEQUINOL

Minnesota "Right To Know" List

The following ingredients are listed.

BENZOYL PEROXIDE
dibutyl hydroxy toluene
MEQUINOL

New Jersey "Right To Know" List

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE
BENZOYL PEROXIDE
dibutyl hydroxy toluene
MEQUINOL

Pennsylvania "Right To Know" List

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE
BENZOYL PEROXIDE
dibutyl hydroxy toluene
MEQUINOL

International Inventories

EU - EINECS/ELINCS

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE
BENZOYL PEROXIDE
camphorquinone
dibutyl hydroxy toluene
MEQUINOL
N, N-DIMETHYL-PARA-TOLUIDINE
NEOPENTANEDIOL DIMETHACRYLATE

Canada – DSL/NDSL

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE
BENZOYL PEROXIDE
bisphenol A polyethoxy dimethacrylate
camphorquinone
dibutyl hydroxy toluene
MEQUINOL
N, N-DIMETHYL-PARA-TOLUIDINE

US - TSCA

The following ingredients are listed.

2-DIMETHYLAMINOETHYL METHACRYLATE
BENZOYL PEROXIDE
bisphenol A polyethoxy dimethacrylate
camphorquinone
dibutyl hydroxy toluene
MEQUINOL
N, N-DIMETHYL-PARA-TOLUIDINE
NEOPENTANEDIOL DIMETHACRYLATE

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

16. OTHER INFORMATION

Revision Date	11/28/2014
Revision	2

BISTITE II Paste A / B

Disclaimer

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be relied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such.