

MATERIAL SAFETY DATA SHEET

Product Trade Name: 3 3/8 FIRINGHEAD ASSY TDF (HLS)

Revision Date: 12-Mar-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: 3 3/8 FIRINGHEAD ASSY TDF (HLS)

Synonyms: None

Chemical Family: Explosive

Application: Explosive Charge

Manufacturer/Supplier: Halliburton Energy Services
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By: Chemical Compliance
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
2,6-Bis(picrylamino)-3,5-dinitro-pyridine (PYX)	38082-89-2	NF	Not applicable	Not applicable
Titanium potassium perchlorate	Mixture	NF	Not applicable	Not applicable
Lead azide	13424-46-9	NF	0.05 mg/m ³	0.05 mg/m ³
Tungsten delay powder, a pyrotechnic delay mix	Mixture	NF	5 mg/m ³	Not applicable
A-1A gasless ignition powder	Mixture	NF	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May be harmful if swallowed. Oxidizer.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Get medical attention if irritation persists.

Eyes Under normal conditions, first aid procedures are not required. In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Under normal conditions, first aid procedures are not required. Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	Not Determined
Flash Point/Range (C):	Not Determined
Flash Point Method:	Not Determined
Autoignition Temperature (F):	Not Determined
Autoignition Temperature (C):	Not Determined
Flammability Limits in Air - Lower (%):	Not Determined
Flammability Limits in Air - Upper (%):	Not Determined

Fire Extinguishing Media None. Contains both oxidizer and fuel and cannot be readily extinguished. Fire fighting should be limited to preventing the spread of other fires.

Special Exposure Hazards Oxidizer. May ignite combustibles. Delayed devices which may cook-off several hours after fire is out. Delayed column cannot be extinguished externally. Sprinkler and/or deluge systems recommended for bulk storage areas.

Special Protective Equipment for Fire-Fighters Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

NFPA Ratings: Health 1, Flammability 3, Reactivity 4
HMS Ratings: Health 1, Flammability 3, Reactivity 4

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Use only competent persons for cleanup.

Environmental Precautionary Measures Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Remove ignition sources and work with non-sparking tools. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions Wash hands after use. Launder contaminated clothing before reuse. Only allow trained personnel to handle product.

Storage Information Keep away from friction, impact, and heat. Observe storage compatibility groups and explosive limits.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

Respiratory Protection Dust/mist respirator. (95%)

Hand Protection Cloth gloves.

Skin Protection Cotton coveralls, undergarments, and socks. Conductive soled shoes.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions Handle remotely when possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Metallic
Odor:	Odorless
pH:	Not Determined
Specific Gravity @ 20 C (Water=1):	Not Determined
Density @ 20 C (lbs./gallon):	Not Determined
Bulk Density @ 20 C (lbs/ft3):	Not Determined
Boiling Point/Range (F):	Not Determined
Boiling Point/Range (C):	Not Determined
Freezing Point/Range (F):	Not Determined
Freezing Point/Range (C):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	Not Determined
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Insoluble
Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	May detonate with friction, impact, heat, and low level electrical current.
Incompatibility (Materials to Avoid)	Strong oxidizers. Strong acids.
Hazardous Decomposition Products	Shrapnel. Toxic fumes. Carbon monoxide and carbon dioxide. Oxides of nitrogen.
Additional Guidelines	Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Product does not present exposures health hazards during normal handling and use. However, this product is an explosive material and uncontrolled detonation may cause severe physical injury including death. All explosives are dangerous and must be handles carefully and used following approved safety procedures under the direction of competent, experience persons in accordance with all applicable regulations and ordinances.
Inhalation	May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness. Nitrogen oxides generated during use are irritating to the respiratory system.
Skin Contact	May be absorbed through the skin and contribute to the symptoms listed under ingestion. Nitrogen oxides generated during use are skin irritants.
Eye Contact	May cause eye irritation.
Ingestion	Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea.

Aggravated Medical Conditions	None known.
Chronic Effects/Carcinogenicity	No data available to indicate product or components present at greater than 1% are chronic health hazards.
Other Information	None known.

Toxicity Tests

Oral Toxicity:	Not determined
Dermal Toxicity:	Not determined
Inhalation Toxicity:	Not determined
Primary Irritation Effect:	Not determined
Carcinogenicity	Not determined
Genotoxicity:	Not determined
Reproductive / Developmental Toxicity:	Not determined

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)	Not determined
Persistence/Degradability	Not applicable
Bio-accumulation	Not determined

Ecotoxicological Information

Acute Fish Toxicity:	Not determined
Acute Crustaceans Toxicity:	Not determined
Acute Algae Toxicity:	Not determined
Chemical Fate Information	Not determined
Other Information	Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal Method	Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging	Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN0384, Components, Explosive Train, N.O.S..(BOOSTERS, DET CORD, AND/OR INITIATORS WITH PYX, NONA, HNS, OR HMX), 1.4S, II
EX-199309158
NAERG 114

Canadian TDG

Components, Explosive Train, N.O.S..(BOOSTERS, DET CORD, AND/OR INITIATORS WITH PYX, NONA, HNS, OR HMX), 1.4S, UN0384, II
EX-199309158

For Canada the proper shipping description is now:

Components, Explosive Train, N.O.S. ,(BOOSTERS, DET CORD, AND/OR INITIATORS WITH PYX, NONA, HNS, OR HMX), 1.4B, UN0383

ADR

UN0384,Components, Explosive Train, N.O.S..(BOOSTERS, DET CORD, AND/OR INITIATORS WITH PYX, NONA, HNS, OR HMX), 1.4S, II
EX-199309158

Air Transportation**ICAO/IATA**

UN0384,Components, Explosive Train, N.O.S., 1.4S, II
.(BOOSTERS, DET CORD, AND/OR INITIATORS WITH PYX, NONA, HNS, OR HMX)
EX-199309158

Sea Transportation**IMDG**

UN0384,Components, Explosive Train, N.O.S..(BOOSTERS, DET CORD, AND/OR INITIATORS WITH PYX, NONA, HNS, OR HMX), 1.4S, II
EX-199309158
EmS F-B, S-X

Other Transportation Information

Labels: Explosive 1.4S

15. REGULATORY INFORMATION**US Regulations**

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances Not applicable

EPA SARA (311,312) Hazard Class Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Reactive Hazard

EPA SARA (313) Chemicals This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:
Lead and Compounds//13424-46-9
Lead//7439-92-1
Copper//7440-50-8

**EPA CERCLA/Superfund
Reportable Spill Quantity**

EPA Reportable Spill Quantity is 400 Pounds based on Lead (CAS: 7439-92-1).

**EPA RCRA Hazardous Waste
Classification**

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Reactivity D003

California Proposition 65

The California Proposition 65 regulations apply to this product.

MA Right-to-Know Law

One or more components listed.

NJ Right-to-Know Law

One or more components listed.

PA Right-to-Know Law

Does not apply.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory or are exempt.

WHMIS Hazard Class

F Dangerously Reactive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

*****END OF MSDS*****