



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016

Version: 2

Language: en-US

Date of print: Jan/22/2016

Page: 1 of 8

### 1. Product and company identification

#### Product identifier

Trade name: WEICONLOCK AN 302-90

#### Relevant identified uses of the substance or mixture and uses advised against

General use: One-component adhesive and sealing agent, anaerobic curing.  
Reserved for industrial and professional use.

#### Details of the supplier of the safety data sheet

Company name: WEICON Inc.  
Street/POB-No.: 20 Steckle Place, Unit 20  
Postal Code, city: Kitchener, Ontario N2E 2C3, CA  
WWW: [www.weicon.ca](http://www.weicon.ca)  
E-mail: [info@weicon.ca](mailto:info@weicon.ca)  
Telephone: +1-519-896-5252  
Telefax: +1-519-896-5254  
Dept. responsible for information:  
Product-Safety-Department  
Telephone: +49(0)251 / 9322 - 0, Email: [msds@weicon.de](mailto:msds@weicon.de)  
Additional information: WEICON GmbH & Co. KG  
Königsberger Straße 255  
Münster 48157  
[www.weicon.de](http://www.weicon.de)  
[info@weicon.de](mailto:info@weicon.de)  
+49(0)251 / 9322 - 0  
+49(0)251 / 9322 - 244

#### Emergency phone number

GLZ, Bonn Germany ( English )  
Telephone: +49(0)228 / 19 240

### 2. Hazards identification

#### Emergency overview

Appearance: Physical state at 68 °F and 101.3 kPa: liquid  
Color: green  
Odor: mildly pungent  
Classification: Skin Irritation - Category 2; Eye Irritation - Category 2A; Sensitization - skin - Category 1; Specific Target Organ Toxicity (Single Exposure) - Category 3; Specific Target Organ Toxicity (Repeated Exposure) - Category 2;

Hazard symbols:



Signal word:

**Warning**

Hazard statements:

Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016  
Version: 2  
Language: en-US  
Date of print: Jan/22/2016

Page: 2 of 8

Precautionary statements: Keep out of reach of children.  
Do not breathe fume/gas/mist/vapors/spray.  
Wash hands and face thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection.  
IF ON SKIN: Wash with plenty of water/soap.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Call a POISON CENTER/doctor if you feel unwell.  
Specific treatment (see 'First aid' on this label).  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents/container to hazardous or special waste collection point.

### Regulatory status

This material is considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

### Hazards not otherwise classified

Special danger of slipping by leaking/spilling product.  
see section 11: Toxicological information

## 3. Composition / Information on ingredients

Hazardous ingredients:

| CAS No.        | Designation                                                       | Content   | Classification                                                                                                                                                                                                                                                                                               |
|----------------|-------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAS 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol                 | 10 - 30 % | Eye Irritation - Category 2A.<br>Sensitization - skin - Category 1.                                                                                                                                                                                                                                          |
| CAS 868-77-9   | 2-Hydroxyethyl methacrylate                                       | < 5 %     | Skin Irritation - Category 2.<br>Eye Irritation - Category 2A.<br>Sensitization - skin - Category 1.                                                                                                                                                                                                         |
| CAS 81-07-2    | 1,2-Benzisothiazol-3(2H)-one 1,1-dioxide                          | 1 - 5 %   | not applicable                                                                                                                                                                                                                                                                                               |
| CAS 67762-90-7 | Siloxanes and Silicones, di-Methyl, reaction products with silica | 1 - 5 %   | not applicable                                                                                                                                                                                                                                                                                               |
| CAS 80-15-9    | Cumene hydroperoxide                                              | < 2.5 %   | Organic Peroxide - Category E.<br>Acute Toxicity - oral - Category 4.<br>Acute Toxicity - dermal - Category 4.<br>Acute Toxicity - inhalative - Category 3.<br>Skin Corrosion - Category 1B.<br>Specific Target Organ Toxicity (Repeated Exposure) - Category 2.<br>Aquatic toxicity - chronic - Category 2. |



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016

Version: 2

Language: en-US

Date of print: Jan/22/2016

Page: 3 of 8

### 4. First aid measures

- In case of inhalation: Move victim to fresh air, put at rest and loosen restrictive clothing. Seek medical attention.
- Following skin contact: Immediately clean with water and soap followed by thorough rinsing. Change contaminated clothing. Do not peel solidified product off the skin. Seek medical attention.
- After eye contact: Keep eye wide open. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Do not attempt to pull apart bonded eyelid. Subsequently seek the immediate attention of an ophthalmologist.
- After swallowing: Never give anything by mouth to an unconscious person. Do not induce vomiting. Give water to drink in small sips. Seek medical attention.

#### Most important symptoms/effects, acute and delayed

May cause damage to organs through prolonged or repeated exposure. May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction.

#### Information to physician

Treat symptomatically.

### 5. Fire fighting measures

- Flash point/flash point range: > 212 °F
- Auto-ignition temperature: not determined
- Suitable extinguishing media: Water fog, dry chemical powder, sand, alcohol resistant foam, carbon dioxide.
- Extinguishing media which must not be used for safety reasons: Full water jet

#### Specific hazards arising from the chemical

May form dangerous gases and vapours in case of fire. In case of fire may be liberated: carbon black, traces of incompletely burned carbon compounds, carbon monoxide and carbon dioxide.

- Protective equipment and precautions for firefighters: Wear a self-contained breathing apparatus and chemical protective clothing.
- Additional information: You have to dispose of contaminated extinguishing water according to the regulations of the authorities.

### 6. Accidental release measures

- Personal precautions: Avoid contact with skin, eyes, and clothing. Do not breathe vapor or spray. Provide adequate ventilation. Wear protective equipment. Keep unprotected people away. Keep away from sources of ignition.
- Environmental precautions: Do not allow to penetrate into soil, waterbodies or drains.
- Methods for clean-up: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.
- Additional information: Special danger of slipping by leaking/spilling product.



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016

Version: 2

Language: en-US

Date of print: Jan/22/2016

Page: 4 of 8

### 7. Handling and storage

#### Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.  
Do not breathe vapor. Wear protective equipment.  
Avoid contact with skin, eyes, and clothing.

Precautions against fire and explosion:  
Keep away from sources of ignition. - No smoking.

#### Storage

Requirements for storerooms and containers:

Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture contamination. Protect from frost, heat and sunlight.  
Storage temperature: 41 °F up to 77 °F

Hints on joint storage: Do not store together with: Oxidizing agents, reducing agents, metals, metal salts.  
Keep away from food, drink and animal feedingstuffs.

### 8. Exposure controls / personal protection

#### Engineering controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment. Use only explosion-proof equipment.  
See also information in chapter 7, section storage.

#### Personal protection equipment (PPE)

Eye/face protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection: Wear suitable protective clothing.  
Protective gloves according to OSHA Standard - 29 CFR: 1910.138.  
Glove material: Fluororubber (Viton) - Layer thickness: 0.7 mm  
Breakthrough time: >480 min.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: When vapors form, use respiratory protection. Wear a dust mask, in case of excessive dust.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product.

General hygiene considerations:

Change contaminated clothing. Avoid contact with the substance.  
Eye wash facility must be provided.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance: Physical state at 68 °F and 101.3 kPa: liquid  
Color: green  
Odor: mildly pungent  
Odor threshold: not determined  
pH value: not determined



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: Jan/21/2016  
Version: 2  
Language: en-US  
Date of print: Jan/22/2016

## WEICONLOCK AN 302-90

Article number 302900

Page: 5 of 8

|                                          |                                                                                            |
|------------------------------------------|--------------------------------------------------------------------------------------------|
| Melting point/freezing point:            | not determined                                                                             |
| Initial boiling point and boiling range: | not determined                                                                             |
| Flash point/flash point range:           | > 212 °F                                                                                   |
| Evaporation rate:                        | not determined                                                                             |
| Flammability:                            | no data available                                                                          |
| Explosion limits:                        | LEL (Lower Explosion Limit): not determined<br>UEL (Upper Explosive Limit): not determined |
| Vapor pressure:                          | not determined                                                                             |
| Vapor density:                           | not determined                                                                             |
| Density:                                 | approx. 1.1 g/mL                                                                           |
| Solubility:                              | in acetone: soluble                                                                        |
| Water solubility:                        | at 68 °F: practically insoluble                                                            |
| Partition coefficient: n-octanol/water:  | not determined                                                                             |
| Auto-ignition temperature:               | not determined                                                                             |
| Thermal decomposition:                   | no data available                                                                          |
| Viscosity, dynamic:                      | 20 mPa*s                                                                                   |
| Ignition temperature:                    | not determined                                                                             |

## 10. Stability and reactivity

|                                    |                                                                                                   |
|------------------------------------|---------------------------------------------------------------------------------------------------|
| Reactivity:                        | no data available                                                                                 |
| Chemical stability:                | Stable under recommended storage conditions.                                                      |
| Possibility of hazardous reactions | Reacts with: Oxidizing agents, reducing agents, metals.                                           |
| Conditions to avoid:               | Protect from moisture contamination. Avoid open flames.<br>Protect from frost, heat and sunlight. |
| Incompatible materials:            | Oxidizing agents, reducing agent, metals, metal salts.                                            |
| Hazardous decomposition products:  | Toxic gases/vapours, carbon monoxide and carbon dioxide.                                          |
| Thermal decomposition:             | no data available                                                                                 |



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016  
Version: 2  
Language: en-US  
Date of print: Jan/22/2016

Page: 6 of 8

### 11. Toxicological information

#### Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 5000 mg/kg.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 2000 mg/kg.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.  
ATEmix (calculated): > 20 mg/L.

Skin corrosion/irritation: Skin Irritation - Category 2 = Causes skin irritation.

Eye damage/irritation: Eye Irritation - Category 2A = Causes serious eye irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Sensitization - skin -  
Category 1 = May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Specific Target Organ Toxicity (Single Exposure) - Category 3 = May cause respiratory irritation.

Specific target organ toxicity (repeated exposure): Specific Target Organ Toxicity (Repeated Exposure) -  
Category 2 = May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: Lack of data.

### 12. Ecological information

#### Ecotoxicity

Further details: no data available

#### Mobility in soil

no data available

#### Persistence and degradability

Further details: no data available

#### Additional ecological information

Volatile organic compounds (VOC):

approx. 3 % by weight = 2.8 g/L

General information:

Do not allow to enter into ground-water, surface water or drains.

### 13. Disposal considerations

#### Product

Recommendation: Dispose of waste according to applicable legislation.

#### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.  
Non-contaminated packages may be recycled.



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016

Version: 2

Language: en-US

Date of print: Jan/22/2016

Page: 7 of 8

### 14. Transport information

#### USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

#### Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

#### Air transport (IATA)

Proper shipping name: Not restricted

#### Further information

No dangerous good in sense of these transport regulations.

### 15. Regulatory information

#### National regulations - U.S. Federal Regulations

Methacrylic acid, monoester with  
propane-1,2-diol:

TSCA: listed  
TSCA Inventory: listed  
TSCA HPVC: not listed

2-Hydroxyethyl methacrylate:

TSCA Inventory: listed  
TSCA HPVC: not listed

1,2-Benzisothiazol-3(2H)-one 1,1-dioxide:

TSCA Inventory: listed  
TSCA HPVC: not listed  
Carcinogen Status:  
IARC Rating: Group 3  
OSHA Carcinogen: not listed  
NTP Rating: not listed  
Other Environmental Laws:  
CERCLA: RQ 100 lbs.  
RCRA Hazardous Wastes: Code U202  
SARA Title III Section 313, Toxic Release: Conc. 0.1%  
/ Threshold Standard

Siloxanes and Silicones, di-Methyl, reaction  
products with silica:

TSCA Inventory: listed; UVCB; EPA flags XU  
TSCA HPVC: not listed

Cumene hydroperoxide:

TSCA Inventory: listed  
TSCA HPVC: not listed  
Clean Air Act:  
SOCMI Chemical: yes  
Other Environmental Laws:  
CERCLA: RQ 10 lbs.  
RCRA Hazardous Wastes: Code U096  
SARA Title III Section 313, Toxic Release: Conc. 1.0%  
/ Threshold Standard  
OSHA Process Safety Management: Threshold 5000 lbs.

#### National regulations - U.S. State Regulations

California Proposition 65: Not listed.

#### National regulations - Great Britain

Hazchem-Code: -



# SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

## WEICONLOCK AN 302-90

Article number 302900

Revision date: Jan/21/2016  
Version: 2  
Language: en-US  
Date of print: Jan/22/2016


Page: 8 of 8

### 16. Other information

Text for labeling:

Contains 10 - 30 % Methacrylic acid, monoester with propane-1,2-diol, < 5 % 2-Hydroxyethyl methacrylate, 1 - 5 % 1,2-Benzisothiazol-3(2H)-one 1,1-dioxide, 1 - 5 % Siloxanes and Silicones, di-Methyl, reaction products with silica, < 2.5 % Cumene hydroperoxide. Safety data sheet available on request.

Hazard rating systems:



NFPA Hazard Rating:

Health: 2 (Moderate)

Fire: 1 (Slight)

Reactivity: 2 (Moderate)

HMIS Version III Rating:

Health: 2 (Moderate) - Chronic effects

Flammability: 1 (Slight)

Physical Hazard: 2 (Moderate)

Personal Protection: X = Consult your supervisor

|                 |   |   |
|-----------------|---|---|
| HEALTH          | * | 2 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 2 |
| X               |   |   |

Reason of change:

Changes in section 3: Composition / Information on ingredients

Date of first version:

Jan/14/2016

#### Department issuing data sheet

Contact person:

see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.