

## SAFETY DATA SHEET

# 1583

Product Name **2 COMPONENT MIXTURE (NO, BALANCE HE)**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

|               |   |
|---------------|---|
| Supplier Name | <b>BOC LIMITED (AUSTRALIA)</b>  |
| Address       | 10 Julius Avenue, North Ryde, NSW, AUSTRALIA, 2113                                |
| Telephone     | 131 262, (02) 8874 4400   |
| Fax           | 132 427 (24 hours)  |
| Emergency     | 1800 653 572 (24/7) (Australia only)  |
| Web Site      | <a href="http://www.boc.com.au/">http://www.boc.com.au/</a>                       |
| Synonym(s)    | 1583 - MSDS NUMBER • BOC 2 COMPONENT MIXTURE (NO, BALANCE HE) • PRODUCT CODE: 292 |
| Use(s)        | CALIBRATION • INDUSTRIAL APPLICATIONS   |
| SDS Date      | 26 Mar 2010   |

### 2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

#### RISK PHRASES

R20 Harmful by inhalation.

#### SAFETY PHRASES

S44 If you feel unwell, contact a doctor or Poisons Information Centre immediately (show label where possible).  
S7/9 Keep container tightly closed and in a well ventilated place.

#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

|               |                |              |     |                    |                |
|---------------|----------------|--------------|-----|--------------------|----------------|
| UN No.        | 1956           | DG Class     | 2.2 | Subsidiary Risk(s) | None Allocated |
| Packing Group | None Allocated | Hazchem Code | 2TE | EPG                | 2C1            |

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

| Ingredient   | Formula | CAS No.    | Content     |
|--------------|---------|------------|-------------|
| NITRIC OXIDE | N-O     | 10102-43-9 | 0.013-0.14% |
| HELIUM       | He      | 7440-59-7  | remainder   |

### 4. FIRST AID MEASURES

|                  |   |
|------------------|---|
| Eye              | If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor, or for at least 15 minutes.   |
| Inhalation       | If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator or Self Contained Breathing Apparatus (SCBA). Apply artificial respiration if not breathing. Give oxygen if available. For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor. |
| Skin             | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor.   |
| Ingestion        | Due to product form and application, ingestion is considered unlikely.  |
| Advice to Doctor | Treat symptomatically   |

## 5. FIRE FIGHTING MEASURES

|                    |  |
|--------------------|--|
| Flammability       | Non flammable.   |
| Fire and Explosion | Temperatures in a fire may cause cylinders to rupture. Cool cylinders or containers exposed to fire by applying water from a protected location. Do not approach cylinders or containers suspected of being hot. |
| Extinguishing      | Use water fog to cool containers from protected area.  |
| Hazchem Code       | 2TE  |

## 6. ACCIDENTAL RELEASE MEASURES

|          |  |
|----------|--|
| Spillage | If the cylinder is leaking, evacuate area of personnel. Inform manufacturer/supplier of leak. Use personal protective equipment. Carefully move material to a well ventilated remote area, then allow to discharge. Do not attempt to repair leaking valve or cylinder safety devices. |
|----------|--|

## 7. STORAGE AND HANDLING

|          |   |
|----------|---|
| Storage  | Do not store near incompatible materials. Cylinders should be stored below 45°C in a secure area, upright and restrained to prevent cylinders from falling. Cylinders should also be stored in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas of heavy traffic and emergency exits. |
| Handling | Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Do not drag, drop, slide or roll cylinders. The uncontrolled release of a gas under pressure may cause physical harm. Use a suitable hand truck for cylinder movement.  |

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

| Exposure Stds | Ingredient   | Reference  | TWA |                   | STEL       |                   |
|---------------|--------------|------------|-----|-------------------|------------|-------------------|
|               |              |            | ppm | mg/m <sup>3</sup> | ppm        | mg/m <sup>3</sup> |
|               | Helium       | ASCC (AUS) |     |                   | Asphyxiant |                   |
|               | Nitric oxide | ASCC (AUS) | 25  | 31                | --         | --                |

**Biological Limits** No biological limit allocated.

**Engineering Controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

**PPE** Wear safety boots, leather gloves and safety glasses. Where an inhalation risk exists, wear: a Type NO (Nitrogen Oxides) or an Air-line respirator.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                   |                   |                       |                |
|-------------------|-------------------|-----------------------|----------------|
| Appearance        | COLOURLESS GAS    | Solubility (Water)    | REACTS         |
| Odour             | ODOURLESS         | Specific Gravity      | NOT APPLICABLE |
| pH                | NOT APPLICABLE    | % Volatiles           | 100 %          |
| Vapour Pressure   | NOT AVAILABLE     | Flammability          | NON FLAMMABLE  |
| Vapour Density    | NOT AVAILABLE     | Flash Point           | NOT RELEVANT   |
| Boiling Point     | NOT AVAILABLE     | Upper Explosion Limit | NOT RELEVANT   |
| Melting Point     | NOT AVAILABLE     | Lower Explosion Limit | NOT RELEVANT   |
| Evaporation Rate  | NOT APPLICABLE    |                       |                |
| Cylinder Pressure | 13,000 kPa @ 15°C |                       |                |

**10. STABILITY AND REACTIVITY**

|                            |  |
|----------------------------|--|
| <b>Chemical Stability</b>  | Stable under recommended conditions of storage.  |
| <b>Conditions to Avoid</b> | Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.   |
| <b>Material to Avoid</b>   | Nitric oxide reacts in air to form nitrogen dioxide which is highly oxidising and reacts violently with fluorine and chlorine in the presence of moisture. Oxidation of this product produces nitrogen dioxide which has a brown colour and pungent odour. |
| <b>Decomposition</b>       | May evolve toxic gases if heated to decomposition.   |
| <b>Hazardous Reactions</b> | Polymerization will not occur.   |

**11. TOXICOLOGICAL INFORMATION**

|                              |   |
|------------------------------|---|
| <b>Health Hazard Summary</b> | Asphyxiant. When released into air the concentration of nitric oxide is diluted. Nitric oxide concentrations above 25 ppm may have an immediate effect of irritating the nose and throat followed by delayed onset of respiratory difficulties. Over exposure to concentrations of nitric oxide above 100 ppm may result in sudden onset pulmonary oedema which can be rapidly fatal. Mutation data reported for nitric oxide. Results in chronic irritation of the respiratory tract in low doses. |
| <b>Eye</b>                   | Irritant. Contact may result in irritation. Contact lenses should not be worn when using this product.  |
| <b>Inhalation</b>            | Irritant. An asphyxiant mixture if directly inhaled.  |
| <b>Skin</b>                  | Irritant. Contact may result in irritation.   |
| <b>Ingestion</b>             | Ingestion is considered unlikely due to product form.   |
| <b>Toxicity Data</b>         | NITRIC OXIDE (10102-43-9)<br>LC50 (Inhalation): 1068 mg/m3/4 hours (rat)  |

**12. ECOLOGICAL INFORMATION**

|                    |  |
|--------------------|--|
| <b>Environment</b> | Nitrogen oxides react with volatile organic compounds to produce ozone, a principal factor in photochemical smog. Will form nitric acid in contact with water. Nitrates can persist for prolonged periods in water. Not expected to concentrate in the food chain. |
|--------------------|--|

**13. DISPOSAL CONSIDERATIONS**

|                       |  |
|-----------------------|--|
| <b>Waste Disposal</b> | Cylinders should be returned to the manufacturer or supplier for disposal of contents. |
| <b>Legislation</b>    | Dispose of in accordance with relevant local legislation.                              |

**14. TRANSPORT INFORMATION**

|                  |  |
|------------------|--|
| <b>Transport</b> | Ensure cylinder is separated from driver and that outlet of relief device is not obstructed. Refer to Commonwealth, State and Territory Dangerous Goods Legislation which contain requirements which affect gas storage and transport. |
|------------------|--|

**CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE**

|                      |                        |                     |     |  |
|----------------------|------------------------|---------------------|-----|--|
| <b>Shipping Name</b> | COMPRESSED GAS, N.O.S. |                     |     |  |
| <b>UN No.</b>        | 1956                   | <b>DG Class</b>     | 2.2 | <b>Subsidiary Risk(s)</b> None Allocated |
| <b>Packing Group</b> | None Allocated         | <b>Hazchem Code</b> | 2TE | <b>EPG</b> 2C1                           |

**15. REGULATORY INFORMATION**

|                        |   |
|------------------------|---|
| <b>Poison Schedule</b> | A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP). |
| <b>AICS</b>            | All chemicals listed on the Australian Inventory of Chemical Substances (AICS).   |

**16. OTHER INFORMATION**

|                               |  |
|-------------------------------|--|
| <b>Additional Information</b> | The storage of significant quantities of gas cylinders must comply with AS4332 The storage and handling of gases in cylinders. |
|-------------------------------|--|

**APPLICATION METHOD:** Gas regulator of suitable pressure and flow rating fitted to cylinder or manifold with low pressure gas distribution to equipment.

**ABBREVIATIONS:**

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m<sup>3</sup> - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Report Status**

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared By**

Risk Management Technologies

5 Ventnor Ave, West Perth

Western Australia 6005

Phone: +61 8 9322 1711

Fax: +61 8 9322 1794

Email: [info@rmt.com.au](mailto:info@rmt.com.au)Web: [www.rmt.com.au](http://www.rmt.com.au)**SDS Date:** 26 Mar 2010**End of Report**