## Accella Polyurethane Systems Safety Data Sheet

#### 1. Identification of Substance:

Product Name: BAYSEAL OC (82614517, 82614509)

Supplier Identification:

Accella Polyurethane Systems

Address:

2400 Spring Stuebner Rd.

Spring, TX 77389

Telephone:

(281) 350-9000

24-Hr. Emergency Phone Number:

CHEMTREC (800) 424-9300 International: (703) 527-3887

Product Use: Polyurethane polyol component

#### 2. Hazards Identification

#### **GHS Ratings:**

**Oral Toxicity** 

Acute Tox. 4

Oral>300+<=2000mg/kg

Inhalation Toxicity

Acute Tox. 4

Gases>2500+<=5000ppm, Vapors>10+<=20mg/l,

Dusts&mists>1+<=5mg/l

Skin corrosive

1C

Destruction of dermal tissue: Exposure < 4 hours

Observation < 14 days, visible necrosis in at least one animal Serious eye damage: Irreversible damage 21 days after

Eye corrosive

exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5

#### **GHS Hazards**

H302

Harmful if swallowed

H314

Causes severe skin burns and eye damage

H318

Causes serious eye damage

H332

Harmful if inhaled

#### **GHS Precautions**

P260 P261

Do not breathe dust/fume/gas/mist/vapours/spray Avoid breathing dust/fume/gas/mist/vapours/spray

P264

Wash hands thoroughly after handling

P270

Do not eat, drink or smoke when using this product

P271

Use only outdoors or in a well-ventilated area

P280

Wear protective gloves/protective clothing/eye protection/face protection

P310 P312 Immediately call a POISON CENTER in case of overexposure. Call a POISON CENTER or doctor/physician if you feel unwell Specific treatment is urgent (see Section 4 First Aid measures)

P330

P321

Rinse mouth

P363

Wash contaminated clothing before reuse

P301+P312

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing

P305+P351+P338

IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

SDS for: BAYSEAL OC

Page 1 of 6

Printed: 3/29/2017 at 5:48:31PM

Signal Word: Danger



## 3. Composition/Data on Components:

Chemical Name	CAS number	Weight Concentration %
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	20.00-40.00%
Water	7732-18-5	20.00-40.00%
Glycerol poly(oxyethylene) poly(oxypropylene) ether	9082-00-2	10.00-20.00%
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omega hydroxy-, branched	127087-87-0	10.00-20.00%
.alphaD-Glucopyranoside, .betaD-fructofuranosyl, polymer with methyloxirane and oxirane	26301-10-0	10.00-20.00%
Dimethylaminoethoxyethanol	1704-62-7	5.00-10.00%
1,3-Propanediamine, N'-[3-(dimethylamino)propyl]-N,N-dimethyl-	6711-48-4	1.00-5.00%
Ethanol, 2-[[2-[2-(dimethylamino)ethoxy]ethyl]methylamino]-	83016-70-0	1.00-5.00%

#### 4. First Aid Measures:

Inhalation: If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

After Eye Contact: Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician.

After Skin Contact: Clean affected area with soap and plenty of water.

After Swallowing: Do not induce vomitting. Consult physician.

Notes to Physician: Treat symptomatically

#### 5. Fire Fighting Measures:

Flash Point: 90 C (194 F)

LEL: N/A UEL: N/A

Upper and Lower Explosive Limits listed if known.

Suitable Extinguishing Agents: Water spray, CO2, Foam, Dry chemical

Information about Protection against Explosions and Fires: Closed containers may

rupture when exposed to extreme heat.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of

phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas

SDS for: BAYSEAL OC

Printed: 3/29/2017 at 5:48:31PM

#### 6. Accidental Release Measures:

Person-Related Safety Precautions: Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

Measures for Environmental Protection: Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

## 7. Handling and Storage:

Information for Safe Handling: Avoid contact with skin or inhalation.

**Storage Requirements:** Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

## 8. Exposure Controls and Personal Protection:

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
Water 7732-18-5	Not Established	Not Established	Not Established
Glycerol poly(oxyethylene) poly(oxypropylene) ether 9082-00-2	Not Established	Not Established	Not Established
Poly(oxy-1,2-ethanediyl) , .alpha(4-nonylphenyl) omegahydroxy-, branched 127087-87-0	Not Established	Not Established	Not Established
.alphaD- Glucopyranoside, .betaD- fructofuranosyl, polymer with methyloxirane and oxirane 26301-10-0	Not Established	Not Established	Not Established
Dimethylaminoethoxyethanol 1704-62-7	Not Established	Not Established	Not Established
1,3-Propanediamine, N'-[3- (dimethylamino)propyl]-N,N- dimethyl- 6711-48-4	Not Established	Not Established	Not Established
Ethanol, 2-[[2-[2- (dimethylamino)ethoxy]ethyl] methylamino]- 83016-70-0	Not Established	Not Established	Not Established

Engineering Controls: No specific measures required. If spraying mixed with isocyanate component refer to that SDS for exposure limits and recommended exhaust ventiliation.

General Protective and Hygienic Measures: Usual precautionary measures should be adhered to when handling chemicals.

Respiratory protection: None required if work area is properly ventilated.

Hand Protection: Protective chemical resistant gloves.

Eye Protection: Safety glasses.

Body Protection: Protective work clothing. Launder separately.

## 9. Physical and Chemical Properties:

Physical properties listed where known.

Appearance: Amber liquid

Vapor Pressure: N/A

Vapor Density: N/A

Density: 1.01

Freezing point: N/A

Boiling range: 100 - 342°C

Evaporation rate: N/A Explosive Limits: N/A

Autoignition temperature: N/A

Odor: Mild

Odor threshold: N/A

pH: N/A

Melting point: N/A

Solubility: N/A

Flash point: 194°F,90°C

Flammability: N/A

Partition coefficient (n- N/A

octanol/water):

Decomposition temperature: N/A

#### 10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents.

Hazardous Polymerization: Not expected to occur.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas

#### 11. Toxicological Information:

#### **Mixture Toxicity**

Oral Toxicity LD50: 1,322mg/kg Dermal Toxicity LD50: 2,598mg/kg Inhalation Toxicity LC50: 4mg/L

**Component Toxicity** 

#### Individual Toxicity Values Listed if Known

**Acute Toxicity:** 

Eyes: Irritating to eyes

Skin: Harmful in contact with skin

Inhalation: Not expected to be a route of exposure Ingestion: Harmful if swallowed. Consult physician

Chronic Effects: Possible harmful target organ effects

Page 4 of 6

SDS for: BAYSEAL OC Printed: 3/29/2017 at 5:48:31PM Routes of Entry: Ingestion, skin contact, eye contact

Target Organs: Skin, eyes, digestive tract

Chemicals with Known or Possible Carcinogenic Effects:

**CAS Number** 

Description

% Weight

Carcinogen Rating

None

No data available

#### 12. Ecological Information:

**General Information:** Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13. Individual component ecotoxicity listed if known.

#### **Component Ecotoxicity**

2-Propanol, 1-chloro-, phosphate

(3:1)

96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales

promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static] 48 Hr EC50 Daphnia magna: 63 mg/L

72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50

Pseudokirchneriella subcapitata: 4 mg/L

Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy96 Hr LC50 Lepomis Macroshirus (Bluegill Sunfish): 7.6 mg/L

96 Hr LC50 Fish: 8.6 mg/L

, branched

96 Hr LC50 Salmo Trutta (Brown Trout): 1 mg/L

Ethanol, 2-[[2-[2-(dimethylamino) ethoxy]ethyl]methylamino]-

96 Hr LC50 Oncorhynus Mykiss (Rainbow Trout): >320 mg/L

48 Hr EC50 Daphia Manga (Water Flea): 72 mg/L

72 Hr ErC50 Selenastrum Capricornutum (Green Algae): >110 mg/L

## 13. Disposal Considerations:

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

Empty Container Precautions: Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal. Contact the Reusable Industrial Packaging Association (RIPA) at 301-577-3786 to find a drum re-conditioner in North America (www.reusablepackaging.org).

#### 14. Transport Information:

Not considered a dangerous good according to transport regulations unless specifically cited below:

Agency

Proper Shipping Name
No data available

**UN Number** 

**Packing Group** 

**Hazard Class** 

## 15. Regulatory Information:

OSHA HAZARD COMMUNICATION STANDARD: This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard

## California Proposition 65

#### (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute unless otherwise listed:

SDS for: BAYSEAL OC

Page 5 of 6

Printed: 3/29/2017 at 5:48:31PM

Warning: This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm:

- None

#### Massachusetts Right To Know List:

- None

#### **New Jersey Right To Know List:**

- None

#### Pennsylvania Right To Know List:

- None

## SARA 302 Extremely Hazardous Substances:

- None

## Chemicals subject to SARA 313 Reporting:

- None

# This product contains the following REACh listed Substances of Very High Concern (SVHC):

- None

Country Canada

US

Regulation

Canada DSL
Toxic Substances Control Act

**All Components Listed** 

Yes

Yes

#### 16. Other Information:

## Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Accella Polyurethane Systems. The data on these sheets relates only to the specific material designated herein. Accella Polyurethane Systems assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2017-03-13 Date Prepared: 3/29/2017 Reviewer Revision 0

SDS for: BAYSEAL OC

Page 6 of 6
Printed: 3/29/2017 at 5:48:31PM