



Medical chemical Corp. 19430 Van Ness Ave. Torrance, CA 90501

Customer Service: Phone (310)787-6800

FAX (310)787-4464

CHEMTREC Emergency Response Telephone Number: (800)424-9300

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

Section 1 - Product Identification

An aqueous solution of chromic acid

Section II - Composition/Information on Components

Ingredients	CAS#	OSHA Pel	ACGIH TLV	%
chromic acid	7738-94-5	0.1 mg/m3 (CrO3) Ceil	0.05 mg/m3 (Cr) TWA	10% w/v

Section III - Hazards Identification

Overview: May be harmful if swallowed. May be irritating to skin eyes and respiratory tract.

Safety Ratings

Health: Severe

Flammability: None

Reactivity: Reactive

Contact: Hazardous

Recommended safety equipment: safety goggles, lab coat and proper gloves

Storage: General storage

NFPA Ratings

Health = 3 Flammability = 0

Reactivity = 2

$3 \sqrt{2}$

Potential Health Effects

Chromic acid is a carcinogen and should be handled with care. It is also a strong oxidizer that will cause tissue damage and severe ulcers on contact with skin or eyes.

Inhalation: Extremely corrosive to mucous membranes and other structures in the respiratory tract. Will cause pulmonary edema.

Ingestion: Can cause severe burns to mouth, esophagus and stomach. Also causes nausea, vomiting, diarrhea, etc.

Skin contact: Can cause burns and ulceration.

Eye contact: Even brief contact can cause severe damage.

Chronic Exposure: Unknown

Aggravation of preexisting conditions: Unknown

Section IV - First Aid Measures

Inhalation: Because of the low vapor pressure, inhalation is unlikely to be a problem with this product. In case of difficulty, remove from source of exposure and get immediate medical attention. Be prepared to assist breathing.

Ingestion: Do not induce vomiting. If the victim is conscious administer large quantities of water. Never give anything by mouth to an unconscious person.

Skin Contact: Wash affected area with soap and water. Get medical advice if irritation develops.

Eye Contact: Rinse thoroughly with running water. Get immediate medical attention.

Section V - Fire Fighting Measures

Flash point:: Not applicable
Flammable Limits: Not applicable
Fire: Not normally a fire Hazard,

Explosion: Not Normally an explosion hazards.

Fire Extinguishing Media: Any means suitable for surrounding fire.

Special information: Pyrolysis will release corrosive oxides of chromium.

Section VI - Accidental Release Measures

Absorb with a suitable absorbent and store in a suitable container for disposal.

Section VII - Handling and Storage

Store in a closed container, protected from freezing.

Section VIII - Exposure Control/Personal Protection

Airborne Exposure Limits: See section II

Ventilation System: Usually not required. When required, Refer to the ACGIH document, "Industrial Ventilation, a Manual of Recommended Practices" for details about ventilation.

Personal Respirator: Usually not required. In case of emergency, or when exposure levels are unknown, use a positive pressure, full face piece, air supplied respirator.

Skin protection: Protective gloves are recommended as part of good laboratory practice.

Eye Protection: Laboratory safety goggles or similar products are recommended as part of good laboratory practice.

Section IX - Physical and Chemical Properties

Boiling Point: 102°C Density: 1.10 g/ml

Appearance and Odor: A clear, dark red liquid.

Section X - Stability and Reactivity

Stability: Freezes at low temperature.

Hazardous Decomposition Products: Nothing unusual.

Hazardous polymerization: Will not occur.

Incompatibilities: Nothing unusual.

Conditions to avoid: Excessive cold/heat and light.

Section XI - Toxicological Information

None relating to normal exposure.

Cancer lists

Ingredient Known Carcinogenicity? Anticipated? IARC Category

Chromic Acid Yes No 1

Section XII - Ecological Information

Environmental Fate: Not biodegradable. Environmental Toxicity: Toxic to marine life.

Section XIII - Disposal

Local governments usually restrict the amounts of chromium compounds that may be flushed down drain. Insure compliance with all government regulation

Section XIV - Transportation information

DOT Shipping name: Chromic acid solution Hazard Class: 8 Packing Group: II

DOT Hazard Label: Corrosive DOT Identification Number: UN1755

Section XV - Regulatory Information

Chemical Inventory Status

IngredientTSCAECChromic AcidYesYes

Federal, State and International Regulations

SARA 302 SARA 313 RCRA TSCA **Ingredient** RQ **TPQ** List 261.33 8(D) Category No Chromic Acid No No No Chromium Cmpd No

Chemical Weapons Convention: No, TSCA 12(b): Yes, CDTA: Yes

SARA 311/312: Acute: Yes, Chronic: Yes, Fire: Yes

Section XVI - Other Information

This information is believed to be correct but is not waranteed as such, nor does it purport to be all inclusive.

Revision Date: Mar. 23, 2006