# SAFETY DATA SHEET

27-May-2021

## 1. IDENTIFICATION

Product identifier

Product Name AquaGuard Muriatic Acid

Other means of identification

Product Code 14128AGD UN/ID no. 1789

Recommended use of the chemical and restrictions on use

**Recommended Use** Swimming pool chemicals. Cleaning agent.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address KIK Pool Additives Inc 5160 East Airport Drive Ontario, California 91761 1-800-767-7665

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

## 2. HAZARDS IDENTIFICATION

#### Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Corrosive to metals	Category 1

## Label elements

## **Emergency Overview**

## Danger

## Hazard statements

Harmful if swallowed

Causes severe skin burns and eye damage

Harmful if inhaled

May cause respiratory irritation. May cause drowsiness or dizziness

May be corrosive to metals



·

Color amber colorless to light amber Physical state Liquid Odor Pungent

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive resistant plastic container with a resistant inner liner.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Mixture**

Chemical Name	CAS No.	Weight-%
Hydrogen chloride	7647-01-0	25-35

## 4. FIRST AID MEASURES

#### Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water. If symptoms persist, call a physician.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If

symptoms persist, call a physician.

## Most important symptoms and effects, both acute and delayed

•

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing.

Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not mix with

other chemicals.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials** Strong oxidizing agents, Bases, Metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

·

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear with Blue Color Odor Pungent

Color amber, colorless to light amber Odor threshold No information available

Property Values Remarks • Method

pH < 1

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit: No information available No information available Lower flammability limit: Vapor pressure No information available Vapor density No information available Specific Gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Density** No information available

Bulk density

No information available

Explosive properties

No information available

Oxidizing properties No information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)

No information available
No information available
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Do not mix with other chemicals. Extremes of temperature and direct sunlight.

## **Incompatible materials**

Strong oxidizing agents, Bases, Metals.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** May be harmful if inhaled. May cause central nervous system depression with nausea,

headache, dizziness, vomiting, and incoordination. May cause irritation of respiratory tract.

Eye contact Avoid contact with eyes. Risk of serious damage to eyes. May cause burns.

**Skin contact** Avoid contact with skin. May cause burns.

Ingestion May be fatal if swallowed. Can burn mouth, throat, and stomach. Ingestion causes burns of

the upper digestive and respiratory tracts.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen chloride 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h

#### Information on toxicological effects

**Symptoms** No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen chloride	=	Group 3	-	X
7647-01-0				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

**Reproductive toxicity**STOT - single exposure
No information available.
No information available.

STOT - repeated exposure
Target Organ Effects
Aspiration hazard
No information available.
Eyes, Respiratory system, Skin.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrogen chloride	-	282: 96 h Gambusia affinis mg/L	-
7647-01-0		LC50 static	

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

## Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

## 14. TRANSPORT INFORMATION

DOT

**UN/ID** no. 1789

Proper shipping name HYDROCHLORIC ACID SOLUTION

Hazard Class 8

Packing Group

**Description** UN1789 HYDROCHLORIC ACID SOLUTION, 8, II

<u>IATA</u>

**UN/ID no.** 1789

Proper shipping name HYDROCHLORIC ACID SOLUTION

Hazard Class 8
Packing Group ||

Description UN1789 HYDROCHLORIC ACID SOLUTION, 8, II

**AquaGuard Muriatic Acid** 

Revision Date 27-May-2021

**IMDG** 

UN/ID no. 1789

Proper shipping name HYDROCHLORIC ACID SOLUTION

**Hazard Class Packing Group** Ш

Description UN1789 HYDROCHLORIC ACID SOLUTION, 8, II

## 15. REGULATORY INFORMATION

**International Inventories** 

Complies **DSL/NDSL** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** No Fire hazard No Sudden release of pressure hazard No **Reactive Hazard** No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen chloride 7647-01-0	5000 lb	-	-	Х

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

## **US State Regulations**

## California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen chloride	X	X	X
7647-01-0			

#### U.S. EPA Label Information

EPA Pesticide Registration Number This product does not contain any substances regulated as pesticides

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 1 Personal protection B

Prepared By Regulatory Affairs Revision Date Regulatory Affairs 27-May-2021

Revision Note No information available

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

pH value 0.5

Business Unit 35 KIKPool