

MATERIAL SAFETY DATA SHEET

1 OF 2

Section I: PRODUCT IDENTIFICATION

Product Name: Lymph-ID (Formalin Aceto-Alcoholic)

Date: 01/13

Item Number: 3210-1

Emergency Phone: 800-424-9300

Section II: COMPOSITION/INGREDIENTS

Component(s): Formaldehyde, CAS#50-00-0, 10% v/v, Hazardous, SDA-3A, (methanol) CAS# 64-17-5, 67-56-1, 50% Flammable Liquid, Hazardous, Glacial Acetic Acid CAS #64-19-7~2.5%, Hazardous

Section III: HAZARDOUS IDENTIFICATION

Appearance: Clear, colorless liquid, formaldehyde/alcoholic odor

Potential Concerns/Effects: Exposure to vapors may cause irritation of eyes, skin and respiratory/digestive tract. Target organs are eyes, skin, central nervous system, optic nerve, liver, spleen and blood. May be fatal if swallowed. Suspect carcinogen.

Section IV: FIRST AID MEASURES

Emergency First Aid:

Skin:	Remove contaminated clothing. Wash affected area with soap and water. Contact physician if necessary.
Eyes:	Thoroughly flush eyes with water. Contact a physician if irritation persist.
Ingestion:	Rinse mouth thoroughly with water, provided person is conscious and contact a physician immediately.
Inhalation:	Remove person to fresh air. If not breathing, give artificial respiration and contact physician.

Section V: FIRE FIGHTING MEASURES

Flash Point: 54°F

Flammable Limits: LEL 6.7 UEL 36.5

Extinguishing Media: Water spray, dry chemical, CO₂ and foam for alcohol

Special Fire Fighting Procedures: Wear protective clothing with NIOSH approved breathing apparatus.

Products of combustion may be harmful in a fire situation. Do not use direct water stream.

Unusual Fire & Explosion Hazards: May emit toxic fumes gaseous (formaldehyde) under fire conditions.

NFPA: Health 3, Flammability 3, Reactivity 0.

Section VI: ACCIDENTAL RELEASE MEASURES

Use appropriate safety equipment. Isolate the spill area. Eliminate sources of ignition. Water may be used to assist clean-up. Place all contaminated material in a closed container for disposal according to state and federal regulations.

Section VII: STORAGE AND HANDLING

Store in cool, dry, ventilated area with tightly closed container. Wash after handling and remove soiled clothing for cleaning.

Section VIII: EXPOSURE CONTROLS AND PROTECTION

Use only in well ventilated fume hood/area. Wear protective equipment. Eyes wash station and sink with ability rinse from skin should be available. Formaldehyde exposure limits for OHSA PEL, ACGIH TLV/STEL are 2ppm/TWA 0.75ppm, SDA-3A/methanol 1000 ppm/200/250 ppm, Glacial Acetic 10/25ppm

Section IX: PHYSICAL DATA

Boiling Point: ~180°F

Specific Gravity (H₂O = 1): ~0.9

Vapor Pressure mm Hg/20°C: 15.7

Percent Volatile by Vol: 50%

Vapor Density (Air 1:1): 1.5

Evaporation Rate (ether = 1): Minimal

Solubility in H₂O: Complete

Appearance: Clear, colorless liquid, pungent odor

MATERIAL SAFETY DATA SHEET

Lymph ID, 2 OF 2

Section X: STABILITY AND REACTIVITY

Chemical Stability: Stable **Materials to Avoid:** Strong, acids, oxidizers, Organics **Hazardous Decomposition:**
Oxides of carbon, formic acid **Hazardous Polymerization:** Does not occur **Conditions to Avoid:** Excessive heat/sparks

Section XI: TOXICOLOGICAL INFORMATION

LDLo50, 42mg/kg mouse; Carcinogen Suspect ACGIH, IARC, NIOSH, NTP and OSHA; Teratogenicity have occurred in animals; reproductive effects, toxicity in laboratory animals; mutagenicity suspect. Chronic effects on humans, damage to gastro/respiratory tract, skin, central nervous system and eyes. Hazardous if ingested.

Section XII: ECOLOGICAL INFORMATION

Environmental Fate and Toxicity: Products of degradation are less toxic than the product itself. Acute Toxicity; NA

Section XIII: DISPOSAL CONSIDERATIONS

All liquid and or contaminated material should be disposed of in compliance with Federal, State and Local regulations for disposal. Generators must determine if chemical waste is classified as hazardous waste. RCRA P and R-Series are not listed.

Section XIV: TRANSPORTATION REGULATIONS

DOT Classification: UN 1987, Alcohol (ethanol) N.O.S., 3 II

Section XV: REGULATORY INFORMATION US Federal

TSCA 8(b) Health and Safety Reporting List, listed on inventory;

SARA Section 302/304 Formalin (RQ) & Section (TPQ), Formalin; **SARA 311/312**; Chemical inventory, health hazard, **Section 313**; methanol subject to reporting requirements

Clean Air Act: Regulated toxic substances, methanol, formaldehyde

Clean Water Act 307; Components are not listed, **Clean Water Act 311**; Formaldehyde

OSHA: Components are not considered highly hazardous

State: Right to Know Methanol; CA, MA, MN, NJ, PA

European/International Regulations: European Labeling, EC Directives

Hazardous Symbols:

Risk Phase: Not available

Safety Phrases: S24/25 Avoid contact with eyes and skin; S37 Wear protective gloves; S45 In case of contact if feeling ill, contact a physician immediately; S28A Wash immediately if contact with skin

WGK (Water Danger/Protection) no information available

Canada-DSL/NDSL-WHMIS; Classified in accordance with the hazardous criteria of CPR, Material causing other toxic effects, Very Toxic/Toxic

Section XVI: DISCLAIMER INFORMATION

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. StatLab Medical shall not be held liable for any damage resulting from handling or contact with this product.