



Europe

## SAFETY DATA SHEET

### Ammonium Sulphate, Granular, 20,5-0-0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1 Product identifier

**Product name** : Ammonium Sulphate, Granular, 20,5-0-0  
**EC number** : 231-984-1

##### REACH Registration number

Registration number	Substance Identification
01-2119455044-46-XXXX	Ammonium sulphate

**Product code** : 3269-30748; 5286-30748  
**Product description** : EC FERTILISER Straight fertiliser Ammonium sulphate 20,5-0-0  
**Product type** : Solid.  
**Other means of identification** : Sulphuric acid ammonium salt (1:2); Sulphuric acid diammonium salt; Sulphuric acid, diammonium salt; Ammonium sulphate; Ammonium Hydrogen Sulphate; Diammonium sulphate; Ammonium sulphate (2:1)

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Professional use in formulation of preparations and end-use. Industrial use for the formulation of preparations, intermediate use, and end use in industrial settings.	
Uses advised against	Reason
Not applicable.	Risk assessment.

##### 1.3 Details of the supplier of the safety data sheet

Agrium Europe SA  
Avenue Louise 326/36  
1050 Bruxelles  
Belgium  
Tel : +32 (0)2 646 70 00  
Fax : +32 (0)2 646 68 60  
agrium@agrium.eu

**e-mail address of person responsible for this SDS** : productsafety@agrium.com

##### 1.4 Emergency telephone number

##### National advisory body/Poison Centre

**Telephone number** : Agrium Safety Data Sheets are available in many languages at <http://www.agrium.com/products/ae>  
Physicians, Poison Centres, or the Public may contact Agrium's Global Emergency Response Number 24/7/365 for service in many languages at +1 303 389 1654

AUSTRIA +43 1 406 43 43  
AZERBAIJAN +994 125 979 924  
BELARUS +375 17 287 00 92  
BELGIUM +32 70 245 245  
BULGARIA +359 2 9154 378; +359 887 435 325  
CROATIA +385 1 2348 342  
CZECH REPUBLIC +420 22 49 195 93  
DENMARK +45 82 12 12 12  
ESTONIA 16662; +372 62 69 379  
FINLAND +358 9 471977  
FRANCE

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Angers +33 (0)2 41 48 21 21  
Bordeaux +33 (0)5 56 96 40 80  
Lille 0800 59 59 59 (national callers)  
Lyon +33 (0)4 72 11 69 11  
Marseille +33 (0)4 91 75 25 25  
Nancy +33 (0)3 83 22 50 50  
Paris +33 (0)1 40 05 48 48  
Rennes +33 (0)2 99 59 22 22  
Strasbourg +33 (0)3 88 37 37 37  
Toulouse +33 (0)5 61 77 74 47  
GEORGIA +995 99 53 33 20  
GERMANY  
    Berlin +49 30 192 40  
    Bonn +49 228 192 40  
    Erfurt +49 361 730 730  
    Freiburg +49 761 192 40  
    Goettingen +49 551 192 40  
    Homburg (Saar) +49 6841 192 40  
    Mainz +49 6131 192 40  
    Munich +49 89 192 40  
GREECE +30 21 07 79 37 77  
HUNGARY +36 80 20 11 99  
ICELAND +354 543 22 22  
IRELAND +353 1 837 9964 (medical professionals) +353 1 809 2166 (public)  
ISRAEL +972 4 854 19 00  
ITALY  
    Bergamo +39 800 883 300  
    Firenze +39 55 794 7819  
    Foggia +39 881 732 326  
    Genoa +39 10 563 62 45  
    Milan +39 02 6610 1029  
    Padova +39 49 827 50 78  
    Pavia +39 38 224 444  
    Rome +39 06 305 43 43  
    Turin +39 011 663 7637  
KAZAKHSTAN +7 3272 925 868  
LITHUANIA +370 5 236 20 52; +370 687 533 78  
NETHERLANDS +31 30 274 88 88  
NORWAY +47 22 59 13 00  
POLAND  
    Gdansk +48 58 682 04 04  
    Krakow +48 12 411 99 99  
    Lòdz +48 42 63 14 724  
    Sosnowiec +48 32 266 11 45  
    Warszawa +48 22 619 66 54  
    Wroclaw +48 71 343 30 08  
PORTUGAL 808 250 143 (national callers)  
ROMANIA +402 212 106 282  
RUSSIAN FEDERATION  
    Ekaterinburg +7 343 229 98 57  
    Moscow +7 495 628 1687  
    Saint-Petersburg +7 921 757 3228  
SERBIA +381 11 3608 440  
SLOVAKIA +421 2 5477 4166  
SLOVENIA +386 41 635 500  
SPAIN +34 91 562 0420  
SWEDEN 112 (national callers); +46 (0)10 456 6700  
SWITZERLAND +41 44 251 51 51 (in Switzerland dial 145)  
THE FORMER YUGOSLAVIA +38 923 147 635  
TURKEY +90 0312 433 70 01 or 0 800 314 7900  
UNITED KINGDOM  
    Belfast 844 892 0111  
    Birmingham 844 892 0111  
    Edinburgh 844 892 0111

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Newcastle Upon Tyne +44 191 2606182; +44 191 2606180  
Penarth 844 892 0111

### Supplier

**Telephone number** : Agrium Europe SA  
EMERGENCY TELEPHONE NUMBERS:  
Transportation: 00-1-303-389-1654  
Medical: 00-1-303-389-1654

**Hours of operation** : 24/7/365

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mono-constituent substance

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

### 2.2 Label elements

**Hazard pictograms** :



**Signal word** : Warning

**Hazard statements** : H319 Causes serious eye irritation.

#### Precautionary statements

**Prevention** : P280.6 Wear eye or face protection.  
P264 Wash hands thoroughly after handling.

**Response** : P305+P351+P338 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical attention.

**Storage** : Not applicable.

**Disposal** : Not applicable.

**Hazardous ingredients** : Ammonium sulphate

#### Special packaging requirements

**Containers to be fitted with child-resistant fastenings** : Not applicable.

**Tactile warning of danger** : Not applicable.

### 2.3 Other hazards

**Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

**3.2 Mixtures** : Mono-constituent substance

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 3: Composition/information on ingredients

Product/ingredient name	Identifiers	%	Classification Regulation (EC) No. 1272/2008 [CLP]	Type
<b>Europe</b>				
Ammonium hydrogensulphate	EC No.: 232-265-5 CAS #: 7803-63-6	0-1	H314	[B]
Ammonium sulphate	REACH #: 01-2119455044-46-XXXX EC: 231-984-1 CAS: 7783-20-2	>99	Not classified.  <b>See Section 16 for the full text of the H statements declared above.</b>	[A]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

[A] Constituent

[B] Impurity

[C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Eye contact** : Begin eye irrigation immediately. Exposures to eye irritants may require medical evaluation following decontamination if pain or irritation persists. Immediately rinse eyes with large quantities of water or saline for a minimum of 15 minutes. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. For additional advice call the medical emergency number on this SDS or your poison center or physician.

**Inhalation** : Remove person to fresh air and keep comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 4: First aid measures

<b>Eye contact</b>	: May cause eye irritation.
<b>Inhalation</b>	: May cause respiratory irritation.
<b>Skin contact</b>	: May cause skin irritation.
<b>Ingestion</b>	: No known significant effects or critical hazards.

### Over-exposure signs/symptoms

<b>Eye contact</b>	: Adverse symptoms may include the following: pain or irritation watering redness
<b>Inhalation</b>	: No specific data.
<b>Skin contact</b>	: May cause skin irritation.
<b>Ingestion</b>	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. For professional, multilingual, medical support, in case of medical emergencies involving Agrium products, telephone the Agrium global 24 hour Emergency Number: 00-1-303-389-1654
<b>Specific treatments</b>	: No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: None known.

### 5.2 Special hazards arising from the substance or mixture

<b>Hazards from the substance or mixture</b>	: No specific fire or explosion hazard.
<b>Hazardous thermal decomposition products</b>	: Decomposition products may include the following materials: nitrogen oxides sulfur oxides

### 5.3 Advice for firefighters

<b>Special protective actions for fire-fighters</b>	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
<b>Additional information</b>	: Contain and collect the water used to fight the fire for later treatment and disposal.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 6: Accidental release measures

### 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

#### Small spill

: Use personal protective equipment as required. Move containers from spill area. Avoid dust generation. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible. Dispose of via a licensed waste disposal contractor.

#### Large spill

: Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Avoid dust generation. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

: See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

If applicable: The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

#### Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Hygroscopic. Absorbs moisture on long-term storage under high humidity conditions. Keep container tightly closed and sealed until ready for use. May form steep piles that can collapse without warning when stored in bulk. Avoid forming steep slopes when removing product. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

#### Recommendations

: Fertiliser. Fertiliser Blend Component

#### Industrial sector specific solutions

: See Annex to the Safety data sheet for additional information in the Exposure Scenario(s).

## SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

#### Occupational exposure limits

## SECTION 8: Exposure controls/personal protection

Product/ingredient name	Exposure limit values
<b>Europe</b> No exposure limit value known.	Check your local regulations to determine if exposure limits exist for soluble dusts. (Inhalable fraction or Respirable fraction)
<b>Bulgaria</b> Ammonium sulphate	<b>България Министерство на труда и социалната политика и Министерството на здравеопазването (Bulgaria, 1/2012).</b> Limit value 8 hours: 10 mg/m <sup>3</sup> 8 hours.
<b>Recommended monitoring procedures</b>	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
Ammonium sulphate	DNEL	Long term Inhalation	11,2 mg/m <sup>3</sup>	Workers	Systemic

**DNEL/DMEL Summary** : Not considered to be toxic to humans.

### PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
Ammonium sulphate	Fresh water	0,53 mg/l	Assessment Factors

**PNEC Summary** : Slightly harmful to aquatic organisms.

### **8.2 Exposure controls**

<b>Appropriate engineering controls</b>	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
<b>Individual protection measures</b>	
<b>Hygiene measures</b>	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
<b>Eye/face protection</b>	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields Possible: chemical splash goggles.
<b>Skin protection</b>	
<b>Hand protection</b>	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
<b>Body protection</b>	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 8: Exposure controls/personal protection

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state** : Solid. [Crystals. Granular solid.]

**Colour** : White.

**Odour** : Odourless.

**Odour threshold** : Not available.

**pH** : 4 to 5 [Conc. (% w/w): 10%]

**Melting point/freezing point** : Decomposition temperature: 235°C

**Initial boiling point and boiling range** : Not available.

**Flash point** : [Product does not sustain combustion.]

**Evaporation rate** : Not applicable.

**Flammability (solid, gas)** : Not applicable.

**Upper/lower flammability or explosive limits** : Not applicable.

**Vapour pressure** : 0 kPa [room temperature]

**Vapour density** : Not available.

**Relative density** : Not available.

**Solubility(ies)** : Easily soluble in the following materials: cold water and hot water.

**Solubility in water** : 767 g/l

**Partition coefficient: n-octanol/water** : Not available.

**Auto-ignition temperature** : Not applicable.

**Decomposition temperature** : 235°C

**Viscosity** : Not available.

**Explosive properties** : May react explosively when mixed with chlorinated materials such as hypochlorites.

**Oxidising properties** : Not applicable. No oxidising ingredients present.

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

**10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 10: Stability and reactivity

**10.4 Conditions to avoid** : Absorbs moisture on long-term storage under high humidity conditions. Store in a well-ventilated, dry place. Protect from moisture.

**10.5 Incompatible materials** : Incompatible with:  
strong acids  
strong alkalis  
Incompatible with copper alloys, copper, and zinc.  
Incompatible with halogens, hydrogen peroxide, chlorinated hydrocarbons, fluorine, nitric acid, oxidising agents and sulphuric acid.

**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulphate	LD50 Oral	Mouse - Male, Female	3040 mg/kg	-
Ammonium hydrogensulphate	LD50 Oral	Rat - Male, Female Rat	>2000 mg/kg 2840 mg/kg	-

**Conclusion/Summary** : Very low toxicity to humans or animals.

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ammonium sulphate	Skin - Oedema Eyes - Redness of the conjunctivae	Rabbit Rabbit	0 1.6	20 hours -	24 hours 72 hours

**Conclusion/Summary**

**Skin** : May cause skin irritation.  
**Eyes** : May cause eye irritation.  
**Respiratory** : May cause respiratory irritation.

#### Sensitisation

Product/ingredient name	Route of exposure	Species	Result
Ammonium sulphate	Skin	Guinea pig	Not sensitizing

**Conclusion/Summary**

**Skin** : Not sensitizing  
**Respiratory** : Not sensitizing

#### Mutagenicity

Product/ingredient name	Test	Experiment	Result
Ammonium sulphate	OECD 476 OECD 473	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic Experiment: In vitro Subject: Mammalian-Animal Cell: Germ	Negative Negative

**Conclusion/Summary** : No mutagenic effect.

#### Carcinogenicity

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulphate	Negative - Oral - TCLo	Rat - Male, Female	1288 mg/kg	2 years; 7 days per week

**Conclusion/Summary** : No carcinogenic effect.

### Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
Ammonium sulphate	Negative	Negative	-	Mouse - Male, Female	Oral: 5000 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

### Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulphate	Negative - Oral	Rat - Male, Female	1500 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : Routes of entry anticipated: Oral, Inhalation. Routes of entry not anticipated: Dermal.

### Potential acute health effects

**Eye contact** : May cause eye irritation.

**Inhalation** : May cause respiratory irritation.

**Skin contact** : May cause skin irritation.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation

watering

redness

**Inhalation** : No specific data.

**Skin contact** : May cause skin irritation.

**Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : May cause eye irritation. May cause skin irritation.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulphate	Chronic NOAEL Oral	Rat - Male, Female	256 mg/kg	52 weeks; 7 days per week

Conclusion/Summary	: Very low toxicity to humans or animals. MAY CAUSE EYE AND SKIN IRRITATION.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information	: Not available.
-------------------	------------------

## SECTION 12: Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Ammonium sulphate	Acute LC50 2.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Young	48 hours
	Acute LC50 14000 µg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 53 mg/l Chronic NOEC 143 µg/l Marine water	Fish - Oncorhynchus mykiss	96 hours
		Fish - Salmo salar - Post-smolt	5 weeks

Conclusion/Summary	: Very low acute toxicity to fish.
--------------------	------------------------------------

### 12.2 Persistence and degradability

Conclusion/Summary	: Not applicable
--------------------	------------------

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
---	------------------

Mobility	: Not available.
----------	------------------

### 12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects	: No known significant effects or critical hazards.
----------------------------	---

## SECTION 13: Disposal considerations

If applicable: The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
---------------------	---

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 13: Disposal considerations

Hazardous waste : Yes.

### European waste catalogue (EWC)

Waste code	Waste designation
06 10 02*	wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture wastes containing hazardous substances

### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ammonium sulphate, aluminium sulphate)
14.3 Transport hazard class(es)	-	-	-	9
14.4 Packing group	-	-	-	III
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

##### Annex XIV

None of the components are listed.

##### Substances of very high concern

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 15: Regulatory information

None of the components are listed.

**Annex XVII - Restrictions** : Not applicable.  
on the manufacture,  
placing on the market and  
use of certain dangerous  
substances, mixtures and  
articles

### Other EU regulations

**Europe inventory** : All components are listed or exempted.

### Seveso III Directive

This product is not controlled under the Seveso III Directive.

### National regulations

**Limitation of the use of  
organic solvents** : Permitted.

### Denmark

**MAL-code** : 00-3

### France

**Reinforced medical  
surveillance** : Act of July 11, 1977 determining the list of activities which require reinforced medical surveillance: not applicable

### Germany

**Storage class (TRGS 510)** : 13

**Hazard class for water** : 1 Appendix No. 2

**Technical instruction on  
air quality control** : TA-Luft Number 5.2.1: 99-100%

### Italy

**D.Lgs. 152/06** : Not classified.

### Netherlands

**Water Discharge Policy  
(ABM)** : Very toxic to aquatic organisms. Abatement effort: B

### Switzerland

**VOC content** : Exempt.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

**Australia** : All components are listed or exempted.

**Canada** : All components are listed or exempted.

**China** : All components are listed or exempted.

**Japan** : All components are listed or exempted.

**Malaysia** : Not determined.

**New Zealand** : All components are listed or exempted.

**Philippines** : All components are listed or exempted.

**Republic of Korea** : All components are listed or exempted.

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 15: Regulatory information

**Taiwan** : All components are listed or exempted.

**15.2 Chemical safety assessment** : Complete.

## SECTION 16: Other information

**Revision comments** : Section 1. Product identification

► Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

**Key literature references and sources for data** : REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 DECEMBER 2006, with successive adaptations, amendments, and corrigenda.  
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 16 DECEMBER 2008, with successive adaptations, amendments, and corrigenda.  
ECHA, European Chemicals Agency, Classification and Labelling Database  
DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 4 JULY 2012  
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), latest revision.  
Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods, with successive amendments.  
REGULATION (EC) No 2003/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 13 OCTOBER 2003 RELATING TO FERTILISERS, with successive adaptations, amendments, and corrigenda.  
American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances, latest edition.  
Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers  
ERG 2012 Emergency Response Guidebook  
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans.  
The Fertilizer Institute, Toxicity Testing Results, March 2003 Substance Information Exchange Forum Database

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Eye Irrit. 2, H319	Expert judgment	

### Europe

<b>Full text of abbreviated H statements</b>	:	H319	Causes serious eye irritation.
--	---	------	--------------------------------

<b>Full text of classifications [CLP/GHS]</b>	:	Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
---	---	--------------------	---

**Date of printing** : 8/22/2016

**Date of issue/ Date of revision** : 8/22/2016

**Date of previous issue** : 3/3/2016

**Version** : 1.2

Ammonium Sulphate, Granular, 20,5-0-0

## SECTION 16: Other information

### Notice to reader

### DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.

**Product definition** : Mono-constituent substance

## Identification of the substance or mixture

**Code** : 3269-30748; 5286-30748

**Product name** : Ammonium Sulfate, Granulated, 20,2-0-0

## Section 1 - Title

**Short title of the exposure scenario** : The Exposure Scenario for Workers using H319 Eye Irritants

**List of use descriptors** : **Identified use name:** Industrial use for the formulation of preparations, intermediate use, and end use in industrial settings.  
**Process Category:** PROC05, PROC08a, PROC08b, PROC09, PROC26  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU01, SU03, SU10  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC02, ERC06a, ERC08c, ERC08f  
**Market sector by type of chemical product:** PC12  
**Article category related to subsequent service life:** Not applicable.

**Environmental contributing scenarios** : Not applicable.

**Health Contributing scenarios** : **Bulk transfers** - PROC05, PROC08a, PROC08b, PROC09, PROC26  
**Clean-down and maintenance of equipment** - PROC05, PROC08a, PROC08b, PROC09, PROC26  
**Mixing operations (open systems)** - PROC05, PROC08b  
**Product packaging** - PROC09  
**Storage** - PROC26

**Number of the ES** : 1

**Processes and activities covered by the exposure scenario** : Applicable to all identified Process Categories.  
An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

## Section 2 - Exposure controls

### Contributing exposure scenario controlling environmental exposure for 1: Not applicable.

Not applicable. Not classified as dangerous to the environment.

### Contributing exposure scenario controlling worker exposure for 1: Bulk transfers

**Product Characteristics** : Solid, low dustiness.

**Concentration of substance in mixture or article** : Covers percentage substance in the product up to 100%

**Physical state** : Solid beads.

**Dust** : Solid, low dustiness.

**Amounts used** : Variable, from day to day.

**Frequency and duration of use** : Use duration (h/d): >4

**Human factors not influenced by risk management** : Not applicable.

**Other operational conditions affecting worker exposure** : Indoor or outdoor use Amounts used

**Area of use:** Indoor and outdoor use.

**Technical conditions and measures at process level (source) to prevent release** : Not applicable.

<b>Process control/change measures</b>	: Not applicable.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means.
<b>Engineering controls</b>	: Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	
<b>Advice on general occupational hygiene</b>	: A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. Ensure good industrial hygiene. Provide eye shower and mark its location conspicuously.
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.
<b>Respiratory protection</b>	: If ventilation is inadequate, use respirator that will protect against dust/mist.

**Contributing exposure scenario controlling worker exposure for 2: Clean-down and maintenance of equipment**

<b>Product Characteristics</b>	: Solid, low dustiness.
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%
<b>Physical state</b>	: Solid beads.
<b>Dust</b>	: Solid, low dustiness.
<b>Amounts used</b>	: Not applicable.
<b>Frequency and duration of use</b>	: Use duration (h/d): >4
<b>Human factors not influenced by risk management</b>	: Not applicable.
<b>Other operational conditions affecting worker exposure</b>	: Indoor or outdoor use
<b>Area of use:</b>	: Indoor and outdoor use.
<b>Technical conditions and measures at process level (source) to prevent release</b>	: Restrict access while emptying or maintaining the unit. Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Since the emptied containers retain product residue, follow product insert warnings even after container is emptied.
<b>Process control/change measures</b>	: These controls may include segregation of areas, access only to authorised persons, permit to work systems, confined space working procedures, and hazard awareness training.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Engineering controls</b>	: Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	

<b>Advice on general occupational hygiene</b>	: A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. Pay attention to good general hygiene and housekeeping. Provide eye shower and mark its location conspicuously. When using do not eat or drink.
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.
<b>Respiratory protection</b>	: If ventilation is inadequate, use respirator that will protect against dust/mist.

#### Contributing exposure scenario controlling worker exposure for 3: Mixing operations (open systems)

<b>Product Characteristics</b>	: Solid, low dustiness.
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%
<b>Physical state</b>	: Solid beads.
<b>Dust</b>	: Solid, low dustiness.
<b>Amounts used</b>	: Not applicable.
<b>Frequency and duration of use</b>	: Use duration (h/d): >4
<b>Human factors not influenced by risk management</b>	: Not applicable.
<b>Other operational conditions affecting worker exposure</b>	: Indoor use
<b>Area of use:</b>	: Indoor
<b>Technical conditions and measures at process level (source) to prevent release</b>	: Not applicable.
<b>Process control/change measures</b>	: Not applicable.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means.
<b>Engineering controls</b>	: Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	
<b>Personal protection</b>	: Goggles, face shield or other full-face protection should be worn if there is a risk of direct exposure to dust.

#### Contributing exposure scenario controlling worker exposure for 4: Product packaging

<b>Product Characteristics</b>	: Solid, low dustiness.
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%
<b>Physical state</b>	: Solid beads.
<b>Dust</b>	: Solid, low dustiness.
<b>Amounts used</b>	: Not applicable.
<b>Frequency and duration of use</b>	: Use duration (h/d): >4

<b>Human factors not influenced by risk management</b>	: Not applicable.	
<b>Other operational conditions affecting worker exposure</b>	<p><b>Area of use:</b></p> <p><b>Technical conditions and measures at process level (source) to prevent release</b></p> <p><b>Process control/change measures</b></p> <p><b>Technical conditions and measures to control dispersion from source towards the worker</b></p> <p><b>Engineering controls</b></p> <p><b>Ventilation control measures</b></p> <p><b>Organisational measures to prevent/limit releases, dispersion and exposure</b></p>	<p>: Indoor use</p> <p>: Indoor</p> <p>: Not applicable.</p> <p>: Not applicable.</p> <p>: Ensure the area is organised, well lit and ventilated with enough space to deal with spills easily.</p> <p>: Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.</p> <p>: Ensure sufficient ventilation when re-packing damaged packages. Only use product in a well-ventilated area.</p> <p>: Not applicable.</p>
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>		
<b>Advice on general occupational hygiene</b>	: A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. When using do not eat or drink.	
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.	

#### Contributing exposure scenario controlling worker exposure for 5: Storage

<b>Product Characteristics</b>	: Solid, low dustiness.	
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%	
<b>Physical state</b>	: Solid beads.	
<b>Dust</b>	: Solid, low dustiness.	
<b>Amounts used</b>	: Not applicable.	
<b>Frequency and duration of use</b>	: Use duration (h/d): >4	
<b>Human factors not influenced by risk management</b>	: Not applicable.	
<b>Other operational conditions affecting worker exposure</b>	<p><b>Area of use:</b></p> <p><b>Technical conditions and measures at process level (source) to prevent release</b></p> <p><b>Process control/change measures</b></p> <p><b>Technical conditions and measures to control dispersion from source towards the worker</b></p> <p><b>Engineering controls</b></p> <p><b>Ventilation control measures</b></p>	<p>: Indoor use</p> <p>: Indoor</p> <p>: Not applicable.</p> <p>: Not applicable.</p> <p>: Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means.</p> <p>: Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.</p> <p>: Provide adequate ventilation and, if possible, use or install internal exhaust systems.</p>

**Organisational measures to prevent/limit releases, dispersion and exposure** : Not applicable.

**Conditions and measures related to personal protection, hygiene and health evaluation**

**Personal protection** : If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Section 3 - Exposure estimation and reference to its source**

**Website:** : Qualitative approach used to conclude safe use.

**Exposure estimation and reference to its source - Environment: 6: Not applicable.**

**Exposure assessment (environment):** : Qualitative approach used to conclude safe use.

**Exposure estimation** : Not available.

**Exposure estimation and reference to its source - Workers:1: Bulk transfers**

**Exposure assessment (human):** : Qualitative approach used to conclude safe use.

**Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:2: Clean-down and maintenance of equipment**

**Exposure assessment (human):** : Qualitative approach used to conclude safe use.

**Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:3: Mixing operations (open systems)**

**Exposure assessment (human):** : Qualitative approach used to conclude safe use.

**Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:4: Product packaging**

**Exposure assessment (human):** : Qualitative approach used to conclude safe use.

**Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:5: Storage**

**Exposure assessment (human):** : Qualitative approach used to conclude safe use.

**Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Section 4 - Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES**

**Environment** : No additional risk management measures required.

**Health** : Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

**Additional good practice advice beyond the REACH CSA**

**Environment** : Use containment as appropriate. Good hygiene practices and housekeeping measures

**Health** : Not available.

**Product definition** : Mono-constituent substance

### Identification of the substance or mixture

**Code** : 3269-30748; 5286-30748

**Product name** : Ammonium Sulfate, Granulated, 20,2-0-0

## Section 1 - Title

**Short title of the exposure scenario** : The Exposure Scenario for Professionals using H319 Substances Irritating to the Eye

**List of use descriptors** : Identified use name: Professional use in formulation of preparations and end-use.

**Process Category**: PROC03, PROC08a, PROC08b, PROC09, PROC26

**Substance supplied to that use in form of**: As such

**Sector of end use**: SU01, SU03, SU10, SU22

**Subsequent service life relevant for that use**: No.

**Environmental Release Category**: ERC02, ERC08b, ERC08e

**Market sector by type of chemical product**: PC11, PC12, PC19, PC21, PC37

**Environmental contributing scenarios** : An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

**Health Contributing scenarios** : All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.

**Number of the ES** : 2

**Processes and activities covered by the exposure scenario** : Applicable to all identified Process Categories.

## Section 2 - Exposure controls

**Contributing scenario controlling environmental exposure for 1: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.**

Not applicable.

**Contributing scenario controlling worker exposure for 1: All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.**

**Product characteristics** : Solid, low dustiness.

**Concentration of substance in mixture or article** : Covers percentage substance in the product up to 100%

**Physical state** : Solid beads.

**Dust** : Solid, low dustiness.

**Amounts used** : Variable.

**Frequency and duration of use** : >4 Hours per shift

**Human factors not influenced by risk management** : Not applicable.

**Other given operational conditions affecting workers exposure** : Indoor or outdoor use

**Area of use:** : Indoor and outdoor use.

**Technical conditions and measures at process level (source) to prevent release** : Not applicable.

**Technical conditions and measures to control dispersion from source towards the worker** : Use containment as appropriate. Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.

<b>Engineering controls</b>	: Provide adequate ventilation.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Product substance-related measures</b>	: Avoid contact with eyes.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection and hygiene</b>	
<b>Advice on general occupational hygiene</b>	: Avoid contact with eyes. Ensure good industrial hygiene. If operating conditions cause high dust concentrations to be produced, use dust goggles.
<b>Personal protection</b>	: Use suitable eye protection. If operating conditions cause high dust concentrations to be produced, use dust goggles.

### Section 3 - Exposure estimation and reference to its source

<b>Website:</b>	: Qualitative approach used to conclude safe use.
<b>Exposure estimation and reference to its source - Environment: 2: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.</b>	
<b>Exposure assessment (environment):</b>	: Not applicable.
<b>Exposure estimation</b>	: Not available.
<b>Exposure estimation and reference to its source - Workers:1: All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.</b>	
<b>Exposure assessment (human):</b>	: Qualitative approach used to conclude safe use.
<b>Exposure estimation</b>	: Not available.

### Section 4 - Guidance to DU to evaluate whether he works inside the boundaries set by the ES

<b>Environment</b>	: Not applicable.
<b>Health</b>	: No additional risk management measures required.

### Additional good practice advice beyond the REACH CSA

<b>Environment</b>	: Not available.
<b>Health</b>	: Use containment as appropriate. Ensure control measures are regularly inspected and maintained. Pay attention to good general hygiene and housekeeping.