

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

30000000000000011427.002

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Use of the Substance/Mixture : Air Freshener

Company : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Emergency telephone number : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : clear / aerosol / pleasant

Immediate Concerns

: Warning
FLAMMABLE:
CAUSES EYE IRRITATION.
Avoid contact with skin, eyes and clothing.
Keep away from heat, sparks and flame.
Contents under pressure.
Do not puncture or incinerate.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
May be harmful if swallowed.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:
Moderate eye irritation

Skin : Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : Excessive exposures may affect human health, as follows:
May cause nose, throat, and lung irritation.
Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
Inhalation may cause central nervous system effects.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

300000000000000011427.002

- Ingestion : May cause irritation to mouth, throat and stomach.
May cause abdominal discomfort.
Aspiration hazard if swallowed - can enter lungs and cause damage.
- Aggravated Medical Condition : Persons with pre-existing skin disorders may be more susceptible to irritating effects.
Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Isobutane	75-28-5	30.00 - 60.00
Distillates (petroleum), hydrotreated light	64742-47-8	10.00 - 30.00
Acetone	67-64-1	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00
Fragrance - Trade Secret	Mixture	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

- Eye contact : Remove contact lenses. Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention if irritation develops and persists.
- Skin contact : Rinse with plenty of water. Get medical attention if irritation develops and persists.
- Inhalation : Remove to fresh air. If breathing is affected, get medical attention.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

30000000000000011427.002

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during fire fighting : Aerosol Product - Containers may rocket or explode in heat of fire.
- Further information : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.
- Flash point : < -7 °C
< 19.4 °F
Note: Propellant
- Lower explosion limit : Note: no data available
- Upper explosion limit : Note: no data available
- NFPA Classification : NFPA Level 3 Aerosol

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Remove all sources of ignition.
Wear personal protective equipment.
- Environmental precautions : Outside of normal use, avoid release to the environment.
- Methods for cleaning up : If damage occurs to aerosol can:
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Avoid contact with skin, eyes and clothing.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number
3000000000000011427.002

Do not puncture or incinerate.
Avoid breathing vapors, mist or gas.
For personal protection see section 8.
Do not spray toward face.
Do not use in areas without adequate ventilation.
Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more information visit www.inhalant.org.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection
against fire and explosion

: Keep away from heat and sources of ignition.
Take measures to prevent the build up of electrostatic charge.

Storage

Requirements for storage
areas and containers

: Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Keep in a dry, cool and well-ventilated place.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

30000000000000011427.002

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA
Distillates (petroleum), hydrotreated light	64742-47-8	1,200 mg/m3	152 ppm	-	SUPPLIER
Acetone	67-64-1	2,400 mg/m3	1,000 ppm	-	OSHA TWA
Acetone	67-64-1	-	750 ppm	-	ACGIH STEL
Acetone	67-64-1	-	500 ppm	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection

Industrial setting : Use only with adequate ventilation.

Household setting : Use only with adequate ventilation.

Hand protection : For prolonged or repeated contact use protective gloves.

Eye protection

Industrial setting : Safety glasses with side-shields

Household setting : Avoid contact with eyes.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

300000000000000011427.002

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: aerosol
Color	: clear
Odor	: pleasant
pH	: not applicable
Boiling point	: no data available
Freezing point	: no data available
Flash point	: < -7 °C < 19.4 °F Propellant
Evaporation rate	: no data available
Flammability (solid, gas)	: Sustains combustion
Autoignition temperature	: no data available
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Density	: 0.65 g/cm3 at 20 C
Water solubility	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Volatile Organic Compounds (California Air Resource Board – CARB)	: 50.7 % - does not include any applicable regulatory exemptions

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

30000000000000011427.002

Total VOC (wt. %)

10. STABILITY AND REACTIVITY

- Conditions to avoid : Heat, flames and sparks.
- Materials to avoid : Strong oxidizing agents
- Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.
- Hazardous reactions : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity : LD50
Calculated
> 5,000 mg/kg
- Acute inhalation toxicity : no data available
- Acute dermal toxicity : LD50
estimated
> 5,000 mg/kg
- Chronic effects**
- Carcinogenicity : no data available
- Mutagenicity : no data available
- Reproductive effects : no data available
- Teratogenicity : no data available
- Sensitisation : Not known to be a sensitizer.

12. ECOLOGICAL INFORMATION

- Ecotoxicity effects : no data available

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

30000000000000011427.002

13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.
Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1

UN number 1950

Packaging group: None.

Note: SC Johnson ships this product as Consumer Commodity ORM-D (non-bulk packages)

Sea transport

IMDG:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2

UN number: 1950

Packaging group: None.

EmS: F-D, S-U

Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Air transport

ICAO/IATA:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1

UN/ID No.: UN 1950

Packaging group: None.

Note: SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1226



GLADE® AUTOMATIC AEROSOL SPRAY - HAWAIIAN BREEZE®

Version 2.0

Print Date 01/05/2011

Revision Date 12/14/2010

MSDS Number 350000014839

SITE_FORM Number

300000000000000011427.002

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	4
Reactivity	0

NFPA Ratings

Health	2
Fire	4
Reactivity	0
Special	

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	--