

MURSATT CHEMICALS LIMITED 11 REGALCREST COURT WOODBRIDGE, ONTARIO, CANADA, L4L 8P3 (905)-850-8444

PRODUCT: SPA BOOST CODE: MUR0060

SECTION 01: IDENTIFICATION

MUR0060 SPA BOOST N.AV. N.AV.

MURSATT CHEMICALS LIMITED 11 REGALCREST COURT WOODBRIDGE, ONTARIO CANADA

L4L 8P3

NONE.

EMERGENCY PHONE NO...... CANUTEC (613)-996-6666.

SECTION 02: HAZARD IDENTIFICATION





CONTENTS/CONTAINER TO APPROPRIATE WASTE SITE OR RECLAIMER IN

ACCORDANCE WITH LOCAL AND NATIONAL REGULATIONS.

HAZARD CLASSIFICATION..... ACUTE TOXICITY (ORAL) - CATEGORY 4. SKIN CORROSION - CATEGORY 1B. SERIOUS EYE DAMAGE - CATEGORY 1. SIGNAL WORD..... DANGER. HAZARD STATEMENT..... H302 HARMFUL IF SWALLOWED. H314 CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. PRECAUTIONARY STATEMENT..... P264 WASH SKIN THOROUGHLY AFTER HANDLING. P270 DO NO EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. P301+P312+P330 IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL. RINSE MOUTH. P260 DO NOT BREATHE DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P301+P330+P331 IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING. P363 WASH CONTAMINATED CLOTHING BEFORE REUSE. P304+P340+P310 IF INHALED: REMOVE VICTIM TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P321 SPECIFIC TREATMENT (SEE SUPPLEMENTAL FIRST AID INSTRUCTIONS ON THE SAFETY DATA SHEET). P305+P351+P338+P310 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P405 STORE LOCKED UP. P501 DISPOSE OF

OTHER HAZARDS.....

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS HAZARDOUS INGREDIENTS CAS# WT. % PENTAPOTASSIUM BIS(PEROXYMONOSULPHATE) 70693-62-8 60-100 **BIS(SULPHATE)** DIPOTASSIUM PEROXODISULPHATE 7727-21-1 0-5 TETRA[CARBONATO(2-)]DIHYDROXYPENTAMAGNESIUM 7760-50-1 <2 SODIUM CARBONATE 497-19-8 10-30 SODIUM SULPHATE 7757-82-6 10-30

PRODUCT: SPA BOOST CODE: MUR0060

SECTION 04: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. IF ON SKIN, RINSE WELL WITH WATER. TAKE OFF CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. IF SKIN IRRITATION PERSISTS, CALL A PHYSICIAN. WASH EYE CONTACT..... SKIN CONTACT.....

CONTAMINATED CLOTHING BEFORE RE-USE.

INHALATION..... MOVE TO FRESH AIR. OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED. CALL A

PHYSICIAN IMMEDIATELY

DO NOT INDUCE VOMITING. DRINK 1 OR 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN

IMMEDIATELY.

MOST IMPORTANT SYMPTOMS AND SEE SECTION 11.

EFFECTS, ACUTE OR DELAYED: INDICATION OF ANY IMMEDIATE MEDICAL N.AV.

ATTENTION AND SPECIAL TREATMENT

INGESTION.....

NEEDED

SECTION 05: FIRE FIGHTING MEASURES

USE EXTINGUISHING MEASURES THAT ARE APPROPRIATE TO LOCAL SUITABLE EXTINGUISHING MEDIA.....

CIRCUMSTANCES AND THE SURROUNDING ENVIRONMENT.

UNSUITABLE EXTINGUISHING MEDIA..... CARBON DIOXIDE (CO2) THE PRODUCT ITSELF DOES NOT BURN.

SPECIAL HAZARDS ARISING FROM THE PRODUCT:

HAZARDOUS COMBUSTION PRODUCTS.

HAZARDOUS DECOMPOSITION PRODUCTS OXYGEN, SULPHUR DIOXIDE,

SULPHUR TRIOXIDE. OXIDES OF CARBON. OXIDES OF SULPHUR. SODIUM OXIDE. WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE SUIT.

SPECIAL PROTECTIVE EQUIPMENT AND

PRECAUTIONS FOR FIRE-FIGHTERS:

SECTION 06: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS..... EVACUATE PERSONNEL TO SAFE AREAS. USE PERSONAL PROTECTIVE

EQUIPMENT

ENVIRONMENTAL PRECAUTIONS..... DO NOT ALLOW TO ENTER DRAINS, SEWERS OR WATERCOURSES. METHODS AND MATERIALS FOR SWEEP UP AND SHOVEL INTO SUITABLE CONTAINERS FOR DISPOSAL. AVOID CONTAINMENT AND CLEANING UP

DUST FORMATION. AFTER CLEANING, FLUSH AWAY TRACES WITH WATER.

SECTION 07: HANDLING AND STORAGE

USE ONLY IN WELL-VENTILATED AREAS. DO NOT BREATHE DUST. AVOID DUST PRECAUTIONS FOR SAFE HANDLING:.....

FORMATION IN CONFINED AREAS. AVOID CONTACT WITH SKIN AND EYES. KEEP

AWAY FROM HEAT AND FLAME. WASH HANDS BEFORE BREAKS AND

IMMEDIATELY AFTER HANDLING THE PRODUCT. HANDLE IN ACCORDANCE WITH

GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE.
KEEP CONTAINERS TIGHTLY CLOSED IN A DRY, COOL AND WELL-VENTILATED CONDITIONS FOR SAFE STORAGE, PLACE. PROTECT FROM CONTAMINATION. STORE IN ORIGINAL CONTAINER. KEEP AWAY FROM COMBUSTIBLE MATERIAL. NEVER ALLOW PRODUCT TO GET IN INCLUDING ANY IMCOMPATIBILITÉS:

CONTACT WITH WATER DURING STORAGE. STABLE UNDER RECOMMENDED

STORAGE CONDITIONS.

SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION

| INGREDIENTS | TWA ACG | IH TLV STEL | OSH/ PEL | A PEL STEL | NIOSH REL |
|---|-----------------------------|-----------------|--------------|---------------|--------------|
| PENTAPOTASSIUM BIS(PEROXYMONOSUL PHATE) BIS(SULPHATE) | N.AV. | N.AV. | N.AV. | N.AV. | N.AV. |
| DIPOTASSIUM PEROXODISULPHATE | 0.1 MG/M3 AS PERSULPHATE | N.AV. | N.AV. | N.AV. | N.AV. |
| TETRA[CARBONATO(2-)] DIHYDROXYPENTAMAG NESIUM | N.AV. | N.AV. | N.AV. | N.AV. | N.AV. |
| SODIUM CARBONATE | N.AV. | N.AV. | N.AV. | N.AV. | N.AV. |
| SODIUM SULPHATE | N.AV. | N.AV. | N.AV. | N.AV. | N.AV. |
| APPROPRIATE ENGINE | EERING CONTROLS | ENSURE ADEQAUTE | VENTILATION. | | |

PRODUCT: SPA BOOST CODE: MUR0060

SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION

INDIVIDUAL PROTECTION MEASURE SUCH AS PERSONAL PROTECTIVE

EQUIPMENTS

HAND PROTECTION...... IMPERVIOUS GLOVES.

RESPIRATORY PROTECTION..... WHEN WORKERS ARE FACING CONCENTRATIONS ABOVE THE EXPOSURE LIMIT

THEY MUST USE APPROPRIATE CERTIFIED RESPIRATORS. WEAR A

POSITIVE-PRESSURE SUPPLIED-AIR RESPIRATOR.
WEAR SAFETY GLASSES OR COVERALL CHEMICAL SPLASH GOGGLES.

EYE PROTECTION.....

PROTECTIVE CLOTHING...... APPROPRIATE IMPERVIOUS APRON, PANTS, JACKET, HOOD.

PROTECTIVE FOOTWEAR..... IMPERMEABLE BOOTS.

ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE CLOSE TO THE OTHER.....

WORKSTATION LOCATION. USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, HYGIENIC PRACTICES..... DRINKING, OR SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE

CONTAMINATED CLOTHING AND WASH THOROUGHLY BEFORE REUSE.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

| SOLID. GRANULAR. |
|-------------------|
| WHITE. |
| ODOURLESS. |
| N.AV. |
| 4.5 (1% SOLUTION) |
| N.AV. |
| N.AP. |
| N.AP. |
| N.AV. |
| N.AV. |
| N.AP. |
| N.AP. |
| N.AP. |
| N.AP. |
| 1.3. |
| N.AV. |
| N.AV. |
| N.AV. |
| N.AV. |
| N.AP. |
| |

SECTION 10: STABILITY AND REACTIVITY

STABLE UNDER RECOMMENDED STORAGE CONDITIONS. REACTIVITY:....

CHEMICAL STABILITY:.... STABLE UNDER NORMAL CONDITIONS.

POSSIBILITY OF HAZARDOUS N.AV.

REACTIONS:

DECOMPOSITION

SECTION 11: TOXICOLOGICAL INFORMATION

| INGREDIENTS | LC50 | LD50 |
|---|----------------------------|---|
| PENTAPOTASSIUM BIS(PEROXYMONOSULPHATE) BIS(SULPHATE) | N.AV. | 500 MG/KG (ORAL, RAT) |
| DIPOTASSIUM PEROXODISULPHATE | N.AV. | 1130 MG/KG (ORAL, RAT) |
| TETRA[CARBONATO(2-)]DIHYDROXYPENTAMAGNESIUM | N.AV. | > 2,000 MG/KG (ORAL, RAT) |
| SODIUM CARBONATE | 2300 MG/M3 (IHL, RAT) - 2H | 4090 MG/KG (ORAL, RAT); 2210 MG/KG (DERMAL, MOUSE) |
| SODIUM SULPHATE | N.AV. | 5989 MG/KG)ORAL, RAT) |
| INFORMATION ON LUCELY DOUTED OF | | |

INFORMATION ON LIKELY ROUTES OF

ŠKIN CONTACT...... CAUSES BURNS. RABBIT.

INHALATION...... N.AV.

CODE: MUR0060 PRODUCT: SPA BOOST

SECTION 11: TOXICOLOGICAL INFORMATION

..... HARMFUL IF SWALLOWED. INGESTION.....

EFFECTS OF ACUTE EXPOSURE..... SEE ABOVE. EFFECTS OF CHRONIC EXPOSURE......
SIGNS AND SYMPTOMS OF N.AV.

OVEREXPOSURE

CARCINOGENICITY OF MATERIAL....... NONE OF THE COMPONENTS PRESENT IN THIS MATERIAL AT CONCENTRATIONS EQUAL TO OR GREATER THAN 0.1% ARE LISTED BY IARC, NTP, OSHA OR ACGIH

AS A CARCINOGEN.

TERATOGENICITY..... N.AV. MUTAGENICITY..... N.AV. REPRODUCTIVE EFFECTS..... N.AV.

SENSITIZING CAPABILITY OF MATERIAL DID NOT CAUSE SENSITIZATION ON LABORATORY ANIMALS., GUINEA PIG. SYNERGISTIC MATERIALS...... N.AV.

LD 50 OF MATERIAL, SPECIES & ROUTE. > 2,000 MG/KG (DERMAL, RAT).

LC 50 OF MATERIAL, SPECIES & ROUTE. INHALATION 4 HOUR LC50: > 5 MG/L IN RATS.

SECTION 12: ECOLOGICAL CONSIDERATIONS

ECOTOXICITY..... N.AV. PERSISTENCE AND DEGRADATION...... N.AV. BIOACCUMULATIVE POTENTIAL..... N.AV. MOBILITY IN SOIL.... N.AV. OTHER ADVERSE EFFECTS..... N.AV.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS:..... DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER... ______3260.

PROPER SHIPPING NAME..... CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (MONOPERSULFATE COMPOUND).

TDG CLASSIFICATION..... PACKING GROUP.....

ENVIRONMENTAL HAZARDS ACCORDING N.AV.

TO THE INTERNATIONAL MARITIME DANGEROUS GOODS CODE AND THE

UNITED NATIONS MODEL REGULATIONS:

SPECIAL PRECAUTIONS IN CONNECTION N.AV.

WITH TRANSPORT OR CONVEYANCE EITHER WITHIN OR OUTSIDE THE

PREMISES:

SECTION 15: REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL N.AV. REGULATIONS SPECIFIC TO THE

PRODUCT:

SECTION 16: OTHER INFORMATION

N.AV.=NOT AVAILABLE N.AP.=NOT APPLICABLE

OTHER INFORMATION..... THE DATA IN THIS MSDS RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH

ANY OTHER MATERIAL OR IN ANY PROCESS. THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS PRODUCT SPECIFICATIONS. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE

RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER THET ARE APPROPRIATE.

PREPARED BY..... **REGULATORY AFFAIRS**

PREPARATION DATE..... APR 18/2017