

Safety Data Sheet

Classified in accordance 29 CFR 1910.1200

1. Product Identification

Product Information: 80-714

Product Identifier: FAST DRY MULTI-PURPOSE SOLVENT

Recommended Use: Coating

Manufacturer/Importer/Distributor Information: KIMBALL MIDWEST

4800 ROBERTS RD COLUMBUS, OH 43228

US

1-800-233-1294

Emergency Telephone: 1-800-424-9300

2. Hazard(s) identification

Classification

Flammable Aerosol, category 1
Compressed Gas
Aspiration Hazard, category 1
Skin Irritation, category 2
STOT, cingle exposure, category 3. Nil

STOT, single exposure, category 3, NE

Label elements

HAZARD PICTOGRAMS



SIGNAL WORD

Danger

GHS HAZARD STATEMENTS

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

GHS PRECAUTIONARY STATEMENTS

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust, fumes, gas, mist, vapours, or spray.

5197 Page 1 / 8

Wash thoroughly after handling. P264

Use only outdoors or in a well-ventilated area. P271

Wear protective gloves P280

Response

IF SWALLOWED: Get emergency medical help immediately. P301+P316

IF ON SKIN: Wash with plenty of soap and water. P302+P352

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

Get medical help if you feel unwell. P319

Do NOT induce vomiting. P331

P332+P317 If skin irritation occurs: Get medical help.

Take off contaminated clothing and wash it before reuse. P362+P364

Storage

Store in a well-ventilated place. Keep container tightly closed. P403+P233

Store locked up. P405

Protect from sunlight. Store in a well-ventilated place. P410+P403

Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. P410+P412

Disposal

Ethanol

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with P501

applicable laws and regulations, and product characteristics at time of disposal.

Other Information

None

3. Composition/Information on Ingredients

Mixtures

| OL 1 111 19 | | |
|-------------------|---------------------------------------|-------------------------|
| Chemical Identity | CAS Number | Content in Percent (%)* |
| | · · · · · · · · · · · · · · · · · · · | |

| <u>Chemical Identity</u> | CAS Number | Content in Percent (%)* |
|--|------------|-------------------------|
| Naphtha, (Petroleum), Hydrotreated Light | 64742-49-0 | 50-75 |

142-82-5 n-Heptane 10-25

64-17-5

108-87-2

2.5-10

2.5-10

2.5-10

Methylcyclohexane Carbon Dioxide 124-38-9

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

4. First-aid Measures

INGESTION: Rinse mouth.

SKIN CONTACT: Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

EYE CONTACT: Rinse immediately with plenty of water.

INHALATION: Move to fresh air.

IMPORTANT SYMPTOMS: No data available

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms

Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

Page 2 / 8

UNUSUAL FIRE AND EXPLOSION HAZARDS: No data available

SPECIAL FIREFIGHTING PROCEDURES: No data available

Accidental Release Measures

PERSONAL PRECAUTIONS: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

7. Handling and Storage

HANDLING: Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

SAFE HANDLING ADVICE: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

STORAGE: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

NFPA 30B: Aerosol Level 3

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

| Chemical Name | TLV-TWA | TLV-STEL | PEL-TWA | PEL-CEILING |
|--|-----------|-----------|----------|-------------|
| Naphtha, (Petroleum), Hydrotreated Light | N.E. | N.E. | 100 ppm | N.E. |
| n-Heptane | 400 ppm | 500 ppm | 500 ppm | N.E. |
| Ethanol | N.E. | 1000 ppm | 1000 ppm | N.E. |
| Methylcyclohexane | 400 ppm | N.E. | 500 ppm | N.E. |
| Carbon Dioxide | 5,000 ppm | 30000 ppm | 5000 ppm | N.E. |

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

ENGINEERING CONTROLS: No data available.

Personal Protection

EYE/FACE PROTECTION: Wear goggles/face shield.

SKIN PROTECTION: No data available

RESPIRATORY PROTECTION: Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

HYGIENIC PRACTICES: When using do not smoke. Observe good industrial hygiene practices.

5197 Page 3 / 8

9. Physical and Chemical Properties

Appearance:

Physical State: Liquid

Form: Spray Aerosol Color: No data available

Odor: Solvent

Odor Threshold: No data available No data available pH: No data available Freeze Point, °C:

Boiling Point, °C: 78 Flash Point, °C: -9

Flammability (solid, gas): No data available **Evaporation Rate:** No data available Supports Combustion Combustibility:

Explosive Limits, %: 1.0 - 19.055-75 Vapor Pressure @20°C, PSI:

Vapor Density: No data available

0.734 **Relative Density:**

Solubility in Water: No data available Partition Coefficient, n-octanol/water: No data available Auto-Ignition Temperature, °C: No data available Decomposition temperature, °C: No data available

Kinematic Viscosity: No data available

10. Stability and Reactivity

REACTIVITY: No data available.

STABILITY: Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available.

CONDITIONS TO AVOID: Avoid heat or contamination

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: No data available.

11. Toxicological Information

Information on Likely Routes of Exposure

IMPORTANT SYMPTOMS: No data available

SKIN CONTACT EFFECTS: May cause irritation on prolonged or repeated contact.

EYE CONTACT EFFECTS: May cause slight irritation with tearing.

INHALATION EFFECTS: Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

CHRONIC HAZARDS: No data available

Page 4 / 8 5197

Carcinogenicity: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA.

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

 ATE ORAL
 5,472 mg/kg

 ATE DERMAL
 3,322 mg/kg

ATE INHALATION Not classified for acute toxicity based on available data.

Acute Toxicity Values

| The acute effects of this product have not been tested. Data on individual components are tabulated below | | | | |
|---|--|-----------------|--------------|------------|
| CAS-No. | Chemical Name | Oral LD50 | Dermal LD50 | Vapor LC50 |
| 64742-49-0 | Naphtha, (Petroleum), Hydrotreated Light | 5,000 mg/kg | 3,750 mg/kg | 100 mg/l |
| 142-82-5 | n-Heptane | 5,000 mg/kg | 2,000 mg/kg | 29.29 mg/l |
| 64-17-5 | Ethanol | 10,470 mg/kg | 17,100 mg/kg | 124.7 mg/l |
| 108-87-2 | Methylcyclohexane | >3200 mg/kg Rat | 2,000 mg/kg | 100 mg/l |
| 124-38-9 | Carbon Dioxide | 5000 mg/kg | 5000 mg/kg | 100 mg/l |

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Components:

n-Heptane 142-82-5 Causes skin irritation. Methylcyclohexane 108-87-2 Causes skin irritation.

Serious Eye Damage & Irritation:

Product: No data available

Respiratory or Skin Sensitization:

Product: No data available

STOT-Single Exposure:

Product: No data available

Components:

n-Heptane 142-82-5 May cause drowsiness or dizziness.

Methylcyclohexane 108-87-2 May cause drowsiness or dizziness.

STOT-Repeated Exposure:

Product: No data available

Aspiration Hazard:

Product: No data available

Components:

Naphtha, (Petroleum), Hydrotreated Light

n-Heptane

142-82-5

Methylcyclohexane

64742-49-0

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Carcinogenicity:

Product: No data available

Reproductive Toxicity:

Product: No data available

5197 Page 5 / 8

Germ Cell Mutagenicity:

Product: No data available

12. Ecological Information

ECOLOGICAL INFORMATION: No data available

PERSISTENCE: No data available
BIOACCUMULATE: No data available
MOBILITY IN SOIL: No data available
OTHER ECOLOGICAL: No data available

13. Disposal Information

DISPOSAL INFORMATION: Consult with your local, regional and federal agencies for information on proper disposal.

CONTAMINATED PACKAGING: Consult with your local, regional and federal agencies for information on proper disposal.

14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk N/A
Packing Group: N/A

IATA

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

IMDG

UN Number: UN1950

Proper Shipping Name: AEROSOLS, FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.1
Subsidiary Risk: N/A
Packing Group: N/A

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

5197 Page 6 / 8

15. Regulatory Information

CHEMICAL INVENTORY STATUS:

TSCA On or in compliance with the inventory

DSL All ingredients in this product are listed on the DSL or are exempt.

CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:



WARNING

Warning: This product may contain ingredients known to the state of California to cause Cancer or Reproductive Harm.

| <u>Chemical Name</u> | CAS-No. |
|----------------------|----------|
| Toluene | 108-88-3 |
| n-Hexane | 110-54-3 |
| Ethyl Benzene | 100-41-4 |
| Benzene | 71-43-2 |
| | |

16. Other Information

Revision Date: 10/4/2022

Datasheet produced by: Regulatory Department

Legend

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

TLV - Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)

PEL - Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended

TSCA - U.S. Toxic Substance Control Act

DSL - Canada Environmental Protection Act: Domestic Substance List

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

5197 Page 7 / 8

5197 Page 8 / 8