

Safety Data Sheet

Issue date 29-May-2014 Version 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name PROSALL CLINI CLEAN FOAMING DISINFECTANT

Chemical name 7-7787-3

Other means of identification

Product code FG 433-1104-5

Synonyms Disinfectant and cleaner

Registration number(s) 498-62-68659

Recommended use of the chemical and restrictions on use

Recommended UseTo clean and deodorize all hard, nonporous washable household surfaces such as

bathtubs, sinks, toilet bowl seats, etc.

Uses advised against Do not use as a glass cleaner.

Details of the supplier of the safety data sheet

Supplier Address
ProsALL Products a Division of Chase
Products Co.
P.O. Box 7502
Westchester, IL 60154

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-273-1121

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

Acute toxicity - Oral	This is an aerosol product, ingestion is unlikely to occur.
Acute toxicity - Dermal	May cause skin irritation after prolonged contact with skin.
Acute toxicity - Inhalation (Dusts/Mists)	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.
Skin corrosion/irritation	May cause skin irritation after prolonged contact with skin.
Serious eye damage/eye irritation	Can cause irritation after contact with the eyes.
carcinogenicity	Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.
Reproductive Toxicity	Not known

Label Elements

EMERGENCY OVERVIEW			

appearance White foam Physical State Aerosol Odor Lemon

Precautionary Statements - Prevention

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Avoid getting spray into eyes. Keep out of reach of children.

Precautionary Statements - Storage

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

OTHER INFORMATION

No information available

3. Composition/information on Ingredients

Synonyms Disinfectant and cleaner.

Chemical Family MIXTURES. Formula 7-7787-3

Chemical nature Aqueous solution of active ingredients, surfactants and cleaners.

Chemical name	CAS No	weight-%	Trade secret
N-Butane	106-97-8	1-5	*
Trisodium Phosphate Crystals	10101-89-0	1-5	*
2-Butoxyethanol	111-76-2	1-5	*
Propane	74-98-6	1-5	*

Chemical Additions See label for active ingredients information.

4. First aid measures

FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

inhalation If overcome by vapor, move person to fresh air.

INGESTION Ingestion from an aerosol product is unlikely to occur.

Most important symptoms and effects, both acute and delayed

Symptoms Irritating to the eyes on contact. May cause stinging, redness and swelling of the eyes. May

cause mild irritation. Prolonged and repeated contact may cause redness, burning, drying and cracking of the skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread

contact may result on skin absorption of potentially harmful amounts.

Indication of any immediate medical attention and special treatment needed

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

Note to physicians None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 120 F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

OTHER INFORMATION Keep out of reach of children.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning upClean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid prolonged contact with the skin. Keep out of reach of

children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelinesSee occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	TWA: 800 ppm TWA: 1900 mg/m ³
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³

Appropriate engineering controls

Engineering controlsUse with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves.

label directions for correct use of the product..

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

appearance White foam **Odor** Lemon

color white

Property Values Remarks • Method

pH 10.66 to 11.66

Melting point/freezing point NA

Boiling point/boiling range 212 °F/100 °C

Flash Point Not Available. This is an aerosol

product for which Flame Projection is 0 inches. Temperatures above 120 F

may cause cans to burst. Faster than butyl acetate

Evaporation Rate flammability (solid, gas)

Flammability Limits in Air

Upper flammability limits
Lower Flammability Limit
vapor pressure

Not available
Not available

Specific gravity 1.005 +/- 0.005 concentrate

Water solubility completely soluble

OTHER INFORMATION

VOC content (%) 6.92%

density

Bulk Density 8.37 Lb/gal

10. Stability and Reactivity

Reactivity

Not applicable no data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 120 F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 120 F.

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

11. Toxicological Information

Information on likely routes of exposure

Product Information This product has not been tested as whole. See below for information on ingredients.

See data below. inhalation

no data available. **Eye Contact**

Skin contact no data available.

INGESTION This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
N-Butane 106-97-8	-	-	= 658 g/m³ (Rat) 4 h
Trisodium Phosphate Crystals 10101-89-0	= 7400 mg/kg (Rat)	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat)4 h

Information on toxicological effects

See information above. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

sensitization **Germ Cell Mutagenicity** No information available. No information available.

Not known chronic effects based on available data. None of the ingredients present in carcinogenicity

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (inhalation-gas) 10000000 ATEmix (inhalation-vapor) 16447.4 mg/l

12. Ecological Information

ecotoxicity

8% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
111-76-2		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient	
N-Butane 106-97-8	2.89	
2-Butoxyethanol 111-76-2	0.81	
Propane 74-98-6	2.3	

Other adverse effects No information available

Ozone This product does not contain CFCs or other ozone depleting substances. Federal

regulations prohibit the use CFC propellants in aerosols.

13. Disposal Considerations

Waste treatment methods

Disposal of wastes Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if

available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use.

14. Transport Information

DOT Limited quantity (LQ)

UN/ID no UN1950

Proper Shipping Name Foaming Disinfectant Cleaner

Hazard Class 2.1

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

	Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Γ	Trisodium Phosphate				X
	Crystals				
	10101-89-0				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
-	Trisodium Phosphate Crystals	5000 lb		RQ 5000 lb final RQ
	10101-89-0			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
N-Butane	X	X	X
106-97-8			

Trisodium Phosphate Crystals 10101-89-0		Х	X
2-Butoxyethanol 111-76-2	X	X	Х
Propane 74-98-6	X	X	Х

U.S. EPA Label information

EPA Pesticide registration number 498-62-68659

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Do not spray in eyes.

16. Other information						
NFPA_	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable		
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical Hazards 1	Personal Protection B - Eyes and hands protection		

Prepared by Regulatory Department

Issue date 29-May-2014

Revision note

This SDS supercedes a previous MSDS dated: Sept. 18, 2008

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet