

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

Material Safety Data Sheet



Product Name

FRIT 472

Note: Do not leave fields blank. IF some point does not apply or is not specified, must be identified as follows: N / A: Not Applicable N / S: Not Specified

Section I: Identification of the Manufacturer

Name of Manufacturer	In an emergency call:			
MACESA Fritas	(01152) 81 24 81 99			
Address:	For Information call:			
BOULEVARD DIAZ ORDAZ Km. 335.5	(01152) 81 24 82 34			
GARZA GARCIA, N.L. MEXICO	Preparation date:			
CP 66230	8/19/2010			
	Sign			

Section II: Hazardous Ingredients

Co	omponent Name	No. CAS Concentration (%)		OSHA PEL (mg/m3)	ACGIH TLV (mg/m3)	Other Limits Recommended	
1	Lead Monoxide	I3 17-36-8	30-35 %	0.05	0.05	N/E	
2	Silica	14808-60-7	35-40 %	10 % / SiO2 +2	0.025	N/E	
3	Boric Acid	10043-35-3	10-15 %	15	10	N/E	
4							

Section III: Physical and Chemical Characteristics

Boiling point N/A		Specific Gravity (H2O = 1)	N/E		
Vapor Pressure (mmHg)	N/A	Melting point	169°C		
Vapor Density (Air = 1)	N/A	Evaporation Ratio (butylacetate = 1)	N/A		
Water solubility:		Appearance and Odor:			
Insoluble		Powder, odorless. Color may vary.			

Section IV: Fire and Explosion

And anger of fire pecial procedures for fire fighting No danger of fire processing the explosion Not required Section V: Reactivity Unstable N/A Stable Stable Stable Stable Stable Ornassium, ANIHIDRO ACETIC, alkali, carbonate and hydroxides POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Received the stable of th	Flash Point (include method of determining) N/A			Flammability L	imits	Inferior N/A	Superior N/A
Pecial procedures for fire fighting No danger of fire Not required Section V: Reactivity Unstable No Application to avoid Stable Stable Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Router of potential to Avoid N/A Section VI: Health Hazards Route of Entry: Route of Entry: Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration in greating in the provide artificial respiration in greating in the provide artificial respiration in greating in the provided artificial respiration in greating in the provided artificial respiration in the forms of quartz from occupational sources.			<u> </u>			1.071	
Not anger of fire nusual danger and explosion Not required Section V: Reactivity Unstable N/A Conditions to avoid POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides 2aradous Decomposition Products. Under normal conditions, this product does not release after the application materials Hazardous Polymerization: N/A Section VI: Health Hazards Route of Entry Inhalation NO Skin NI Innestion NO Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. NTP? YES IARC Monograph YES OSHA Regulated YES VES VES OSHA Regulated YES Whomeward in the provided artificial respiratory tract reducted conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Merceptory procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration gestion: Get immediate medical attention	No danger of fire						
Not required Section V: Reactivity Unstable N/A Conditions to avoid Stable Stable Stable Stable Stable OPPOPASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides azarouso Decomposition Products: Under normal conditions, this product does not release after the application materials Under normal conditions, this product does not release after the application materials Conditions to avoid N/A NA Sertion VI: Health Hazards Aute of Entor Inhalation NO Skin Si Innestion NO Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. Ancer risk NTP? YES NACC Monograph YES OSHA Regulated YES Application of the proper PPE, may irritate eyes, skin and respiratory tract ledical conditions aggravated by exposure Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract ledical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Merconditions aggravated by exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration regerence. Revenue the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration regerence.	pecial procedures for fire fighting						
Section V: Reactivity Unstable N/A Conditions to avoid Unstable Stable Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Stable Stable OF OTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Acardious Pochnopsition Products: Under normal conditions, this product does not release after the application materials Hazardous Polymerization: N/A Conditions to avoid N/A Sertion VI: Health Hazards Route of Entor Inhalation NO Skin Si Innestion NO Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. Ancer risk NTP? YES IARC OSHA Regulated YES Amonograph YES OSHA Regulated YES Wymptoms of Exposure Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract ledical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. mergency procedures and first aid. Skin: Wash with scap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration regestion: Get immediate medical attention	No danger of fire						
Unstable NIA Conditions to avoid Stable Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Stable Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Stardious Podromopsition Products: Under normal conditions, this product does not release after the application materials Hazardous Polymerization: NIA Conditions to avoid Hazardous Polymerization: NIA NIA Section VI: Health Hazards Route of Entry Inhalation NO Skin St Innestion NO Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. IARC YES OSHA Regulated YES wymptoms of Exposure Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract tedical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Imeregency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiratoric legication: Get immediate medical attention	Inusual danger and explosion						
Unstable NIA Conditions to avoid Stable Stable Stable Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides lazardous Decomposition Products: Under normal conditions, this product does not release after the application materials Hazardous Polymerization: NIA Conditions to avoid NIA Skin St Innestion NO Route of Entor Inhalation NO Skin St Innestion NO Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. Anner risk NTP? YES IARC Monograph YES OSHA Regulated YES Regulated YES Workers with poor respiratory capacity should have limited exposure to this material. Imergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiratoring legistion: Get immediate medical attention	Not required						0.5
Stable Stable Stable Stable Stable Stable Stable Stable Stable POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides Regardous Decomposition Products: Under normal conditions, this product does not release after the application materials Hazardous Polymerization: N/A Section VI: Hoalth Hazards Route of Entry: Inhalation Route of Entry: Inhalation NO Skin St. Innestion NO Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. IARC Monograph YES OSHA Regulated YES Veryphoms of Exposure Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract redical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Mergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration ingestion: Get immediate medical attention	Section V: Reactivity						0+1
Stable Stable St	Unstable	N/A	Condit	tions to avoid			
### POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides lazardous Decomposition Products: Under normal conditions, this product does not release after the application materials Hazardous Polymerization:	Stable	Stable	POTASSIUM, ANIHIDRO ACETIC, alkali, carbonate and hydroxides			droxides	
Acatron Products: Under normal conditions, this product does not release after the application materials Hazardous Polymerization: N/A Section VI: Health Hazards Route of Entry: Inhalation NO Skin SI Innestion NO ealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. NTP? YES ARC Monograph YES OSHA Regulated YES Versultate eyes, skin and respiratory tract ledical conditions aggravated by exposure Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract ledical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respirator ingestion: Get immediate medical attention	promnatibility (Materials to Avoid) POTASSIUM, ANIHIDRO ACETIC, alkali, carb	onate and hydrox	ides				
Hazardous Polymerization: N/A Conditions to avoid N/A Conditions in the first akin and eyes Chronic Excessive inhalation cannot with skin and eyes Cosha Pyes C		,					
Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. NTP? YES IARC Monograph YES OSHA Regulated YES which with poor respiratory capacity should have limited exposure to this material. Workers with poor respiratory capacity should have limited exposure to this material. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respirator lagestion: Get immediate medical attention	Under normal conditions, this product does	not release after t					
Route of Entry: Inhalation NO Skin SI Innestion NO lealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica and cancer silicasis. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica and cancer silicasis. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica can cause silicosis. International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica can cause silicosis. International Agency for Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica can cause silicos	Hazardous Polymerization:	N/A					
Acute: Improper handling of chips, without the appropriate PPE, can cause small lesions in contact with skin and eyes Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. Ancer risk NTP? YES IARC Monograph YES OSHA Regulated YES PExcessive exposure Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract Idedical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration lingestion: Get immediate medical attention	Route of Entry:	Inhalation	NO	OL:	01	Ingestion	NO
Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. Ancer risk NTP? YES IARC Monograph YES OSHA Regulated YES Proper PPE, may irritate eyes, skin and respiratory tract tedical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Imergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respirator in the proper procedure in humans for the carcinogenicity of crystalline services in humans for the carcinogenici			140	Skin	- 51	i maesnan	NI I
Chronic: Excessive inhalation of respirable crystalline silica can cause silicosis. The International Agency for Research on Cancer (IARC) concluded that there is evidence in humans for the carcinogenicity of crystalline silica in the forms of quartz from occupational sources. Ancer risk NTP? YES IARC Monograph YES OSHA Regulated YES Proper PPE, may irritate eyes, skin and respiratory tract tedical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Imergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respirator in the proper procedure in humans for the carcinogenicity of crystalline services in humans for the carcinogenici		IIIDAIAII(R)	NO	SKID	SI	1 Indesiran	NL)
ancer risk NTP? YES IARC Monograph YES OSHA Regulated YES VES With and respiratory tract Regided or the chip without the proper PPE, may irritate eyes, skin and respiratory tract Redical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Mergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respirator. Ingestion: Get immediate medical attention	ealth Hazards (Acute and Chronic)						NO.
Annormal Ann	dealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without to	the appropriate PP	PE, can c	ause small lesions			NL1
Annormal Ann	Health Hazards (Acute and Chronic) Acute: Improper handling of chips, without to Chronic: Excessive inhalation of respirable of The International Agency for Research on Cartesian Control of the International Agency for Research on Cartesian Cart	the appropriate PP crystalline silica ca ancer (IARC) conc	PE, can c	ause small lesions	in contact wit	h skin and eyes	
Excessive exposure to dust from the chip without the proper PPE, may irritate eyes, skin and respiratory tract dedical conditions aggravated by exposure Workers with poor respiratory capacity should have limited exposure to this material. Imergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration. Ingestion: Get immediate medical attention	lealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without to Chronic: Excessive inhalation of respirable of The International Agency for Research on Cartesian Control of the International Agency for Research on Cartesian Cart	the appropriate PP crystalline silica ca ancer (IARC) conc	PE, can c	ause small lesions	in contact wit	h skin and eyes	
Morkers with poor respiratory capacity should have limited exposure to this material. mergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration. In the stopped in the stop	ealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without to Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation	the appropriate PP crystalline silica ca ancer (IARC) concl aal sources.	PE, can c an cause	ause small lesions e silicosis. at there is evidenc	s in contact wit	h skin and eyes or the carcinogenici OSHA	ty of crystalline
Workers with poor respiratory capacity should have limited exposure to this material. mergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration. Get immediate medical attention	ealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without to Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation ancer risk	the appropriate PP crystalline silica ca ancer (IARC) concl aal sources.	PE, can c an cause	ause small lesions e silicosis. at there is evidenc	s in contact wit	h skin and eyes or the carcinogenici OSHA	ty of crystalline
mergency procedures and first aid. Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration. Ingestion: Get immediate medical attention	ealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without of Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation ancer risk	the appropriate PP crystalline silica ca ancer (IARC) conc aal sources. NTP?	PE, can c an cause luded tha YES	ause small lesions e silicosis. at there is evidenc IARC Monograph	e in contact wit	h skin and eyes or the carcinogenici OSHA Regulated	ty of crystalline
Skin: Wash with soap and clean water to the affected area Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration: Get immediate medical attention	ealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without of Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation ancer risk ymptoms of Exposure Excessive exposure to dust from the chip were considered.	the appropriate PP crystalline silica ca ancer (IARC) conc aal sources. NTP?	PE, can c an cause luded tha YES	ause small lesions e silicosis. at there is evidenc IARC Monograph	e in contact wit	h skin and eyes or the carcinogenici OSHA Regulated	ty of crystalline
Inhalation: Remove the person from exposure, moving to a place with clean, fresh air, if breathing has stopped, provide artificial respiration. Get immediate medical attention	ealth Hazards (Acute and Chronic) Acute: Improper handling of chips, without of Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation ancer risk ymptoms of Exposure Excessive exposure to dust from the chip we dedical conditions aggravated by exposure	the appropriate PP crystalline silica ca ancer (IARC) conc aal sources. NTP?	PE, can c an cause luded the YES	ause small lesions silicosis. at there is evidence IARC Monograph	e in contact wit	h skin and eyes or the carcinogenici OSHA Regulated	ty of crystalline
	Acute: Improper handling of chips, without of Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation ancer risk ymptoms of Exposure Excessive exposure to dust from the chip with the chip will dedical conditions aggravated by exposure Workers with poor respiratory capacity should be compared to the chip will dedical conditions aggravated by exposure	the appropriate PP crystalline silica ca ancer (IARC) conc aal sources. NTP?	PE, can c an cause luded the YES	ause small lesions silicosis. at there is evidence IARC Monograph	e in contact wit	h skin and eyes or the carcinogenici OSHA Regulated	ty of crystalline
	Acute: Improper handling of chips, without of Chronic: Excessive inhalation of respirable of The International Agency for Research on Casilica in the forms of quartz from occupation cancer risk Excessive exposure Excessive exposure to dust from the chip we dedical conditions aggravated by exposure Workers with poor respiratory capacity should respond to the Inhalation: Remove the person from exposure	the appropriate PP crystalline silica ca ancer (IARC) concluded sources. NTP? ithout the proper F	PE, can c an cause luded the YES	ause small lesions e silicosis. at there is evidenc IARC Monograph y irritate eyes, skin	e in humans fo	h skin and eyes or the carcinogenici OSHA Regulated	ty of crystalline <u>YES</u>

Laguna Clay Company www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

Section VIII Procedures for eafe handling and use
Procedure in case of spills Use appropriate PPE. Do not dry sweep, proceed to your collection, with a practice that eliminates the generation of dust (which may
Disposal method
Place material in suitable containers, identified and provided in accordance with federal, state and local
Precautions for handling and storage
NOT REQUIRED
Other Precautions
Use appropriate gloves to work with frit
Section VIII: Personal Protective Fauinment
Respiratory Protection (Specify Type) [.] NOISH approved dust and mist
Ventilation:
Use adequate ventilation to maintain dust exposure below recommended limits. Avoid breathing dust. The greatest potential for exposure
Eyes:
Use safety glasses or goggles. Do not use contact lenses in work areas.
Sikin:
Use cotton gloves or skin to minimize exposure of the skin. Wash hands with soap and water before eating, drinking, smoking and end of
Other clothing and equipment
Note: Personal protection information indicated in this document is based on general information under normal conditions. Where special
Section IX: Regulations
SARA Report
N/A
Regulations for the Transportation (DOT)
This material is considered as non-hazardous for ground transportation and / or Air
TSCA)
The components of this product have been introduced in the U.S. trade and are listed in the inventory of TSCA (Toxic Substance Control