



# Chemdi® Indicator Strips

## Safety Data Sheet

Version: 1.0

### 1. Identification of the Substance and Company

#### Chemdi® Indicator Strips

**Product No.**

**SDS No. S111US**

**Prepared by: M. Ebers**

[asksteris\\_msds@steris.com](mailto:asksteris_msds@steris.com)

**Date Created: December 1, 2001 Date Revised: April 8, 2014 Date Reviewed: NA**

**NFPA 704 HAZARD RATING:**

**HEALTH: 0**

**FIRE: 0**

**REACTIVITY: 0**

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US

Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)

Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park, Leicester, LE5 1QZ, UK

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276

PRODUCT NAME:	PRODUCT NUMBER:
Steam – 8½ “ – Standard Pack	NB001
Steam – 8½ ” – Bulk Pack	NB108
Steam – 4” – Standard Pack	NB034
EO- 8½” – Standard Pack	NB002
EO – 8½” – Bulk Pack	NB110
EO- 4” – Standard Pack	NB035
Dual Indicator Strips (EO and Steam)	SC705
<b>SHIPPING INFORMATION:</b>	<b>NOT RESTRICTED</b>

Chemdi® Indicator Strips are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Chemdi® Indicator Strips are designed to monitor achievement of sterilization cycle parameters for steam and EO sterilization. NOT to be used as a biological indicator to assure sterility.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.