

Product name DUR-O-SET® C-335 Emulsion NAGH/EN

MSDS number85423BRevision DateMay.26.2015Revision Number3.01Issuing dateMay.26.2015

\_\_\_\_\_

# 1. Product and company identification

**Trade Name** 

## **DUR-O-SET® C-335 Emulsion**

Celanese Ltd.

222 W. Las Colinas Blvd., Suite 900N Irving, TX 75039 United States

Phone: 972 443 4000 Internet: www.celanese.com

Transportation emergency phone numbers:

For Chemical Emergency: Spill Leak Fire Exposure or Accident

Call CHEMTREC Day or Night

DOMESTIC NORTH AMERICA: 800-424-9300

INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

## 2. Hazard Identification

Hazard Statements This material is not hazardous under the criteria of the Federal OSHA Hazard

Communication Standard (29CFR 1910.1200)

# 3. Composition/information on ingredients

**Chemical characterization** Water-borne polymer emulsion.

| Components                    | CAS-No    | Percent % |
|-------------------------------|-----------|-----------|
| Polyvinyl Acetate Homopolymer |           | 55- 57    |
| Water                         | 7732-18-5 | 43 - 45   |

## 4. First aid measures

### **General Information**

Wash contaminated clothing before re-use.

#### Skin

Wash off with soap and water. If symptoms persist, call a physician.

#### **Eves**

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Product name DUR-O-SET® C-335 Emulsion NAGH/EN

MSDS number85423BRevision DateMay.26.2015Revision Number3.01Issuing dateMay.26.2015

#### Ingestion

If swallowed, seek medical advice immediately and show this container or label.

# 5. Fire-fighting measures

#### Suitable extinguishing media

The product in solution form does not burn. The product will burn only after the water it contains is driven off. For dry polymer, use alcohol resistant foam, carbon dioxide (CO2) or dry chemical.

#### Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### Other Information

This is a water-based product and presents no particular fire or explosion hazard

## 6. Accidental release measures

#### **Personal precautions**

Contaminated surfaces will be extremely slippery. Avoid contact with the skin and the eyes.

#### **Environmental precautions**

Do not flush into surface water or sanitary sewer system.

### Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Contaminated equipment (brushes, rags) must be cleaned immediately with water. Dispose of in accordance with local regulations.

# 7. Handling and storage

### Advice on safe handling

Open containers in ventilated area.

#### Protection - fire and explosion:

No special protective measures against fire required.

#### **Technical measures/Storage conditions**

Keep tightly closed in a dry and cool place. No special technical protective measures required.

### Material storage

Protect from frost. Keep at temperatures between 5°C and 35°C (40°F and 95°F). Agitate before use. Keep tightly closed in a dry and cool place.

#### Incompatible products

No special restrictions on storage with other products



Product name DUR-O-SET® C-335 Emulsion NAGH/EN

MSDS number85423BRevision DateMay.26.2015Revision Number3.01Issuing dateMay.26.2015

\_\_\_\_\_

# 8. Exposure controls / personal protection

## **OSHA Exposure Limits**

No exposure limits established.

## **ACGIH Exposure Limits**

No exposure limits established.

## **Mexico National Exposure Limits**

No exposure limits established

## **Exposure controls**

#### **Engineering measures**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

#### **Protective equipment**

A safety shower and eyebath should be readily available.

#### **General advice**

Avoid contact with skin and eyes.

#### Skin protection:

Wear impervious clothing and gloves when there is a reasonable chance for skin contact..

### Eye/face protection:

safety glasses with side-shields.

# 9. Physical and chemical properties

## **Appearance**

Form liquid
Color milky white
Odor sweet

Freezing point Approx. 32 F°C (212°F)

pH 5.1 Viscosity 3500 cPs Specific Gravity 1.08

# 10. Stability and reactivity



Product name DUR-O-SET® C-335 Emulsion NAGH/EN

MSDS number85423BRevision DateMay.26.2015Revision Number3.01Issuing dateMay.26.2015

## **Chemical stability**

Stable under recommended storage conditions

#### Conditions to avoid

Do not freeze

#### **Incompatible Materials**

Materials that react with water

#### Possibility of hazardous reactions

No hazards to be especially mentioned.

# 11. Toxicological information

#### Potential health effects

Routes of exposure Skin, eyes, ingestion

Immediate effects

**Skin** Prolonged or repeated exposure may cause: skin irritation

**Eyes** May cause eye irritation.

**Ingestion** May cause gastrointestinal irritation.

Toxicological data are not available. Observe the usual hygienic measures for handling chemicals.

# 12. Ecological Information

Ecotoxicological data are not available. According to experience, the material has no harmful effect on the environment.

# 13. Disposal considerations

#### **Disposal considerations**

Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

Note that this handling and disposal information may also apply to empty containers, liners and rinsate. State or local regulations or restrictions are complex and may differ from federal regulations. This information is intended as an aid to proper handling and disposal; the final responsibility for handling and disposal is with the owner of the waste.

# 14. Transport information

**US Department of Transportation** Not regulated



Product name DUR-O-SET® C-335 Emulsion NAGH/EN

MSDS number85423BRevision DateMay.26.2015Revision Number3.01Issuing dateMay.26.2015

## 14. Transport information

TDG Not regulated

Mexico Transport Information Not regulated

ICAO/IATA Not restricted

IMDG Not regulated

# 15. Regulatory Information

## **US State Regulations**

Chemicals associated with the product which are subject to the state right-to-know regulations are listed along with the applicable state(s):

none

#### **U.S. FEDERAL REGULATIONS**

#### **TSCA Inventory:**

This product complies with the U.S. Toxic Substances Control Act (TSCA).

## **Environmental Regulations:**

#### **SARA 313 Chemicals**

Contains no substances at or above the reporting threshold under Section 313.

#### **SARA 311:**

### INTERNATIONAL REGULATIONS

#### **CANADIAN REGULATIONS**

WHMIS Classification: Not a WHMIS controlled product.

## 16. Other information

HMIS: Health: 1 Flammability: 0 Physical Hazard: 0

### **Prepared By**

**Product Stewardship Department** 

Celanese

For more information, consult the Technical Data Sheet (www.celanese-emulsions.com)



Product name DUR-O-SET® C-335 Emulsion NAGH/EN

MSDS number85423BRevision DateMay.26.2015Revision Number3.01Issuing dateMay.26.2015

\_\_\_\_\_

#### Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Celanese owned data and public sources deemed valid or acceptable.. The absence of data elements required by ANSI or 1907/2006/EC indicates that no data meeting these requirements is available..

Changes against the previous version are marked by \*\*\*

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Celanese makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Material safety data sheets are provided on the Internet by Celanese as a service to its customers. Possession of an Internet MSDS does not indicate that the possessor of the MSDS was a purchaser or user of the subject product.