

SAFETY DATA SHEET

Issue Date 25-Mar-2015 Revision Date 27-May-2016 Version 1

1. IDENTIFICATION

Product identifier

Product Name Waterproofer 25

Other means of identification

Product Code MS-025 UN/ID no. UN 1992 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Protective coating.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Chronic aquatic toxicity	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

Causes skin irritation

May cause an allergic skin reaction

May cause cancer

Suspected of damaging fertility or the unborn child

May cause drowsiness or dizziness

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways Toxic to aquatic life with long lasting effects



Appearance No information available

Physical state Liquid

Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

Collect spillage

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Tetrachloroethylene	127-18-4	30 - 60	*
Toluene	108-88-3	30 - 50	*
Carbon Black	1333-86-4	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Revision Date 27-May-2016

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon oxides.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

MS-025 - Waterproofer 25 Revision Date 27-May-2016

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Scrape up as much material as possible. Clean

residue with soap and water. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep at temperatures between 7 and 29 °C.

Incompatible materials Oxidizing agents. Halogens.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
	Tetrachloroethylene	STEL: 100 ppm	TWA: 100 ppm	IDLH: 150 ppm
	127-18-4	TWA: 25 ppm	(vacated) TWA: 25 ppm	
			(vacated) TWA: 170 mg/m ³ Ceiling: 200 ppm	
-	Toluene	TM/A: 20 nnm	3 11	IDI II. 500 ppm
	108-88-3	TWA: 20 ppm	TWA: 200 ppm (vacated) TWA: 100 ppm	IDLH: 500 ppm TWA: 100 ppm
	100-00-3		(vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m ³	TWA: 100 ppm
			(vacated) STEL: 150 ppm	STEL: 150 ppm
			(vacated) STEL: 560 mg/m ³	STEL: 560 mg/m ³
			Ceiling: 300 ppm	
	Carbon Black	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
	1333-86-4		(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
				TWA: 0.1 mg/m³ Carbon black in
				presence of Polycyclic aromatic
				hydrocarbons PAH

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionWear protective gloves and protective clothing. Use impermeable gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Solvent

Color Black Odor threshold No information available

Remarks • Method

<u>Property</u> <u>Values</u>

pH Does not apply
Melting point / freezing point No information available

Boiling point / boiling range > 65 °C / 149 °F
Flash point No information available
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 7% (Toluene)
Lower flammability limit: 1.4% (Toluene)
Vapor pressure 60 mm at 20°C

Vapor density 3.09
Relative density 1.09
Water solubility Negligible

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Oxidizing agents. Halogens.

Hazardous Decomposition Products

Carbon oxides. Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Revision Date 27-May-2016

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Irritating to eyes.

Skin contact Irritating to skin.

Ingestion May be fatal if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrachloroethylene	= 2629 mg/kg (Rat)	-	= 27.8 mg/L (Rat) 4 h
127-18-4			
Toluene	= 2600 mg/kg (Rat)	= 12000 mg/kg (Rabbit)	= 12.5 mg/L (Rat) 4 h
108-88-3			
Carbon Black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
1333-86-4			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Oh and a state of Manage	400111	1400	NTD	00114
Chemical Name	ACGIH	IARC	NTP	OSHA
Tetrachloroethylene	A3	Group 2A	Reasonably Anticipated	X
127-18-4		·	, ,	
Toluene	-	Group 3	-	-
108-88-3		·		
Carbon Black	A3	Group 2B	-	X
1333-86-4		·		

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 2,670.00 mg/kg

 ATEmix (dermal)
 26,667.00 mg/kg

 ATEmix (inhalation-dust/mist)
 18.20 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tetrachloroethylene	500: 96 h Pseudokirchneriella	11.0 - 15.0: 96 h Lepomis	6.1 - 9.0: 48 h Daphnia magna mg/L
127-18-4	subcapitata mg/L EC50	macrochirus mg/L LC50 static 12.4 -	EC50 Static
		14.4: 96 h Pimephales promelas	
		mg/L LC50 flow-through 4.73 - 5.27:	
		96 h Oncorhynchus mykiss mg/L	

		LC50 flow-through 8.6 - 13.5: 96 h	
		Pimephales promelas mg/L LC50	
		static	
Toluene	433: 96 h Pseudokirchneriella	11.0 - 15.0: 96 h Lepomis	5.46 - 9.83: 48 h Daphnia magna
108-88-3	subcapitata mg/L EC50 12.5: 72 h	macrochirus mg/L LC50 static 14.1 -	mg/L EC50 Static 11.5: 48 h
	Pseudokirchneriella subcapitata	17.16: 96 h Oncorhynchus mykiss	Daphnia magna mg/L EC50
	mg/L EC50 static	mg/L LC50 static 15.22 - 19.05: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 5.89 - 7.81: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 50.87 - 70.34: 96 h	
		Poecilia reticulata mg/L LC50 static	
		12.6: 96 h Pimephales promelas	
		mg/L LC50 static 28.2: 96 h Poecilia	
		reticulata mg/L LC50 semi-static	
		5.8: 96 h Oncorhynchus mykiss	
		mg/L LC50 semi-static 54: 96 h	
		Oryzias latipes mg/L LC50 static	
Carbon Black	-	-	5600: 24 h Daphnia magna mg/L
1333-86-4			ÉC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Tetrachloroethylene	2.53 - 2.88
127-18-4 Toluene	2.65
108-88-3	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Tetrachloroethylene	U210	Included in waste streams:	0.7 mg/L regulatory level	U210
127-18-4		F001, F002, F024, F025,		
		F039, K016, K019, K020,		
		K073, K116, K150, K151		
Toluene	U220	Included in waste streams:	-	U220
108-88-3		F005, F024, F025, F039,		
		K015, K036, K037, K149,		
		K151		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Tetrachloroethylene 127-18-4	Category I - Volatiles		Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain	

		chlorinated aliphatic
		hydrocarbons, by free radical
		catalyzed processes.
		These chlorinated aliphatic
		hydrocarbons are those
		having carbon chain lengths
		ranging from one to and
		including five, with varying
		amounts and positions of
		chlorine substitution.
Toluene	-	- Toxic waste -
108-88-3		waste number F025
		Waste description:
		Condensed light ends, spent
		filters and filter aids, and
		spent desiccant wastes from
		the production of certain
		chlorinated aliphatic
		hydrocarbons, by free radical
		catalyzed processes.
		These chlorinated aliphatic
		hydrocarbons are those
		having carbon chain lengths
		ranging from one to and
		including five, with varying
		amounts and positions of
		chlorine substitution.

Chemical Name	California Hazardous Waste Status
Tetrachloroethylene 127-18-4	Toxic
Toluene 108-88-3	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN 1992

Proper shipping name Flammable liquid, toxic, n.o.s. (Toluene/Tetrachloroethylene)

Hazard Class Subsidiary class 6.1 **Packing Group** Ш

Special Provisions Consumer Commodity ORM-D (Not more than 1 pint)

IATA Not regulated UN/ID no.

UN 1992

Proper shipping name Flammable liquid, toxic, n.o.s. (Toluene/Tetrachloroethylene)

Hazard Class 3 Subsidiary hazard class 6.1 **Packing Group** Ш **Special Provisions** None

IMDG

UN/ID no. UN 1992

Proper shipping name Flammable liquid, toxic, n.o.s. (Toluene/Tetrachloroethylene)

Hazard Class 3 Subsidiary hazard class 6.1 **Packing Group** Ш **Special Provisions** None Marine pollutant Yes

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

<u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Tetrachloroethylene - 127-18-4	0.1	
Toluene - 108-88-3	1.0	

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Tetrachloroethylene 127-18-4	-	X	X	-
Toluene 108-88-3	1000 lb	X	X	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Tetrachloroethylene	100 lb 1 lb	=	RQ 100 lb final RQ
127-18-4			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ
Toluene	1000 lb 1 lb	-	RQ 1000 lb final RQ

108-88-3		RQ 454 kg final RQ RQ 1 lb final
		RQ
		RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Tetrachloroethylene - 127-18-4	Carcinogen
Toluene - 108-88-3	Developmental
Carbon Black- 1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Tetrachloroethylene 127-18-4	X	X	X
Toluene 108-88-3	X	X	X
Carbon Black 1333-86-4	Х	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2* Flammability 3 Physical hazards 0 Personal protection X

Prepared BySDS coordinatorIssue Date25-Mar-2015Revision Date27-May-2016

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet