



126 Shove Street - Fall River, MA 02724  
orders - 1-800-2-BUY-DYE  
technical support - 508-676-3838  
email - promail@prochemical.com  
www.prochemical.com

# SAFETY DATA SHEET

## SABRASET RUST BROWN 583

PRINT DATE: 4/6/15

### 1. PRODUCT IDENTIFICATION

PRODUCT NAME ..... PERMASET BROWN G  
CHEMICAL FAMILY MIXTURE OF AZO METAL COMPLEX DYES  
T.S.C.A. STATUS ..... COMPLIANCE  
PRIMARY PRODUCT USE .... TEXTILE MANUFACTURING  
SUPPLIED BY ..... PRO Chemical & Dye  
126 Shove Street  
Fall River, MA 02724

Emergency Telephone Numbers:  
800-255-3924 ChemTel. (United States)  
+ 1 01 813-248-0585 (Outside the United States)

### 2. HAZARDS IDENTIFICATION



Warning: Causes Serious Eye Irritation and Skin Irritation.

This Product has been classified as a Category 2A eye irritant and a Category 2 skin irritant based upon animal test data.

Warning: May be harmful if swallowed

This Product has been classified as Category 5 oral toxicity.



**Toxic to aquatic life with long lasting effects.**

This product is a Chronic Category 2 aquatic environmental hazard.

#### PRIMARY ROUTE OF EXPOSURE

INHALATION:	YES	SKIN ABSORPTION:	NO	INGESTION:	NO
SKIN CONTACT:	YES	EYE CONTACT:	YES		

#### CARCINOGEN STATUS

IARC:	NO	NTP:	NO	OSHA:	NO	ACGIH:	NO
-------	----	------	----	-------	----	--------	----

HMIS: 2 1 0 E

#### CHRONIC EFFECTS OF OVEREXPOSURE

None Known

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

Irritating to the skin. May be irritating to the skin and respiratory tract.

#### MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

### **3. HAZARDOUS INGREDIENTS**

Proprietary Azo compound 65% Serious eye irritant. Skin irritant. Harmful if swallowed. Toxic to aquatic life.

The exact ingredient percentages and composition has been withheld as a trade secret.

### **4. EMERGENCY AND FIRST AID PROCEDURES**

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT ..... Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.

SKIN CONTACT ..... Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

INGESTION ..... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.

INHALATION ..... If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

### **5. FIRE AND EXPLOSION DATA**

FLASH POINT .....NA

EXTINGUISHING MEDIA ..... C02, Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

### **6. SPILL OR LEAK PROCEDURES**

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

## **7. SPECIAL PRECAUTIONS AND STORAGE DATA**

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

## **8. EMPLOYEE PROTECTION RECOMMENDATIONS**

### GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION ..... Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION ..... Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION ..... Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION ..... Use local ventilation.

OTHER ..... Wear overalls, apron or other protective clothing.

## **9. PHYSICAL DATA**

APPEARANCE ..... POWDER  
COLOR ..... DARK BROWN  
ODOR ..... NONE  
ODOR THRESHOLD ..... NA  
SOLUBILITY IN WATER ..... 90 g/l at 90 C  
BULK DENSITY ..... 400 - 600 mg/m<sup>3</sup>  
VISCOSITY ..... NA  
pH ..... 7 - 9 @ 1.0 g/l  
MELTING POINT/FREEZING POINT ..... NA  
PARTITION COEFFICIENT: N-OCTANOL/WATER ..... ND  
BOILING POINT ..... NA  
VAPOR PRESSURE ..... NA  
VAPOR DENSITY ..... NA  
EVAPORATION RATE ..... NA  
FLAMMABILITY ..... NA  
FLASH POINT ..... NA  
IGNITION TEMP ..... NA  
DECOMPOSITION TEMPERATURE .... ND  
UEL ..... NA  
LEL ..... NA  
VOLATILE: VALUE: 0.00 UNIT: COMMENT:

## **10. REACTIVITY DATA**

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

HAZARDOUS REACTIONS: None expected

CHEMICAL STABILITY ..... Stable

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS ..... CO<sub>2</sub>, CO, SULFUR OXIDES, NITROGEN OXIDES

CONDITIONS TO AVOID ..... In the case of dusty organic products the possibility of a dust explosion should always be considered. Avoid dusting conditions and sparks/flame.

HAZARDOUS POLYMERIZATION.... Will not occur

## **11. TOXICOLOGICAL DATA**

ANIMAL TOXICITY ORAL - LD50 (INGESTION) ..... > 2000 mg/kg (RATS)

FISH, LC50 ..... 1 -10 mg/l (48 h)

EYE EFFECTS ..... IRRITANT (RABBIT EYE)

SKIN EFFECTS ..... MILD-IRRITANT (RABBIT)

SENSITIZATION ..... ND

## **12. ECOLOGICAL DATA**

BIODEGRADABILITY: <10%

BACTERIA TOXICITY: ND

COD: ND

AOX: 0.000

## **13. DISPOSAL CONSIDERATIONS**

PRODUCT: .....If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

## **14. SHIPPING DATA**

DOT

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID ,N.O.S.

TECHNICAL SHIPPING NAME: (AZO METAL COMPLEX DYESTUFF)

UN NUMBER: UN3077

HAZARD CLASSIFICATION: 9

PACKING GROUP: III

MARINE POLLUTANT: YES

**IATA**

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID ,N.O.S.

TECHNICAL SHIPPING NAME: (AZO METAL COMPLEX DYESTUFF)

UN NUMBER: UN3077

HAZARD CLASSIFICATION: 9

PACKING GROUP: III

MARINE POLLUTANT: YES

**IMDG:**

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID ,N.O.S.

TECHNICAL SHIPPING NAME: (AZO METAL COMPLEX DYESTUFF)

UN NUMBER: UN3077

HAZARD CLASSIFICATION: 9

PACKING GROUP: III

F-A, S-F

MARINE POLLUTANT: YES

**15. REGULATORY DATA**

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.

CHROMIUM COMPOUNDS 65

CHROMIUM (7440-47-3) =2.0

SARA 312: Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Sudden Release of Pressure	No
Reactivity	No

This product is NOT subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/1769/EEC.

CALIFORNIA PROPOSITION 65: This product does not contain any components currently on the California List of Known Carcinogens and reproductive Toxins

#### **16. OTHER INFORMATION**

The manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. The manufacturer makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall the manufacturer be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Prepared: January 19, 2010

MSDS Revised: April 6, 2015