

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product name: GBX Fixer and Replenisher

Product code: 1902485

Pure substance/mixture Mixture

Use of the Substance/Mixture

Restricted to professional users, Photographic chemical.

.

Company/Undertaking Identification

Supplier CARESTREAM DO BRASIL COMÉRCIO E SERVIÇOS DE PRODUTOS MÉDICOS LTDA

Rua Dr. Pedro Luiz de Oliveira Costa, 60 - Limoeiro

São José dos Campos - SP - Brasil

CEP: 12241-420

For further information, please contact:

For environment, health and safety information, email: WW-EHS@carestreamhealth.com

For other information contact: 0800 891 7554 891 7555

Emergency telephone

CHEMTREC Brazil: +(55)-2139581449

2. HAZARDS IDENTIFICATION

Classification According to Standard ABNT NBR 1475:2012

Classification of the substance or mixture

Acute oral toxicity Category 5

GHS Label elements, including precautionary statements

WARNING

Hazard statements

H303 - May be harmful if swallowed

Precautionary Statements

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

Page 2/9

Version 2

Other hazards which do not result in classification

None known.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Symbol(s)

Not dangerous

Label Elements

Symbol(s)

Not dangerous.

R - phrase(s)

None

S-phrase(s)

not applicable

Classification According to US OSHA 1910.1200 (HazCom 1994)

Warning!

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %
Water	40-50
Ammonium thiosulfate	30-40
Sodium bisulfite	1-5
Ammonium bisulfite	1-5
Potassium acetate	1-5
Ammonium acetate	1-5
Sodium borate	1-2
Aluminum sulfate	1-5

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Product code: 1902485 Revision Date 2013-08-30

Page 3/9

Main Symptoms None known.

Eye contact In case of contact, immediately flush eyes with plenty of water. Get medical attention

immediately if symptoms occur.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes while removing

all contaminated clothing and shoes. Get medical attention immediately if symptoms occur. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated

shoes.

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Eye contact May cause eye irritation.

Inhalation Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness,

stomach upset, hives, faintness, weakness and diarrhea. Contact with strong acids

liberates sulfur dioxide. May cause irritation of respiratory tract.

Ingestion May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may

experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and

diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety

reasons

None known based on information supplied.

Specific hazards arising from the chemical

Special Hazard Dried product residue can act as a reducing agent. Reacts

violently with oxidizing materials. May cause spontaneous heating and ignition when absorbed on combustible, porous material (e.g. rags, paper, sawdust, cotton, clothing).

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Product code: 1902485 Revision Date 2013-08-30

Page 4/9

Other information

Other information None known.

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

For personal protection see section 8. Ensure adequate ventilation.

Advice for emergency responders

For personal protection see section 8

Environmental precautions

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Other information

See Section 12 for additional Ecological information.

HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure

adequate ventilation. Wash thoroughly after handling.

Prevention of fire and explosion Keep from contact with oxidizing materials, highly oxygenated or halogenated solvents,

organic compounds containing reducible functional groups

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place.

Materials to Avoid Acids. Strong bases. Sodium hypochlorite. Halogenated compounds. Contact with strong

acids liberates sulfur dioxide. Oxidizing agents.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Ingredients with workplace control parameters

Chemical Name	ACGIH TLV	Argentina	Brazil	Chile	Venezuela
Sodium bisulfite	TWA: 5 mg/m ³	TWA: 5 mg/m ³			TWA: 5 mg/m ³

Version 2 Page 5/9

Sodium	borate	STEL 6 mg/m ³ TWA: 2 mg/m ³	TWA: 1 mg/m ³		TWA: 1 mg/m ³
Aluminur	n sulfate		TWA: 2 mg/m ³	TWA: 1.6 mg/m ³	TWA: 2 mg/m ³

Appropriate engineering controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Autoignition temperature: No information available

None under normal use conditions. When workers are facing concentrations above the Respiratory protection

exposure limit they must use appropriate certified respirators.

Safety glasses with side-shields **Eye Protection**

Skin and body protection Wear protective gloves/ protective clothing.

Hand Protection Protective gloves

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor Ammonia

Color colorless

Physical state liquid

ph 4.9

Flash point: Does not flash

Boiling point/boiling range > 100 °C

Vapor Pressure 24 mbar @ 20 °C

Vapor density 0.6

Density No information available Water Solubility completely soluble

Melting point/range: No information available

Specific Gravity 1.30

Bulk Density: No information available

10. STABILITY AND REACTIVITY

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Contact with strong acids liberates sulfur dioxide. Contact with sodium hypochlorite (bleach) may form chloramine (toxic gas). Contact with bases liberates flammable material and ammonia.

Conditions to Avoid

Do not freeze.

Product code: 1902485 Revision Date 2013-08-30

Page 6/9

Materials to Avoid

Acids. Strong bases. Sodium hypochlorite. Halogenated compounds. Contact with strong acids liberates sulfur dioxide. Oxidizing agents.

Hazardous Decomposition Products

Ammonia. Chloramine. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Eye contact May cause eye irritation.

Inhalation Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness,

stomach upset, hives, faintness, weakness and diarrhea. Contact with strong acids

liberates sulfur dioxide. May cause irritation of respiratory tract.

Ingestion May be harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may

experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and

diarrhea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water	90,000 mg/kg (Rat)				
Ammonium thiosulfate	> 2000 mg/kg (Rat)				
Sodium bisulfite	1420 mg/kg (Rat)				
Potassium acetate	3250 mg/kg (Rat)				
Sodium borate	2403 mg/kg (Rat)	2000 mg/kg (Rabbit)			
Aluminum sulfate	> 5000 mg/kg (Rat)				
Chemical Name		Other applicable informatio	Other applicable information		
Sodium borate		adverse reproductive and dev	estion studies in animals, may cause velopmental effects. However, the ny times those to which humans		
Aluminum sulfate		Severe eye irritation No skin irritation Cell transformation assay: ne Ingestion may cause gastroin and diarrhea	gative testinal irritation, nausea, vomiting		

Version 2

Acetic acid

Severe eye irritation
Severe skin irritation
Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne

concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill

occured, and the ventilation rate in the room.

Aggravated Medical Conditions None known.

Subchronic toxicity

no data available

Page 7/9

Chronic toxicity

Chronic toxicity Prolonged exposure may cause chronic effects.

SensitizationNo information available.Neurological effectsNo information available.Target Organ EffectsEyes, Skin, Respiratory system.

CMR Effects

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive toxicity Contains a known or suspected reproductive toxin. However, based on available data the

product should not be classified for reproductive effects.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Acute aquatic toxicity Product Information

No information available

Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium bisulfite		LC50= 240 mg/L Gambusia affinis 96 h	EC50 = 119 mg/L 48 h (Daphnia magna)
Potassium acetate		LC50= 6800 mg/L Oncorhynchus mykiss 96 h	EC50 = 7170 mg/L 24 h (Daphnia magna)
Sodium borate	158 mg/L EC50 96 h (Desmodesmus subspicatus) 2.6 - 21.8 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50= 340 mg/L Limanda limanda 96 h	LC50 1085 - 1402 mg/L 48 h (Daphnia magna)
Aluminum sulfate		LC50= 100 mg/L Carassius auratus 96 h LC50= 37 mg/L Gambusia affinis 96 h	EC50 = 136 mg/L 15 min (Daphnia magna)

Persistence and degradability

Expected to be readily biodegradable

Bioaccumulative potential

No information available

Version 2

Mobility in soil

Page 8/9

No information available

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused

Dispose of in accordance with local regulations.

Products

Contaminated packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

TDG Not regulated

For transportation information, go to: http://ship.carestreamhealth.com.

15. REGULATORY INFORMATION

International Inventories

Complies **EINECS/ELINCS TSCA** Complies **DSL/NDSL** Complies **ENCS** Complies Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies **NZIoC** Complies

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Version 2
Page 9/9

NZIoC - New Zealand Inventory of Chemicals

International Regulations

Mexico - Grade Slight risk, Grade 1

Chemical Name	Carcinogen Status	Exposure Limits
Sodium borate		Mexico: TWA 1 mg/m³
Aluminum sulfate		Mexico: TWA 2 mg/m ³

16. OTHER INFORMATION

Revision Date 2013-08-30

Revision Note Product name, (M)SDS sections updated

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

End of Material Safety Data Sheet