

LIQUA-TOX® II

SAFETY DATA SHEET

ACCORDING TO REGULATION: OSHA

Hazard Communication Standard 29 CFR 1910.1200 January 2015

DATE OF ISSUE:

PREPARED BY:

CAR

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: LIQUA-TOX® II **EPA Registration Number: 12455-61**

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Anticoagulant Rodenticide - Ready to use Uses advised against: Use only for the purpose described above

MANUFACTURER/SUPPLIER:

Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704, USA Email: sds@belllabs.com Phone: 608-241-0202

Medical or Vet Emergency: 877-854-2494 or 952-852-4636 Spill or Transportation Emergency: 800-424-9300 (CHEMTREC)

2. HAZARD IDENTIFICATION

Classification according to Regulation OSHA 1910.1200(d): Not classified

Signal Word: CAUTION

Precautionary Statements: Contains the anticoagulant Diphacinone which may cause bleeding if ingested. Harmful if swallowed or

absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

Potential Health Effects:

Eve Contact: May cause irritation **Skin Contact:** Non-irritating to the skin **Ingestion:** Harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	% By weight		
Sodium Diphacinone [2-(Diphenylacetyl-1H-indene-1,3(2H)-dione, Sodium salt]	42721-99-3	0.106%		
Inert and Non-Hazardous Ingredients	Proprietary	99.894%		

4. FIRST AID MEASURES

Description of first aid measures

Ingestion: Call physician or emergency number immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless instructed by physician.

Inhalation: Not applicable.

Eye contact: Hold eye open and rinse slowly with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation develops, obtain medical assistance.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If irritation develops, obtain medical assistance.

Most important symptoms and effects, both acute and delayed

Ingestion of excessive quantities may cause nausea, vomiting, loss of appetite, extreme thirst, lethargy, diarrhea, bleeding.

Advice to physician: If ingested, administer Vitamin K_1 intramuscularly or orally as indicated for bishydroxycoumarin overdoses. Repeat as necessary as based upon monitoring of prothrombin times.

Advice to Veterinarian: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁ If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

Date Created: January 2015 Trade Name: Liqua-Tox II Supplier: Bell Laboratories, Inc.

Page 1 of 4

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media: water, foam or inert gas.

Unsuitable Extinguishing Media: None known.

Special hazards arising from the mixture: High temperature decomposition or burning in air can result in the formation of toxic gases, which may include carbon monoxide.

Advice for firefighters: Wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Gloves should be worn when handling the bait. Collect spillage without creating dust.

Environmental precautions: Do not allow bait to enter drains or water courses. Where there is contamination of streams, rivers or lakes contact the appropriate environment agency.

Methods and materials for containment and cleaning up

For Containment: Soak up spilled material on an inert absorbent. Place in properly labeled container for disposal or re-use.

For Cleaning Up: Wash contaminated surfaces with detergent. Dispose of all wastes in accordance with all local, regional and national regulations.

Reference to other sections: Refer to Sections 7, 8 & 13 for further details of personal precautions, personal protective equipment and disposal considerations.

7. HANDLING AND STORAGE

Precautions for safe handling: Do not handle the product near food, animal foodstuffs or drinking water. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Conditions for safe storage, including any incompatibilities: Store only in original container in a cool, dry place, inaccessible to pets and wildlife. Do not contaminate water, food or feed by storage or disposal. Keep containers closed and away from other chemicals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Established Limits

Component	OSHA	ACGIH	Other Limits	
Diphacinone	Not Established	Not Established	Not Established	

Appropriate Engineering Controls: Not required **Occupational exposure limits:** Not established

Personal Protective Equipment: Respiratory protection: Not required

Eye protection: Not required

Skin protection: Shoes plus socks, and waterproof gloves.

Hygiene recommendations: Wash thoroughly with soap and water after handling.

Trade Name: Liqua-Tox II

Supplier: Bell Laboratories, Inc.

Date Created: January 2015

Page 2 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

Not applicable, Liqua-Tox II does not contain components classified as flammable or explosive.

Information on basic physical and chemical properties Appearance/Color: Pale vellow liquid

Odor: None

Odor Threshold: Not applicable, odor not associated with a hazardous material.

Not determined pH:

Not applicable to rodenticide bait **Melting point:**

Boiling point: 100° C

Flash point: Not applicable, Liqua-Tox II does not contain components classified as flammable.

Evaporation rate: Not determined.

Upper/lower flammability or

explosive limits: Vapor Pressure: Not determined Vapor Density: Not determined

Relative Density: 1.003 g/mL @ 20°C **Solubility (water):** Soluble **Solubility (solvents):** Not determined

Partition coefficient: n-

octanol/water:

Auto-ignition temperature: Not applicable, Liqua-Tox II does not contain components classified as flammable.

Not determined

Decomposition temperature: Not applicable to rodenticide bait

Viscosity: Not determined.

10. STABILITY AND REACTIVITY

Reactivity: Stable when stored in original container in a cool, dry location.

Chemical stability: Stable when stored in original container in a cool, dry location. Possibility of hazardous reactions: Refer to Hazardous decomposition products **Conditions to avoid:** Avoid extreme temperatures (below 0°C or above 40°C).

Incompatible materials: Avoid strongly alkaline materials.

Hazardous decomposition products: High temperature decomposition or burning in air can result in the formation of toxic gases, which

may include carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity

LD50, oral (ingestion): >5000 mg/kg (rats) (Diphacinone Rat LD50 oral: 2.3 mg/kg bw).

LD50, dermal (skin contact): > 2000 mg/kg (rats) (Diphacinone rabbit LD50 dermal: 3.6 mg/kg bw). LC50, inhalation: Liqua-Tox II is a liquid and therefore exposure by inhalation is not relevant.

Skin corrosion/irritation: Not irritating to skin. Serious eye damage/Irritation: Not irritating to eyes.

Respiratory or skin sensitization: Dermal sensitization: Not a Sensitizer (Guinea pig maximization test). Germ cell mutagenicity: Liqua-Tox II contains no components known to have a mutagenetic effect.

Carcinogenicity: Liqua-Tox II contains no components known to have a carcinogenetic effect.

	Components	NTP	IARC	OSHA
١.	Diphacinone	Not listed	Not listed	Not listed

Reproductive Toxicity: Liqua-Tox II: No data

Aspiration Hazard: Not applicable. Liqua-Tox II is a liquid. **Target Organ Effects:** Reduced blood clotting ability.

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects: This product is extremely toxic to fish, birds and other wildlife. Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Persistence and degradability: Liqua-Tox II is inherently biodegradable.

Bioaccumulative potential: Not determined for Liqua-Tox II. Diphacinone water solubility is extremely low (< 0.1 mg/l).

Mobility in Soil: Not determined for Liqua-Tox II. Mobility of Diphacinone in soil is considered to be limited.

Other adverse effects: None.

Trade Name: Liqua-Tox II Date Created: January 2015 Supplier: Bell Laboratories, Inc.

Page 3 of 4

13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal

Container Handling: Non-refillable container. Do not reuse or refill this container. [Plastic:] Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. [Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

14. TRANSPORT INFORMATION

UN number: Not regulated

UN proper shipping name: Not regulated Transport hazard class(es): Not regulated

Packing group: Not regulated **Environmental Hazards**

DOT Road/Rail: Not considered hazardous for transportation via road/rail. **DOT Maritime:** Not considered hazardous for transportation by vessel.

DOT Air: Not considered hazardous for transportation by air.

Freight Classification: LTL Class 60

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: Not applicable

Special precautions for user: None

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture: Use of Liqua-Tox II is regulated by the U.S. Environmental Protection Agency (EPA) through the approved product label. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TSCA: All components are listed on the TSCA Inventory or are not subject to TSCA requirements

CERCLA/SARA 313: Not listed CERCLA/SARA 302: Not listed

16. OTHER INFORMATION

For additional information, please contact the manufacturer noted in Section 1.

NFPA	Health: 1 (caution)	Flammability: 0 (will not burn)	Reactivity: 0 (stable)	Specific Hazard: None
HMIS	Health: 2 (moderate)	Flammability: 0 (minimal)	Reactivity: 0 (minimal)	Protective Equipment: B

Disclaimer: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Bell Laboratories, Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your consideration and investigation. The user is responsible to ensure that they have all current data, including the approved product label, relevant to their particular use.

Trade Name: Liqua-Tox II Date Created: January 2015 Supplier: Bell Laboratories, Inc.

Page 4 of 4