Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Dichlorosilane

Synonyms • Dichlorosilicon dihydride

CAS Number • 4109-96-0

EC Number • 223-888-3
Molecular Formula • :H 2:Si 1:Cl 2:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

 Silicon-precursor gas used in chemical vapor deposition in semiconductor manufacturing.

1.3 Details of the supplier of the safety data sheet

Manufacturer • Air Liquide

2700 Post Oak Blvd. Houston, TX 77056 United States

www.us.airliquide.com sds@airliquide.com

Telephone (Technical) • 713-896-2896
Telephone (Technical) • 800-819-1704

1.4 Emergency telephone number

Manufacturer 800-424-9300 - CHEMTREC

Manufacturer +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP Flammable Gases 1 - H220

Liquefied Gas - H280 Skin Corrosion 1A - H314 Serious Eye Damage 1 - H318 Acute Toxicity Inhalation 2 - H330

EUH071

DSD/DPD • Extremely Flammable (F+)

Toxic (T)

Corrosive (C) R12, R23, R35

2.2 Label Elements **CLP**

DANGER









H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H330 - Fatal if inhaled

EUH071 - Corrosive to the respiratory tract.

Precautionary statements

Hazard statements

Prevention

Response

P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

P233 - Keep container tightly closed.

P260 - Do not breathe fume/gas.

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P284 - Wear respiratory protection.

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - Eliminate all ignition sources if safe to do so.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P320 - Specific treatment is urgent, see supplemental first aid information.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P321 - Specific treatment, see supplemental first aid information.

P363 - Wash contaminated clothing before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD

Storage/Disposal







Risk phrases

Safety phrases

R12 - Extremely flammable.

R23 - Toxic by inhalation.

R35 - Causes severe burns.

S9 - Keep container in a well ventilated place

\$16 - Keep away from sources of ignition - No Smoking. \$36 - Wear suitable protective clothing.

S37 - Wear suitable gloves.

S39 - Wear eye/face protection. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3 Other Hazards

CLP

According to Regulation (EC) No. 1272/2008 (CLP) this material is considered

DSD/DPD

hazardous.

This product is considered dangerous according to the European Directive 67/548/EEC.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

Flammable Gases 1 - H220 Liquefied Gas - H280 Skin Corrosion 1A - H314 Serious Eve Damage 1 - H318 Acute Toxicity Inhalation 2 - H330

2.2 Label elements **OSHA HCS 2012**

DANGER









Hazard statements

Extremely flammable gas - H220 Contains gas under pressure; may explode if heated - H280 Causes severe skin burns and eye damage - H314 Causes serious eve damage - H318 Fatal if inhaled - H330

Precautionary statements

Prevention

Response

Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210 Keep container tightly closed. - P233 Do not breathe fume/gas. - P260

Do not get in eyes, on skin, or on clothing. - P262

Wash thoroughly after handling. - P264

Do not eat, drink or smoke when using this product. - P270

Use only outdoors or in a well-ventilated area. - P271

Wear protective gloves/protective clothing/eye protection/face protection. - P280

In case of inadequate ventilation wear respiratory protection. - P285

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. - P377 Eliminate all ignition sources if safe to do so. - P381

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. - P304+P340

Immediately call a POISON CENTER or doctor/physician. - P310 Specific treatment is urgent, see supplemental first aid information. - P320

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. - P303+P361+P353

Specific measures, see supplemental first aid information. - P322

Wash contaminated clothing before reuse. - P363

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. - P305+P351+P338

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331

Store in a well-ventilated place. Keep container tightly closed. - P403+P233

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards **OSHA HCS 2012**

Storage/Disposal

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

Preparation Date: 04/February/2013

Revision Date: 07/February/2013

2.1 Classification of the substance or mixture

WHMIS

 Compressed Gas - A Flammable Gases - B1 Very Toxic - D1A Corrosive - E

2.2 Label elements WHMIS









 Compressed Gas - A Flammable Gases - B1 Very Toxic - D1A Corrosive - E

2.3 Other hazards

WHMIS

 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information

NFPA



Section 3 - Composition/Information on Ingredients

3.1 Substances

Hazardous Components							
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments		
Dichlorosilane	CAS:4109-96- 0 EINECS:223- 888-3	100%	Inhalation-Rat LC50 • 215 ppm	EU DSD/DPD: Self classified- C, R35, F+, R12; T, R23; EU CLP: Self classified - Flam. Gas 1, H220; Press. Gas - Liq., H280; Eye Dam. 1 H318; Skin Corr. 1, H314; Acute Tox 2 (Inhalation), H330; EUH071 OSHA HCS 2012: Press. Gas - Liq; Flam Gas. 1; Eye Dam 1; Skin Corr. 1; Acute Tox 2 (Inhalation)	NDA		

3.2 Mixtures

 Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

 If frostbite has occurred, seek medical attention immediately; do NOT rub the affected area(s) or flush them with water. In order to prevent further tissue damage, do NOT attempt to remove frozen clothing from frostbitten areas. If frostbite has not occurred, immediately and thoroughly wash contaminated skin with soap and water.

Eve

If eye tissue is frozen, seek medical attention immediately; if tissue is not frozen, immediately and thoroughly flush the eyes with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation, pain, swelling, lacrimation or photophobia persist, get medical attention as soon as possible.

Ingestion

If frostbite has occurred, seek medical attention immediately; do NOT rub the affected area(s) or flush them with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

4.4 Other information

• Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after overexposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media • SMALL FIRES: Dry chemical or CO2. LARGE FIRES: Water spray or fog.

Unsuitable Extinguishing Media

No data available

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion

EXTREMELY FLAMMABLE Will form explosive mixtures with air.

Hazards

Vapors may travel to source of ignition and flash back.

Cylinders exposed to fire may vent and release flammable gas through pressure relief

devices.

Containers may explode when heated.

Ruptured cylinders may rocket.

Hazardous Combustion Products

No data available

5.3 Advice for firefighters

Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Always wear thermal protective clothing when handling refrigerated/cryogenic liquids. Wear positive pressure self-contained breathing apparatus (SCBA).

Preparation Date: 04/February/2013 Revision Date: 07/February/2013

Format: EU CLP/REACH Language: English (US) WHMIS, EU DSD/DPD, EU CLP, OSHA HCS 2012

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED Move containers from fire area if you can do it without risk.

FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 1600 meters (1 mile) in all directions; also, consider initial evacuation for 1600 meters (1 mile) in all directions

FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.

FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.

FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.

FIRE INVOLVING TANKS: For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.

Emergency Procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. LARGE SPILL: Consider initial downwind evacuation for at least 800 meters (1/2 mile)

6.2 Environmental precautions

No data available

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

• All equipment used when handling the product must be grounded.

Stop leak if you can do it without risk.

If possible, turn leaking containers so that gas escapes rather than liquid. Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.

Do not direct water at spill or source of leak. Isolate area until gas has dispersed.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

Keep away from heat and ignition sources – No Smoking. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. Use only non-sparking tools. Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Use explosion-proof - electrical, ventilating and/or lighting equipment. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Cylinders should be stored in dry, well-ventilated areas away from sources of heat, ignition and direct sunlight. Do not allow area where cylinders are stored to exceed 52C (125F). Cylinders must be protected from the environment, and preferably kept at room temperature approximately 21C (70F). Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over. Store locked up.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

8.2 Exposure controls

Engineering Measures/Controls

 Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof - electrical, ventilating and/or lighting equipment.

Personal Protective Equipment

Respiratory

 Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear safety glasses.

Skin/Body
Environmental Exposure

Wear leather gloves when handling cylinders.

Environmental Exposure Controls

 Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with acrid odor.
Color	Colorless	Odor	Acrid
Odor Threshold	Data lacking		
General Properties			
Boiling Point	8 C(46.4 F)	Melting Point	-122 C(-187.6 F)
Decomposition Temperature	Data lacking	рН	Data lacking
Specific Gravity/Relative Density	Data lacking	Water Solubility	Slightly Soluble
Viscosity	Data lacking	Explosive Properties	Not explosive.
Oxidizing Properties:	Not an oxidizer.		
Volatility		-	
Vapor Pressure	1230 mmHg (torr) @ 20 C(68 F)	Vapor Density	3.48 Air=1
Evaporation Rate	Data lacking	VOC (Wt.)	Data lacking
Flammability			
Flash Point	-18 C(-0.4 F)	UEL	98.8 %
LEL	4.1 %	Autoignition	100 C(212 F)

Flammability (solid, gas)	Flammable gas.					
Environmental						
Octanol/Water Partition coefficient	Data lacking					

9.2 Other Information

• No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No data available

Section 11 - Toxicological Information

11.1 Information on toxicological effects

	District Contains 1100 00 0								
Test Type	Dosage	Route	Species	Duration	Results	Test Class	Target Organs	Comments	
Acute Toxicity	= 215 ppm	Inhalation	Rat	NDA	LC50	NDA	NDA	NDA	
GHS Properties			С	lassification	1				
Acute toxicity EU/CLP • Acute Toxicity 2 (Inhalation) OSHA HCS 2012 • Acute Toxicity 2 (Inhalation)									
Aspiration Hazard	d			EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met					
Carcinogenicity	EU/CLP Carcinogenicity EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met								
Germ Cell Mutagenicity EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met									
Skin corrosion/Irritation				EU/CLP • Skin Corrosion 1A OSHA HCS 2012 • Skin Corrosion 1A					
			Ī	U/CLP • Class	sification crite	eria not met			

OSHA HCS 2012 • Classification criteria not met

Dichlorosilane 4109-96-0

Preparation Date: 04/February/2013 Revision Date: 07/February/2013

Skin sensitization

STOT-RE	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
STOT-SE	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Toxicity for Reproduction	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Respiratory sensitization	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met		
Serious eye damage/Irritation	EU/CLP • Serious Eye Damage 1 OSHA HCS 2012 • Serious Eye Damage 1		

Potential Health Effects

Inhalation

Acute (Immediate)

May be harmful if inhaled.

Chronic (Delayed)

No data available.

Skin

Acute (Immediate)

Causes severe skin burns and eye damage. Contact with gas or liquefied gas will
cause burns, severe injury and/or frostbite.

Chronic (Delayed)

No data available.

Eye

Acute (Immediate)

Causes serious eye damage.

Chronic (Delayed)

No data available.

Ingestion

Acute (Immediate)

 Ingestion is not considered a potential route of exposure due to the physical form of this product.

Chronic (Delayed)

No data available.

Section 12 - Ecological Information

12.1 Toxicity

Dichlorosilane can be harmful or fatal to contaminated aquatic plant and animal life.
 Upon contact with water, this gas can generate hydrogen chloride and hydrochloric acid solutions. Hydrogen chloride is very soluble in water, and even low concentrations of hydrogen chloride in water is detrimental to aquatic life. If a release this product occurs near a river or other body of water, the release has the potential to kill fish and other aquatic life.

12.2 Persistence and degradability

Material data lacking.

12.3 Bioaccumulative potential

Material data lacking.

12.4 Mobility in Soil

Material data lacking.

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN2189	Dichlorosilane	2.3,2.1,8	NDA	NDA
TDG	UN2189	DICHLOROSILANE	2.3,2.1,8	NDA	NDA
IMO/IMDG	UN2189	DICHLOROSILANE	2.3,2.1,8	NDA	NDA
IATA/ICAO	UN2189	Dichlorosilane	2.3,2.1,8	NDA	NDA

14.6 Special precautions for user

Cylinders should be transported in a secure position, in a well-ventilated vehicle. The
transportation of compressed gas cylinders in automobiles or in closed-body vehicles
can present serious safety hazards. If transporting these cylinders in vehicles, ensure
these cylinders are not exposed to extremely high temperatures (as may occur in an
enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated
during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Fire, Pressure(Sudden Release of)

State Right To Know					
Component	CAS	MA	NJ	PA	
Dichlorosilane	NDA	No	No	No	

Inventory							
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS	
Dichlorosilane	NDA	No	No	No	No	No	
	Inventory (Con't.)						
Component CAS			1				
Component		CAS	Japan EN	CS	TSCA		

Australia

Labor

Australia - Work Health and Safety Regulations - Hazardous Substances Requiring Health Monitoring

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

Australia - High Volume Industrial Chemicals List

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

Australia - List of Designated Hazardous Substances - Classification

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

Environment

Australia - National Pollutant Inventory (NPI) Substance List

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100%
 Not Listed
 Not Listed

Australia - Ozone Protection Act - Scheduled Substances

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

Australia - Priority Existing Chemical Program

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

Canada

Labor -

Canada - WHMIS - Classifications of Substances

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

Canada - WHMIS - Ingredient Disclosure List

• Dichlorosilane 4109-96-0 100% 1 %

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

Environment

Canada - CEPA - Priority Substances List

• Dichlorosilane 4109-96-0 100% Not Listed

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

_

China

Environment

China - Ozone Depleting Substances - First Schedule

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

China - Ozone Depleting Substances - Second Schedule

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

China - Ozone Depleting Substances - Third Schedule

• Dichlorosilane 4109-96-0 100% Not Listed

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

Other

China - Annex I & II - Controlled Chemicals Lists

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

China - Dangerous Goods List

• Dichlorosilane 4109-96-0 100% UN2189

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

China - Export Control List - Part I Chemicals

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

Germany

Environment

Germany - TA Luft - Types and Classes

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed
 Not Listed

Germany - Water Classification (VwVwS) - Annex 1

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 100% Not Listed

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Dichlorosilane 4109-96-0 100% ID Number 557, hazard class 1 - low hazard to waters (footnote 13)

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

Germany - Water Classification (VwVwS) - Annex 3

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed
 Not Listed

Other

Germany - Specifically Regulated Chemicals in TRGS

• Dichlorosilane 4109-96-0 100% Not Listed

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

Portugal

Other

Portugal - Prohibited Substances

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100%
 Not Listed
 Not Listed

_

United Kingdom

Environment

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed
 Not Listed

United Kingdom - Substances Contained in Dangerous Substances or Preparations

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

Other

United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

United Kingdom - The Red List - Dangerous Substances in Water

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100%
 Not Listed
 Not Listed

_

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100%
 2500 lb TQ
 100%
 Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Dichlorosilane 4109-96-0 100% Not Listed

· Silane, dichloro- as Polychlorinated alkanes

100% Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed
 Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed
 Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed
 Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix VII

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Monitoring

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents

Dichlorosilane
 Silane, dichloro- as Polychlorinated alkanes
 4109-96-0
 100% Not Listed
 Not Listed

_

United States - California

Environment **

U.S. - California - Proposition 65 - Carcinogens List

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Dichlorosilane 4109-96-0 100% Not Listed

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Dichlorosilane 4109-96-0 100% Not Listed

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Dichlorosilane 4109-96-0 100% Not Listed

Silane, dichloro- as Polychlorinated alkanes
 100% Not Listed

_

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Dichlorosilane 4109-96-0 100% Not Listed

• Silane, dichloro- as Polychlorinated alkanes 100% Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Last Revision Date Preparation Date Disclaimer/Statement of Liability

- 05/February/2013
- 04/February/2013
- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.