

## Safety Data Sheet

**Section 1: Identification of the Substance/Mixture and of the Company/Undertaking****1.1 Product identifier**

<b>Product Name</b>	• <b>HSS Additive</b>
<b>Synonyms</b>	• High Selectivity Slurry Additive; HSS Blend; STI Additive
<b>Product Code</b>	• 70002

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

<b>Relevant identified use(s)</b>	• Chemical Mechanical Polishing
-----------------------------------	---------------------------------

**1.3 Details of the supplier of the safety data sheet**

<b>Manufacturer</b>	• Air Liquide 2700 Post Oak Blvd. Houston, TX 77056 United States www.us.airliquide.com sds@airliquide.com
<b>Telephone (Technical)</b>	• 713-896-2896
<b>Telephone (Technical)</b>	• 800-819-1704

**1.4 Emergency telephone number**

<b>Manufacturer</b>	• 800-424-9300 - CHEMTREC
<b>Manufacturer</b>	• +1 703-527-3887 - Outside United States

**Section 2: Hazards Identification****EU/EEC**

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

**2.1 Classification of the substance or mixture**

<b>CLP</b>	• Skin Corrosion 1B - H314 • Serious Eye Damage 1 - H318
<b>DSD/DPD</b>	• Corrosive (C) R35

**2.2 Label Elements**

CLP

**DANGER**



**Hazard statements** • H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

## Precautionary statements

- Prevention** • P260 - Do not breathe mist/vapours/spray.  
 P264 - Wash thoroughly after handling.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P321 - Specific treatment, see supplemental first aid information.  
 P363 - Wash contaminated clothing before reuse.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 - Immediately call a POISON CENTER or doctor/physician.  
 P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

- Storage/Disposal** • P405 - Store locked up.  
 P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## DSD/DPD



- Risk phrases** • R35 - Causes severe burns.

- Safety phrases** • S36 - Wear suitable protective clothing.  
 S37 - Wear suitable gloves.  
 S39 - Wear eye/face protection.  
 S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## 2.3 Other Hazards

- CLP** • According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD** • According to European Directive 1999/45/EC this preparation is considered dangerous.

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 2012** • Skin Corrosion 1B - H314  
 Serious Eye Damage 1 - H318

### 2.2 Label elements

OSHA HCS 2012

**DANGER**



- Hazard statements** • Causes severe skin burns and eye damage - H314  
 Causes serious eye damage - H318

## Precautionary statements

- Prevention** • Do not breathe mist/vapours/spray. - P260  
 Wash thoroughly after handling. - P264  
 Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response** • IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. - P304+P340

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. - P303+P361+P353

Specific treatment, see supplemental first aid information. - P321

Wash contaminated clothing before reuse. - P363

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338

Immediately call a POISON CENTER or doctor/physician. - P310

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331

- Storage/Disposal**
- Store locked up. - P405
  - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

## 2.3 Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

### According to WHMIS

## 2.1 Classification of the substance or mixture

### WHMIS

- Corrosive - E

## 2.2 Label elements

### WHMIS



- Corrosive - E

## 2.3 Other hazards

### WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## 2.4 Other information

### NFPA



## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Tetramethyl ammonium fluoride	NDA	2% TO 10%	NDA	EU DSD/DPD: Data Lacking EU CLP: Data Lacking OSHA HCS 2012: Data Lacking
Potassium hydroxide	CAS:1310-58-3 EC Number:215-181-3 EU Index:019-002-00-8	0.4% TO 1.2%	Ingestion/Oral-Rat LD50 • 273 mg/kg	EU DSD/DPD: Annex I - Xn R22; C R35 EU CLP: Annex VI - Acute Tox. 3, H301; Skin Corr. 1A, H314 OSHA HCS 2012: Skin Corr. 1B, Eye Dam. 1, Acute Tox. 3 (orl)
Hydrogen peroxide	CAS:7722-84-1 EC Number:231-765-0 EU Index:008-003-00-9	0.04% TO 1%	Ingestion/Oral-Rat LD50 • 376 mg/kg Inhalation-Rat LC50 • 2 g/m <sup>3</sup> 4 Hour(s)	EU DSD/DPD: Annex I - R5, O; R8, C R35; Xn R20/22 EU CLP: Annex VI - Ox. Liq 1, H271; Acute Tox 4, H332; Acute Tox 4, H302; Skin Corr 1A, H314 OSHA HCS 2012: Skin Corr. 1, Eye Dam. 1; Ox. Liq. 1; Acute Tox 4 (oral); Acute Tox 4 (inhalation)

See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

#### Skin

- For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Get medical attention immediately.

#### Eye

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately.

#### Ingestion

- If swallowed, rinse mouth with water (only if the person is conscious) Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Give plenty of water to drink. Do not use mouth-to-mouth method if victim ingested the substance. Obtain medical attention immediately if ingested.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

#### Suitable Extinguishing Media

- LARGE FIRES: Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray.  
SMALL FIRES: Dry chemical, CO<sub>2</sub> or water spray.

#### Unsuitable Extinguishing Media

- No data available

### 5.2 Special hazards arising from the substance or mixture

#### Unusual Fire and Explosion Hazards

- Containers may explode when heated.  
Acid reacts with most metals to release hydrogen gas, which can form explosive

## Hazardous Combustion Products

### 5.3 Advice for firefighters

mixtures with air.

- Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive fumes.
- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
SMALL FIRES: Move containers from fire area if you can do it without risk.  
Runoff from fire control may cause pollution.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal Precautions

- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

#### Emergency Procedures

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Do not get water inside container.

### 6.2 Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

### 6.3 Methods and material for containment and cleaning up

#### Containment/Clean-up Measures

- Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.  
Dike to collect large liquid spills.  
A vapor suppressing foam may be used to reduce vapors.  
Use water spray to reduce vapors or divert vapor cloud drift.  
Neutralize residue with neutralizing agent appropriate for caustic materials. Test area with litmus paper to ensure neutralization is complete.

### 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Handle and open container with care. Use only with adequate ventilation. Use caution when combining with water; DO NOT add water to corrosive liquid, ALWAYS add corrosive liquid to water while stirring to prevent release of heat, steam and fumes. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe mist, vapours, spray. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Keep container tightly closed. Store in a cool, dry, well-ventilated place. Keep away from incompatible materials. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	France
Hydrogen peroxide (7722-84-1)	STELs	Not established	Not established	Not established	3.75 mg/m3 STEL	Not established
	TWAs	1 ppm TWA	1 ppm TWA	1 ppm TWAEV; 1.4 mg/m3 TWAEV	1.5 mg/m3 TWA	1 ppm TWA [VME]; 1.5 mg/m3 TWA [VME]
Potassium hydroxide (1310-58-3)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling [MAC]	Not established
	STELs	Not established	Not established	Not established	Not established	2 mg/m3 STEL [VLCT]
Exposure Limits/Guidelines (Con't.)						
	Result	Germany DFG	Ireland	Israel	NIOSH	OSHA
Hydrogen peroxide (7722-84-1)	STELs	Not established	2 ppm STEL; 3 mg/m3 STEL	Not established	Not established	Not established
	TWAs	Not established	1 ppm TWA; 1.5 mg/m3 TWA	1 ppm TWA	1 ppm TWA; 1.4 mg/m3 TWA	1 ppm TWA; 1.4 mg/m3 TWA
	Ceilings	0.5 ppm Peak; 0.71 mg/m3 Peak	Not established	Not established	Not established	Not established
	MAKs	0.5 ppm TWA MAK; 0.71 mg/m3 TWA MAK	Not established	Not established	Not established	Not established
Potassium hydroxide (1310-58-3)	STELs	Not established	2 mg/m3 STEL	Not established	Not established	Not established
	Ceilings	Not established	Not established	2 mg/m3 Ceiling	2 mg/m3 Ceiling	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	OSHA Vacated	Portugal	Spain	Sweden	
Hydrogen peroxide (7722-84-1)	TWAs	1 ppm TWA; 1.4 mg/m3 TWA	1 ppm TWA [VLE-MP]	1 ppm TWA [VLA-ED]; 1.4 mg/m3 TWA [VLA-ED]	1 ppm LLV; 1.4 mg/m3 LLV	
	Ceilings	Not established	Not established	Not established	2 ppm CLV; 3 mg/m3 CLV	
Potassium hydroxide (1310-58-3)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling [VLE-CM]	Not established	2 mg/m3 CLV (inhalable dust)	
	STELs	Not established	Not established	2 mg/m3 STEL [VLA-EC]	Not established	
	TWAs	Not established	Not established	Not established	1 mg/m3 LLV (inhalable dust)	

### Exposure Control Notations

#### Portugal

•Hydrogen peroxide (7722-84-1): **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans)

#### Germany DFG

•Hydrogen peroxide (7722-84-1): **Carcinogens:** (Category 4 (no significant contribution to human cancer)) | **Pregnancy:** (no risk to embryo/fetus if exposure limits adhered to)

### 8.2 Exposure controls

#### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Personal Protective Equipment

### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

### Eye/Face

- Wear chemical splash safety goggles.

### Skin/Body

- Wear appropriate gloves.

## Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

OSHA = Occupational Safety and Health Administration

LLV = Limit Level Value is the exposure limit for 8-hour work day

STEL = Short Term Exposure Limits are based on 15-minute exposures

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible concentration

TWAEV = Time-Weighted Average Exposure Value

NIOSH = National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Colorless solution with fish-like odor.
Color	Colorless	Odor	Fish-like
Odor Threshold	Data lacking		
General Properties			
Boiling Point	> 100 C(> 212 F)	Melting Point	< 0 C(< 32 F)
Decomposition Temperature	Data lacking	pH	> 12.5
Specific Gravity/Relative Density	Data lacking	Water Solubility	Data lacking
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

### 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

- Stable

## 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

## 10.4 Conditions to avoid

- Excess heat.

## 10.5 Incompatible materials

- The components of this product are incompatible with strong oxidizing agents, strong reducing agents. Due to the presence of a fluoride compound in this product, this solution must be considered incompatible with glass, and other silica-based compounds.

## 10.6 Hazardous decomposition products

- Products of thermal decomposition include carbon monoxide, carbon dioxide, fluorides, and potassium and ammonia compounds.

# Section 11 - Toxicological Information

## 11.1 Information on toxicological effects

Components		
Potassium hydroxide (0.4% TO 1.2%)	1310-58-3	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 273 mg/kg; <b>Irritation:</b> Eye-Rabbit • 1 mg 24 Hour(s)-Rinse • Moderate irritation; Skin-Rabbit • 50 mg 24 Hour(s) • Severe irritation
Hydrogen peroxide (0.04% TO 1%)	7722-84-1	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 376 mg/kg; <i>Gastrointestinal:</i> <b>Peritonitis</b> ; <i>Blood:</i> <b>Pigmented or nucleated red blood cells</b> ; <i>Blood:</i> <b>Changes in leucocyte (WBC) count</b> ; Inhalation-Rat LC50 • 2 g/m <sup>3</sup> 4 Hour(s); <i>Lungs, Thorax, or Respiration:</i> <b>Pulmonary emboli</b> ; <b>Irritation:</b> Eye-Rabbit • 1 mg • Severe irritation

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Skin Corrosion 1B OSHA HCS 2012 • Skin Corrosion 1B
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

<b>Toxicity for Reproduction</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Respiratory sensitization</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Serious eye damage/Irritation</b>	<b>EU/CLP</b> • Serious Eye Damage 1 <b>OSHA HCS 2012</b> • Serious Eye Damage 1

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- May cause corrosive burns - irreversible damage.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with chronic cough.

### Skin

#### Acute (Immediate)

- Causes severe skin burns and eye damage.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials will cause dermatitis.

### Eye

#### Acute (Immediate)

- Causes serious eye damage.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

### Ingestion

#### Acute (Immediate)

- May cause irreversible damage to mucous membranes.

#### Chronic (Delayed)

- Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal disturbances.

#### Key to abbreviations

LC = Lethal Concentration

LD = Lethal Dose

## Section 12 - Ecological Information

### 12.1 Toxicity

- Material data lacking.

### 12.2 Persistence and degradability

- Material data lacking.

### 12.3 Bioaccumulative potential

- Material data lacking.

### 12.4 Mobility in Soil

- Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

### 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

**Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1760	Corrosive liquids, n.o.s. (Potassium Hydroxide, Tetramethylammonium Fluoride)	8	II	NDA
TDG	UN1760	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide, Tetramethylammonium Fluoride)	8	II	NDA
IMO/IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Potassium Hydroxide, Tetramethylammonium Fluoride)	8	II	NDA
IATA/ICAO	UN1760	Corrosive liquids, n.o.s. (Potassium Hydroxide, Tetramethylammonium Fluoride)	8	II	NDA

**14.6 Special precautions for user**

- None known.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

- Not relevant.

## Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications**

- Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Hydrogen peroxide	7722-84-1	Yes	Yes	Yes
Potassium hydroxide	1310-58-3	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Hydrogen peroxide	7722-84-1	Yes	No	Yes	Yes	No
Potassium hydroxide	1310-58-3	Yes	No	Yes	Yes	No

  

Inventory (Con't.)		
Component	CAS	TSCA
Hydrogen peroxide	7722-84-1	Yes
Potassium hydroxide	1310-58-3	Yes

### Canada

**Labor****Canada - WHMIS - Classifications of Substances**

• Potassium hydroxide	1310-58-3	D1B, E; E (0.056% in aqueous solution, 0.11%, 0.56% in aqueous solution, 2.5%, 2.8%, 5.6% in aqueous solution, 25%, 28%, 33.3%, 40%, 50% in aqueous solution)
• Hydrogen peroxide	7722-84-1	C, D2B, E (20%, 25%, 30%); C, D1B, E, F (including 35%, 40%, 50%, 65%, 70%, 75%, 80%, 85%, 90%, 95%); C, D2B (9%, 10%, 15%)

**Canada - WHMIS - Ingredient Disclosure List**

• Potassium hydroxide	1310-58-3	1 %
• Hydrogen peroxide	7722-84-1	1 %

**Environment****Canada - CEPA - Priority Substances List**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**China****Environment****China - Ozone Depleting Substances - First Schedule**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**China - Ozone Depleting Substances - Second Schedule**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**China - Ozone Depleting Substances - Third Schedule**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**Other****China - Annex I & II - Controlled Chemicals Lists**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**China - Dangerous Goods List**

• Potassium hydroxide	1310-58-3	(solid or solution) (stabilized with >60% Hydrogen peroxide; aqueous solution with not <20% but not >60% Hydrogen peroxide (stabilized if necessary); aqueous solution with not <8% but <20% Hydrogen peroxide (stabilized if necessary))
• Hydrogen peroxide	7722-84-1	

**China - Export Control List - Part I Chemicals**

• Potassium hydroxide	1310-58-3	Not Listed
-----------------------	-----------	------------

• Hydrogen peroxide	7722-84-1	Not Listed
---------------------	-----------	------------

## Europe

### Other

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Potassium hydroxide	1310-58-3	Xn; R22 C; R35
• Hydrogen peroxide	7722-84-1	Xn; R20/22 C; R35 R5 O; R8

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Potassium hydroxide	1310-58-3	5%≤C: C; R:35 2%≤C<5%: C; R:34 0.5%≤C<2%: Xi; R:36/38 70%≤C: R:5 50%≤C: Xn; R:20 8%≤C: Xn; R:22 70%≤C: C; R:35 50%≤C<70%: C; R:34 35%≤C<50%: Xi; R:37/38 8%≤C<50%: Xi; R:41 5%≤C<8%: Xi; R:36 50%≤C: O; R:8
• Hydrogen peroxide	7722-84-1	

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Potassium hydroxide	1310-58-3	C R:22-35 S:(1/2)-26-36/37/39-45
• Hydrogen peroxide	7722-84-1	O C R:5-8-20/22-35 S:(1/2)-17-26-28-36/37/39-45

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	B

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Potassium hydroxide	1310-58-3	S:(1/2)-26-36/37/39-45
• Hydrogen peroxide	7722-84-1	S:(1/2)-17-26-28-36/37/39-45

## Germany

### Environment

#### Germany - TA Luft - Types and Classes

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

#### Germany - Water Classification (VwVwS) - Annex 1

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

#### Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Potassium hydroxide	1310-58-3	ID Number 345, hazard class 1 - low hazard to waters
• Hydrogen peroxide	7722-84-1	ID Number 288, hazard class 1 - low hazard to waters (footnote 8)

#### Germany - Water Classification (VwVwS) - Annex 3

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**Other****Germany - Specifically Regulated Chemicals in TRGS**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**Portugal****Other****Portugal - Prohibited Substances**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**United Kingdom****Environment****United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**Other****United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**United Kingdom - List of Dangerous Substances in Water**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**United States****Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	7500 lb TQ ( $\geq 52\%$ by weight)

**U.S. - OSHA - Specifically Regulated Chemicals**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Potassium hydroxide	1310-58-3	1000 lb final RQ; 454 kg final RQ
• Hydrogen peroxide	7722-84-1	Not Listed

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Potassium hydroxide	1310-58-3	Not Listed
-----------------------	-----------	------------

• Hydrogen peroxide	7722-84-1	1000 lb EPCRA RQ (concentration >52%)
<b>U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	1000 lb TPQ (concentration >52%)
<b>U.S. - CERCLA/SARA - Section 313 - Emission Reporting</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed
<b>U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

## United States - California

### Environment

<b>U.S. - California - Proposition 65 - Carcinogens List</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed
<b>U.S. - California - Proposition 65 - Developmental Toxicity</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed
<b>U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed
<b>U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed
<b>U.S. - California - Proposition 65 - Reproductive Toxicity - Female</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed
<b>U.S. - California - Proposition 65 - Reproductive Toxicity - Male</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

## United States - Pennsylvania

### Labor

<b>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List</b>		
• Potassium hydroxide	1310-58-3	
• Hydrogen peroxide	7722-84-1	(only hazardous if concentration >52%)
<b>U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances</b>		
• Potassium hydroxide	1310-58-3	Not Listed
• Hydrogen peroxide	7722-84-1	Not Listed

## 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

---

### Section 16 - Other Information

#### Relevant Phrases (code & full text)

- H271 - May cause fire or explosion; strong oxidizer  
H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H332 - Harmful if inhaled  
R5 - Heating may cause an explosion.  
R8 - Contact with combustible material may cause fire.  
R20/22 - Harmful by inhalation and if swallowed.  
R22 - Harmful if swallowed.

#### Last Revision Date

- 08/September/2014

#### Preparation Date

- 08/September/2014

#### Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

#### Key to abbreviations

NDA = No data available

---