

## Safety Data Sheet



### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

- Product Name** • Methyl Mercaptan (0.6 - 1000ppm), Nitrogen (Balance)  
**Product Code** • M-2400/E-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Test Gas/Calibration Gas

#### 1.3 Details of the supplier of the safety data sheet

- Manufacturer** • Air Liquide  
2700 Post Oak Blvd.  
Houston, TX 77056  
United States  
www.us.airliquide.com  
sds@airliquide.com
- Telephone (Technical)** • 713-896-2896  
**Telephone (Technical)** • 800-819-1704

#### 1.4 Emergency telephone number

- Manufacturer** • 800-424-9300 - CHEMTREC  
**Manufacturer** • +1 703-527-3887 - Outside United States

### Section 2: Hazards Identification

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]  
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

- CLP** • Compressed Gas - H280  
**DSD/DPD** • Not classified

#### 2.2 Label Elements

CLP

#### WARNING



**Hazard statements** • H280 - Contains gas under pressure; may explode if heated

#### Precautionary statements

**Storage/Disposal** • P403 - Store in a well-ventilated place.

## DSD/DPD

**Risk phrases** ● No label element(s) required

## 2.3 Other Hazards

**CLP** ● This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

**DSD/DPD** ● This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. This preparation is not considered dangerous according to European Directive 1999/45/EC.

---

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

**OSHA HCS 2012** ● Compressed Gas - H280  
Simple Asphyxiant

### 2.2 Label elements

**OSHA HCS 2012**

#### WARNING



**Hazard statements** ● Contains gas under pressure; may explode if heated - H280  
May displace oxygen and cause rapid suffocation.

#### Precautionary statements

**Storage/Disposal** ● Store in a well-ventilated place. - P403

### 2.3 Other hazards

**OSHA HCS 2012** ● Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

---

## Canada

According to WHMIS

### 2.1 Classification of the substance or mixture

**WHMIS** ● Compressed Gas - A

### 2.2 Label elements

**WHMIS**



● Compressed Gas - A


### 2.3 Other hazards

**WHMIS** ● This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

---

---

## 2.4 Other information



## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Methyl Mercaptan	CAS:74-93-1 EC Number:200-822-1	0.6ppm TO 1000ppm	Inhalation-Rat LC50 • 675 ppm	<b>EU DSD/DPD:</b> Annex I: F+; R12 T; R23 N; R50-53 <b>EU CLP:</b> Annex VI: Flam. Gas. 1, H220; Press. Gas - Comp., H280; Acute Tox. 3 *, H331; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 <b>OSHA HCS 2012:</b> Flam. Gas. 1; Press. Gas - Comp.; Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3; Resp. Irrit. & Narc.; Acute Tox 3 (inhl)
Nitrogen	CAS:7727-37-9 EINECS:231-783-9	Balance	NDA	<b>EU DSD/DPD:</b> Not Classified <b>EU CLP:</b> Self Classified: Press. Gas - Comp. H280 <b>OSHA HCS 2012:</b> Press. Gas - Comp.; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

#### Skin

- Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

#### Eye

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.

#### Ingestion

- Ingestion is not considered a potential route of exposure.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. A potential health hazard associated with this gas is anoxia.

## 4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. **RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT.** At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

**Suitable Extinguishing Media** • Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing Media** • No data available

### 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** • Containers may explode when heated. Ruptured cylinders may rocket.

**Hazardous Combustion Products** • No data available

### 5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations **ONLY**; it is not effective in spill situations where direct contact with the substance is possible.  
Wear positive pressure self-contained breathing apparatus (SCBA).  
Move containers from fire area if you can do it without risk.  
**FIRE:** If tank, rail car or tank truck is involved in a fire, **ISOLATE** for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.  
**FIRE INVOLVING TANKS:** Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.  
**FIRE INVOLVING TANKS:** Cool containers with flooding quantities of water until well after fire is out.  
**FIRE INVOLVING TANKS:** Do not direct water at source of leak or safety devices; icing may occur.  
**FIRE INVOLVING TANKS:** Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.  
**FIRE INVOLVING TANKS:** **ALWAYS** stay away from tanks engulfed in fire.

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal Precautions** • Ventilate the area before entry. Do not walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**Emergency Procedures** • Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. **LARGE SPILL:** Consider initial downwind evacuation for at least 500 meters (1/3 mile)

### 6.2 Environmental precautions

- Prevent spreading of vapors through sewers, ventilation systems and confined areas.

### 6.3 Methods and material for containment and cleaning up

**Containment/Clean-up Measures** • Stop leak if you can do it without risk.  
Ventilate the area.  
Isolate area until gas has dispersed.  
Use water spray to reduce vapors; do not put water directly on leak, spill area or

inside container.  
If possible, turn leaking containers so that gas escapes rather than liquid.

## 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not allow area where cylinders are stored to exceed 52C (125F).

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	France
Methyl Mercaptan (74-93-1)	STELs	Not established	Not established	Not established	2.5 mg/m <sup>3</sup> STEL	Not established
	TWAs	0.5 ppm TWA	0.5 ppm TWA	0.5 ppm TWAEV; 0.98 mg/m <sup>3</sup> TWAEV	1 mg/m <sup>3</sup> TWA	0.5 ppm TWA [VME]; 1 mg/m <sup>3</sup> TWA [VME]
Exposure Limits/Guidelines (Con't.)						
	Result	Germany DFG	Germany TRGS	Ireland	Israel	NIOSH
Methyl Mercaptan (74-93-1)	TWAs	Not established	0.5 ppm TWA AGW (exposure factor 2); 1 mg/m <sup>3</sup> TWA AGW (exposure factor 2)	0.5 ppm TWA; 1 mg/m <sup>3</sup> TWA	0.5 ppm TWA	Not established
	Ceilings	1 ppm Peak; 2.0 mg/m <sup>3</sup> Peak	Not established	Not established	Not established	0.5 ppm Ceiling (15 min); 1 mg/m <sup>3</sup> Ceiling (15 min)
	MAKs	0.5 ppm TWA MAK; 1.0 mg/m <sup>3</sup> TWA MAK	Not established	Not established	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	OSHA	OSHA Vacated	Portugal	Spain	Sweden
Methyl Mercaptan (74-93-1)	TWAs	Not established	0.5 ppm TWA; 1 mg/m <sup>3</sup> TWA	0.5 ppm TWA [VLE- MP]	0.5 ppm TWA [VLA- ED]; 1 mg/m <sup>3</sup> TWA [VLA-ED]	1 ppm LLV (applies to the sum total of the concentrations of Dimethyl disulfide, Dimethyl sulfide and Methyl mercaptan)

	Ceilings	10 ppm Ceiling; 20 mg/m <sup>3</sup> Ceiling	Not established	Not established	Not established	Not established
--	----------	--	-----------------	-----------------	-----------------	-----------------

## Exposure Control Notations

### Portugal

•Nitrogen (7727-37-9): **Simple Asphyxiants:** (Simple Asphyxiant)

### Ireland

•Nitrogen (7727-37-9): **Simple Asphyxiants:** (Asphyxiant)

### Spain

•Nitrogen (7727-37-9): **Simple Asphyxiants:** (simple asphyxiant)

### Germany DFG

•Methyl Mercaptan (74-93-1): **Pregnancy:** (classification not yet possible)

## 8.2 Exposure controls

### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal Protective Equipment

#### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

#### Eye/Face

- Wear safety glasses.

#### Skin/Body

- Wear leather gloves when handling cylinders.

### Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

OSHA = Occupational Safety and Health Administration

LLV = Limit Level Value is the exposure limit for 8-hour work day

STEL = Short Term Exposure Limits are based on 15-minute exposures

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible concentration

TWAEV = Time-Weighted Average Exposure Value

NIOSH = National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with a rotten cabbage odor.
Color	Colorless	Odor	Rotten cabbage odor.
Odor Threshold	Not relevant		
General Properties			
Boiling Point	-195.5 C(-319.9 F)	Melting Point	-210 C(-346 F) Nitrogen
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	Data lacking	Water Solubility	Slightly Soluble
Viscosity	Data lacking	Explosive Properties	Data lacking.
Oxidizing Properties:	Data lacking.		

**Volatility**

Vapor Pressure	Data lacking	Vapor Density	0.967 Air=1
Evaporation Rate	Data lacking		

**Flammability**

Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not flammable.		

**Environmental**

Octanol/Water Partition coefficient	Data lacking		
-------------------------------------	--------------	--	--

**9.2 Other Information**

- No additional physical and chemical parameters noted.

**Section 10: Stability and Reactivity****10.1 Reactivity**

- No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

- Stable under normal temperatures and pressures.

**10.3 Possibility of hazardous reactions**

- Hazardous polymerization will not occur.

**10.4 Conditions to avoid**

- Excess heat.

**10.5 Incompatible materials**

- Nitrogen reacts with Li, Nd, and Ti at high temperatures. Mercury oxide, water, steam, oxidizing agents, acids, alkali and alkaline earth metals, and halogenated organics.

**10.6 Hazardous decomposition products**

- Sulfur Oxides. Carbon monoxide.

**Section 11 - Toxicological Information****11.1 Information on toxicological effects**

Components		
Methyl Mercaptan (0.6ppm TO 1000ppm)	74-93-1	<b>Acute Toxicity:</b> Inhalation-Rat LC50 • 675 ppm; <i>Lungs, Thorax, or Respiration</i> : <b>Other changes;</b> <i>Gastrointestinal</i> : <b>Hypermotility, diarrhea;</b> <i>Kidney, Ureter, and Bladder</i> : <b>Urine volume increased</b>

GHS Properties	Classification
<b>Acute toxicity</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Aspiration Hazard</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Carcinogenicity</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met
<b>Germ Cell Mutagenicity</b>	<b>EU/CLP</b> • Classification criteria not met <b>OSHA HCS 2012</b> • Classification criteria not met

<b>Skin corrosion/Irritation</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Skin sensitization</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>STOT-RE</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>STOT-SE</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Toxicity for Reproduction</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Respiratory sensitization</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
<b>Serious eye damage/Irritation</b>	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

## Potential Health Effects

### Inhalation

#### Acute (Immediate)

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

#### Chronic (Delayed)

- No data available

### Skin

#### Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

#### Chronic (Delayed)

- Under normal conditions of use, no health effects are expected.

### Eye

#### Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

#### Chronic (Delayed)

- Under normal conditions of use, no health effects are expected.

### Ingestion

#### Acute (Immediate)

- Ingestion is not anticipated to be a likely route of exposure to this product.

#### Chronic (Delayed)

- Ingestion is not anticipated to be a likely route of exposure to this product.

#### Key to abbreviations

LC = Lethal Concentration

## Section 12 - Ecological Information

### 12.1 Toxicity

- Material data lacking.

### 12.2 Persistence and degradability

- Material data lacking.



## 12.3 Bioaccumulative potential

- Material data lacking.

## 12.4 Mobility in Soil

- Material data lacking.

## 12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

## 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

#### Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1956	Compressed gas, n.o.s. (Nitrogen, Methyl mercaptan)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GAS N.O.S., (Nitrogen, Methyl mercaptan)	2.2	NDA	NDA
IMO/IMDG	UN1956	COMPRESSED GAS N.O.S., (Nitrogen, Methyl mercaptan)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gas, n.o.s. (Nitrogen, Methyl mercaptan)	2.2	NDA	NDA

### 14.6 Special precautions for user

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

## Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** • Pressure(Sudden Release of), Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Methyl Mercaptan	74-93-1	Yes	Yes	Yes
Nitrogen	7727-37-9	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Methyl Mercaptan	74-93-1	Yes	No	Yes	Yes	No
Nitrogen	7727-37-9	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Methyl Mercaptan	74-93-1	Yes
Nitrogen	7727-37-9	Yes

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

- Nitrogen 7727-37-9 A
- Methyl Mercaptan 74-93-1 A, B1, D1A

#### Canada - WHMIS - Ingredient Disclosure List

- Nitrogen 7727-37-9 Not Listed
- Methyl Mercaptan 74-93-1 1 %

### Environment

#### Canada - CEPA - Priority Substances List

- Nitrogen 7727-37-9 Not Listed
- Methyl Mercaptan 74-93-1 Not Listed

## China

### Environment

#### China - Ozone Depleting Substances - First Schedule

- Nitrogen 7727-37-9 Not Listed
- Methyl Mercaptan 74-93-1 Not Listed

#### China - Ozone Depleting Substances - Second Schedule

- Nitrogen 7727-37-9 Not Listed
- Methyl Mercaptan 74-93-1 Not Listed

#### China - Ozone Depleting Substances - Third Schedule

- Nitrogen 7727-37-9 Not Listed
- Methyl Mercaptan 74-93-1 Not Listed

### Other

#### China - Annex I & II - Controlled Chemicals Lists

- Nitrogen 7727-37-9 Not Listed
- Methyl Mercaptan 74-93-1 Not Listed

#### China - Dangerous Goods List

• Nitrogen	7727-37-9	(compressed or refrigerated liquid)
• Methyl Mercaptan	74-93-1	
<b>China - Export Control List - Part I Chemicals</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

## Europe

### Other

<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	F+; R12 T; R23 N; R50-53
<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed
<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	F+ T N R:12-23-50/53 S:(2)-16-25-60-61
<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed
<b>EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	S:(2)-16-25-60-61

## Germany

### Environment

<b>Germany - TA Luft - Types and Classes</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	organic Substance: 5.2.5, Class I
<b>Germany - Water Classification (VwVwS) - Annex 1</b>		
• Nitrogen	7727-37-9	ID Number 1351, not considered hazardous to water
• Methyl Mercaptan	74-93-1	Not Listed
<b>Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	ID Number 144, hazard class 3 - severe hazard to waters
<b>Germany - Water Classification (VwVwS) - Annex 3</b>		
• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**Other****Germany - Specifically Regulated Chemicals in TRGS**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**Portugal****Other****Portugal - Prohibited Substances**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**United Kingdom****Environment****United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**Other****United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**United Kingdom - List of Dangerous Substances in Water**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**United States****Labor****U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	5000 lb TQ

**U.S. - OSHA - Specifically Regulated Chemicals**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**Environment****U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	100 lb final RQ; 45.4 kg final RQ

**U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	100 lb EPCRA RQ

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	500 lb TPQ

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - RCRA (Resource Conservation & Recovery Act) - Hazardous Constituents - Appendix VIII to 40 CFR 261**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	waste number U153

**U.S. - RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Toxic Wastes & Other Hazardous Characteristics**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	waste number U153 (Ignitable waste, Toxic waste)

**United States - California****Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

**United States - Pennsylvania****Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

• Nitrogen	7727-37-9	Not Listed
• Methyl Mercaptan	74-93-1	Not Listed

## 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

## Section 16 - Other Information

### Relevant Phrases (code & full text)

- H220 - Extremely flammable gas
- H331 - Toxic if inhaled
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects
- R12 - Extremely flammable.
- R23 - Toxic by inhalation.
- R50 - Very toxic to aquatic organisms.
- R53 - May cause long-term adverse effects in the aquatic environment.

### Last Revision Date

- 09/September/2014

### Preparation Date

- 25/July/2012

### Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

### Key to abbreviations

NDA = No Data Available