# **Safety Data Sheet**



# Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** 

Nitrogen Dioxide 0.0001-0.022%, Hexane 0.0-0.48%, Pentane 0.0-0.75%, Carbon Monoxide 0.0005-1.0%, Propane 0.0-1.1%%,

Oxygen 0.0015-23.5%, Nitrogen balance

Product Code

50115

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

Calibration of Monitoring and Research Equipment

### 1.3 Details of the supplier of the safety data sheet

Manufacturer

Air Liquide

2700 Post Oak Blvd. Houston, TX 77056 United States

www.us.airliquide.com sds@airliquide.com

Telephone (Technical) • 713-896-2896 Telephone (Technical) • 800-819-1704

# 1.4 Emergency telephone number

**Manufacturer** 

• 800-424-9300 - CHEMTREC

**Manufacturer** 

• +1 703-527-3887 - Outside United States

# **Section 2: Hazards Identification**

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

### 2.1 Classification of the substance or mixture

CLP

Compressed Gas - H280

Reproductive Toxicity 1A - H360D

Specific Target Organ Toxicity Repeated Exposure 2 - H373

DSD/DPD

Harmful (Xn)

Substances Toxic To Reproduction - Category 1

R20, R48/20, R61

#### 2.2 Label Elements

**CLP** 

#### **DANGER**





Hazard statements • H280 - Contains gas under pressure; may explode if heated

H360D - May damage the unborn child.

H373 - May cause damage to organs through prolonged or repeated exposure.

### **Precautionary statements**

**Prevention** • P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe gas.

P281 - Use personal protective equipment as required.

**Response** P308+P313 - IF exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

**Storage/Disposal** • P403 - Store in a well-ventilated place.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional,

national, and/or international regulations.

#### DSD/DPD





**Risk phrases** • R20 - Harmful by inhalation.

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation

R61 - May cause harm to the unborn child.

Safety phrases S53 - Avoid exposure - obtain special instructions before use.

#### 2.3 Other Hazards

**CLP** 

This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.

According to Regulation (EC) No. 1272/2008 (CLP) this material is considered

hazardous.

DSD/DPD

This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.

According to European Directive 1999/45/EC this material is considered dangerous.

# United States (US)

According to OSHA 29 CFR 1910.1200 HCS

# 2.1 Classification of the substance or mixture

**OSHA HCS 2012** 

Compressed Gas - H280 Reproductive Toxicity 1A - H360 Simple Asphyxiant

# 2.2 Label elements

**OSHA HCS 2012** 

#### **DANGER**





#### Hazard statements •

Contains gas under pressure; may explode if heated - H280 May damage fertility or the unborn child. - H360 May displace oxygen and cause rapid suffocation.

### **Precautionary statements**

**Prevention** • Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202 Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response . IF exposed or concerned: Get medical advice/attention. - P308+P313

Storage/Disposal • Store in a well-ventilated place. - P403

Store locked up. - P405

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

# 2.3 Other hazards

**OSHA HCS 2012** 

Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

#### Canada

According to WHMIS

#### 2.1 Classification of the substance or mixture

**WHMIS** 

Compressed Gas - A Very Toxic - D1A Other Toxic Effects - D2A

# 2.2 Label elements

**WHMIS** 







Compressed Gas - A Very Toxic - D1A Other Toxic Effects - D2A

# 2.3 Other hazards **WHMIS**

This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

# Section 3 - Composition/Information on Ingredients

### 3.1 Substances

Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

#### 3.2 Mixtures

	Composition						
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive			
Oxygen	CAS:7782-44-7 EC Number:231- 956-9 EU Index:008- 001-00-8	0.0015% TO 23.5%	NDA	EU DSD/DPD: Annex VI, Table 3.2: O R8 EU CLP: Annex VI, Table 3.1: Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas Comp.			

Propane	CAS:74-98-6 EC Number:200- 827-9	0% TO 1.1%	NDA	EU DSD/DPD: Annex VI, Table 3.2: F+ R12 EU CLP: Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp., H280 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.; Simp. Asphyx.
Carbon monoxide	CAS:630-08-0 EC Number:211- 128-3 EU Index:006- 001-00-2	0.0005% TO 1%	Inhalation-Rat LC50 • 1807 ppm 4 Hour(s)	EU DSD/DPD: Annex VI, Table 3.2: F+ R12 Repr. Cat. 1 R61 T R23-48/23 EU CLP: Annex VI, Table 3.1: Flam. Gas 1, H220; Press. Gas - Comp., H280; Repr. 1A, H360D; Acute Tox. 3 *, H331; STOT RE 1, H372 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.; Repr 1A; Acute Tox. 3 (inhl)
Pentane	CAS:109-66-0 EC Number:203- 692-4 EU Index:601- 006-00-1	0% TO 0.75%	Inhalation-Rat LC50 • 364 g/m³ 4 Hour(s)	<b>EU DSD/DPD:</b> Annex VI, Table 3.2: F+ R12 N R51-53 Xn R65 R66 R67 <b>EU CLP:</b> Annex VI, Table 3.1: Flam. Liq. 1, H224; Asp. Tox. 1, H304; STOT SE 3: Narc., H336; Aquatic Chronic 2, H411; EUH066 <b>OSHA HCS 2012:</b> Flam. Liq. 1; Asp Tox. 1; Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3: Narc.,
Hexane	CAS:110-54-3 EC Number:203- 777-6 EU Index:601- 037-00-0	0% TO 0.48%	Inhalation-Rat LC50 • 48000 ppm 4 Hour(s)	<b>EU DSD/DPD:</b> Annex VI, Table 3.2: F R11 Repr. Cat. 3 R62 Xn R65-48/20 Xi R38 R67 N R51-53 <b>EU CLP:</b> Annex VI, Table 3.1: Flam. Liq. 2, H225; Repr. 2, H361f; Asp. Tox. 1, H304; STOT RE 2*, H373; Skin Irrit. 2, H315; STOT SE 3: Narc., H336; Aquatic Chronic 2, H411 <b>OSHA HCS 2012:</b> Flam. Liq. 2; Repr. 2; STOT RE 2 (CNS & Nervous System); Skin Irrit. 2; Eye Irrit. 2B; STOT SE 3: Narc. & Resp. Irrit.; Asp. Tox. 1
Nitrogen dioxide	CAS:10102-44-0 EC Number:233- 272-6 EU Index:007- 002-00-0	0.0001% TO 0.022%	Inhalation-Rat LC50 • 88 ppm 4 Hour(s)	EU DSD/DPD: Annex VI, Table 3.2: O R8 T+ R26 C R34 EU CLP: Annex VI, Table 3.1: Press Gas - Liq., H280; Ox. Gas 1, H270; Acute Tox. 1, H330; Skin Corr. 1B, H314 OSHA HCS 2012: Press Gas - Liq.; Ox. Gas 1; Skin Corr. 1; Eye Dam. 1; STOT SE 1 (Lungs, Blood (methemeglobin former)); STOT RE 1 (Lungs, Inhl); Acute Tox. 1, (inhl); Muta. 2
Nitrogen	CAS:7727-37-9 EINECS:231- 783-9	Balance	NDA	EU DSD/DPD: Not Classified EU CLP: Self Classified: Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

#### Section 4 - First Aid Measures

### 4.1 Description of first aid measures

Inhalation

 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

 Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

Eve

 First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.

Ingestion

Ingestion is not considered a potential route of exposure.

# 4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

# 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

All treatments should be based on observed signs and symptoms of distress in the
patient. Consideration should be given to the possibility that overexposure to materials
other than this product may have occurred. A potential health hazard associated with
this gas is anoxia.

#### 4.4 Other information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after overexposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

# Section 5 - Firefighting Measures

# 5.1 Extinguishing media

Suitable Extinguishing Media . Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing** Media

No data available

### 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion** 

**Hazards** 

**Hazardous Combustion Products** 

Containers may explode when heated. Ruptured cylinders may rocket.

No data available

# 5.3 Advice for firefighters

Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is

Always wear thermal protective clothing when handling refrigerated/cryogenic liquids. Wear positive pressure self-contained breathing apparatus (SCBA).

Move containers from fire area if you can do it without risk.

FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions

FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.

FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices;

icing may occur.

FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.

FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

#### Section 6 - Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

 Ventilate the area before entry. Do not walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear appropriate personal protective equipment, avoid direct contact.

**Emergency Procedures** 

Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

### 6.2 Environmental precautions

Prevent spreading of vapors through sewers, ventilation systems and confined areas.

### 6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

Stop leak if you can do it without risk. Do not direct water at spill or source of leak.

Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.

If possible, turn leaking containers so that gas escapes rather than liquid.

Isolate area until gas has dispersed.

Ventilate the area.

#### 6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

# Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

• Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Wear appropriate personal protective equipment, avoid direct contact. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

# 7.2 Conditions for safe storage, including any incompatibilities

### Storage

Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage.
 Cylinders should be firmly secured to prevent falling or being knocked-over.

# 7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

# Section 8 - Exposure Controls/Personal Protection

# 8.1 Control parameters

Exposure Limits/Guidelines							
	Result	ACGIH	Canada Ontario	Canada Quebec	China	China Highly Toxic Goods	
Pentane	STELs	Not established	Not established	Not established	1000 mg/m3 STEL (listed under Pentane (all isomers))	Not established	
(109-66-0)	TWAs	600 ppm TWA (listed under Pentane, all isomers)	600 ppm TWA	120 ppm TWAEV; 350 mg/m3 TWAEV	500 mg/m3 TWA (listed under Pentane (all isomers))	Not established	
Havens	STELs	Not established	Not established	Not established	180 mg/m3 STEL	Not established	
Hexane (110-54-3)	TWAs	50 ppm TWA	50 ppm TWA	50 ppm TWAEV; 176 mg/m3 TWAEV	100 mg/m3 TWA	Not established	
Propane (74-98-6)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	1000 ppm TWAEV; 1800 mg/m3 TWAEV	Not established	Not established	
Nitrogen dioxide (10102-44-0)	STELs	Not established	5 ppm STEL	Not established	10 mg/m3 STEL	10 mg/m3 STEL	
	TWAs	0.2 ppm TWA	3 ppm TWA	3 ppm TWAEV; 5.6 mg/m3 TWAEV	5 mg/m3 TWA	5 mg/m3 TWA	
					20 mg/m3 Ceiling [MAC] (high altitude		

Carbon monoxide (630-08-0)	Ceilings	Not established	Not established	Not established	area, 2000-3000m); 15 mg/m3 Ceiling [MAC] (high altitude area, >3000m)	Not established
(000 00 0)	STELs	Not established	Not established	200 ppm STEV; 230 mg/m3 STEV	30 mg/m3 STEL (not in high altitude area)	30 mg/m3 STEL (not in high altitude area)
	TWAs	25 ppm TWA	25 ppm TWA	35 ppm TWAEV; 40 mg/m3 TWAEV	20 mg/m3 TWA (not in high altitude area)	20 mg/m3 TWA (not in high altitude area)
		Ex	posure Limits/Gui	delines (Con't.)		
	Result	Europe	France	Germany DFG	Germany TRGS	Ireland
Pentane (109-66-0)	TWAs	1000 ppm TWA; 3000 mg/m3 TWA	1000 ppm TWA [VME] (restrictive limit); 3000 mg/m3 TWA [VME] (restrictive limit)	Not established	1000 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2); 3000 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 2)	1000 ppm TWA; 3000 mg/m3 TWA
	STELs	Not established	Not established	Not established	Not established	750 ppm STEL; 2250 mg/m3 STEL
	Ceilings	Not established	Not established	2000 ppm Peak (listed under Pentane); 6000 mg/m3 Peak (listed under Pentane)	Not established	Not established
	MAKs	Not established	Not established	1000 ppm TWA MAK; 3000 mg/m3 TWA MAK	Not established	Not established
Hexane	TWAs	20 ppm TWA; 72 mg/m3 TWA	20 ppm TWA [VME] (restrictive limit); 72 mg/m3 TWA [VME] (restrictive limit)	Not established	50 ppm TWA AGW (exposure factor 8); 180 mg/m3 TWA AGW (exposure factor 8)	20 ppm TWA; 72 mg/m3 TWA
(110-54-3)	Ceilings	Not established	Not established	400 ppm Peak; 1440 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	50 ppm TWA MAK; 180 mg/m3 TWA MAK	Not established	Not established
Propane (74-98-6)	TWAs	Not established	Not established	Not established	1000 ppm TWA AGW (exposure factor 4); 1800 mg/m3 TWA AGW (exposure factor 4)	1000 ppm TWA
	Ceilings	Not established	Not established	4000 ppm Peak; 7200 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	1000 ppm TWA MAK; 1800 mg/m3 TWA MAK	Not established	Not established

_	_	_	_	_	_	_
	STELs	Not established	3 ppm STEL [VLCT]; 6 mg/m3 STEL [VLCT]	Not established	Not established	5 ppm STEL; 9 mg/m3 STEL
Nitrogen dioxide	TWAs	Not established	Not established	Not established	Not established	3 ppm TWA; 5 mg/m3 TWA
(10102-44-0)	Ceilings	Not established	Not established	0.5 ppm Peak; 0.95 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	0.5 ppm TWA MAK; 0.95 mg/m3 TWA MAK	Not established	Not established
Carbon monoxide (630-08-0)	TWAs	Not established	50 ppm TWA [VME]; 55 mg/m3 TWA [VME]	Not established	30 ppm TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2); 35 mg/m3 TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 2)	20 ppm TWA; 23 mg/m3 TWA
	STELs	Not established	Not established	Not established	Not established	100 ppm STEL; 115 mg/m3 STEL
	Ceilings	Not established	Not established	60 ppm Peak; 70 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	30 ppm TWA MAK; 35 mg/m3 TWA MAK	Not established	Not established
		Ex	posure Limits/Gui	idelines (Con't.)		
	Result	Israel	Italy	NIOSH	OSHA	OSHA Vacated
	TWAs	600 ppm TWA (listed under Pentane, all isomers)	667 ppm TWA; 2000 mg/m3 TWA	120 ppm TWA; 350 mg/m3 TWA	1000 ppm TWA; 2950 mg/m3 TWA	600 ppm TWA; 1800 mg/m3 TWA
Pentane (109-66-0)	Ceilings	Not established	Not established	610 ppm Ceiling (15 min); 1800 mg/m3 Ceiling (15 min)	Not established	Not established
	STELs	Not established	Not established	Not established	Not established	750 ppm STEL; 2250 mg/m3 STEL
Hexane (110-54-3)	TWAs	50 ppm TWA	20 ppm TWA; 72 mg/m3 TWA	50 ppm TWA; 180 mg/m3 TWA	500 ppm TWA; 1800 mg/m3 TWA	50 ppm TWA; 180 mg/m3 TWA
Propane (74-98-6)	TWAs	1000 ppm TWA (gas)	Not established	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA; 1800 mg/m3 TWA
	TWAs	0.2 ppm TWA	Not established	Not established	Not established	Not established
Nitrogen dioxide (10102-44-0)	Ceilings	Not established	Not established	Not established	5 ppm Ceiling; 9 mg/m3 Ceiling	Not established
(.3.32 0)	STELs	Not established	Not established	1 ppm STEL; 1.8 mg/m3 STEL	Not established	1 ppm STEL; 1.8 mg/m3 STEL
Carbon monoxide	TWAs	25 ppm TWA	Not established	35 ppm TWA; 40 mg/m3 TWA	50 ppm TWA; 55 mg/m3 TWA	35 ppm TWA; 40 mg/m3 TWA

(630-08-0)	Ceilings Not establis	hed Not established	200 ppm Ceiling; 229 mg/m3 Ceiling	ablished 200 ppm Ceiling; 229 mg/m3 Ceiling
		Exposure Limits/G	Guidelines (Con't.)	
	Result	Portugal	Spain	Sweden
Pentane (109-66-0)	TWAs	600 ppm TWA [VLE- MP]	1000 ppm TWA [VLA- ED] (indicative limit value); 3000 mg/m3 TWA [VLA-ED] (indicative limit value)	600 ppm LLV; 1800 mg/m3 LLV
	STELs	Not established	Not established	750 ppm STV; 2000 mg/m3 STV
	TWAs	50 ppm TWA [VLE-MP]	20 ppm TWA [VLA-ED] (indicative limit value); 72 mg/m3 TWA [VLA- ED] (indicative limit value)	25 ppm LLV; 90 mg/m3 LLV
Hexane (110-54-3)	Under Review	Not established	0.2 mg/L Medium: urine Time: end of workweek Parameter: 2,5-Hexanedione (without hydrolysis; means free 2,5- hexanedione, unconjugated. This substance is a metabolite of n-hexane and methyl-n-butyl ketone it means after four or five consecutive days of work with exposure, as soon as possible after the end of the last working day, as biological indicators are eliminated with half- lives greater than five hours; these indicators accumulate in the body during the work week, therefore the sampling time is critical in relation to previous exposures.)	Not established
	Biological Limit Values (BLV)	Not established	0.4 mg/L urine end of workweek 2,5- Hexanedione (without hydrolysis) (1,8)	Not established
	STELs	Not established	Not established	50 ppm STV; 180 mg/m3 STV
Propane (74-98-6)	TWAs	1000 ppm TWA [VLE- MP]	1000 ppm TWA [VLA- ED]	Not established
	STELs	5 ppm STEL [VLE-CD	5 ppm STEL [VLA-EC]; 9.6 mg/m3 STEL [VLA- EC]	Not established
				1 ppm LLV (listed

Nitrogen dioxide (10102-44-0)	TWAs	3 ppm TWA [VLE-MP]	3 ppm TWA [VLA-ED]; 5.7 mg/m3 TWA [VLA- ED]	under Exhausted gasses); 2 mg/m3 LLV (listed under Exhausted gasses); 2 ppm LLV (as Nitrogen oxide); 4 mg/m3 LLV (as Nitrogen oxide)
	Ceilings	Not established	Not established	5 ppm CLV; 10 mg/m3 CLV
	TWAs	25 ppm TWA [VLE-MP]	25 ppm TWA [VLA-ED]; 29 mg/m3 TWA [VLA- ED]	20 ppm LLV (regulated under exhaust fumes, listed under Exhaust fumes); 25 mg/m3 LLV (regulated under exhaust fumes, listed under Exhaust fumes); 35 ppm LLV; 40 mg/m3 LLV
Carbon monoxide (630-08-0)	Biological Limit Values (BLV)	Not established	3.5 % of Carboxyhemoglobin in total hemoglobin blood end of shift Carboxyhemoglobin (2,F,I); 20 ppm alveolar air end of shift CO end- cut of exhaled air (2,F,I)	Not established
	STELs	Not established	Not established	100 ppm STV; 120 mg/m3 STV

#### **Exposure Control Notations**

#### **Portugal**

- •Nitrogen dioxide (10102-44-0): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Hexane (110-54-3): **Skin:** (skin potential for cutaneous exposure)
- •Nitrogen (7727-37-9): Simple Asphyxiants: (Simple Asphyxiant)

### France

- •Hexane (110-54-3): Reproductive Toxins: (Reproductive Toxin category 3)
- •Carbon monoxide (630-08-0): Reproductive Toxins: (Reproductive Toxin category 1)

#### Ireland

- •Carbon monoxide (630-08-0): Substances with Potential Chronic Health Effects: (Repr1A)
- •Propane (74-98-6): **Simple Asphyxiants:** (Asphyxiant)
- •Nitrogen (7727-37-9): Simple Asphyxiants: (Asphyxiant)

#### **Spain**

- •Carbon monoxide (630-08-0): Reproductive Toxins: (known reproductive toxins with classification from human data)
- •Nitrogen (7727-37-9): Simple Asphyxiants: (simple asphyxiant)

#### Sweden

•Carbon monoxide (630-08-0): Reproductive Toxins: (Causes reproductive disturbances)

#### **Germany DFG**

- •Nitrogen dioxide (10102-44-0): Carcinogens: (Category 3B (could be carcinogenic for man)) | Pregnancy: (classification not yet possible)
- •Hexane (110-54-3): Pregnancy: (no risk to embryo/fetus if exposure limits adhered to)
- •Pentane (109-66-0): Pregnancy: (no risk to embryo/fetus if exposure limits adhered to)
- •Carbon monoxide (630-08-0): **Pregnancy:** (risk to embryo/fetus probable)
- •Propane (74-98-6): **Pregnancy:** (classification not yet possible)

# 8.2 Exposure controls

#### **Engineering**

Good general ventilation should be used. Ventilation rates should be matched to

#### Measures/Controls

conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### **Personal Protective Equipment**

Respiratory

 Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear safety glasses.

Skin/Body

Wear leather gloves when handling cylinders.

**Environmental Exposure Controls** 

 Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

.LV = Limit Level Value is the exposure limit for 8-hour work day

\_Maximale Arbeitsplatz Konzentration is the maximum permissible

MAK = concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

STEL = Short Term Exposure Limits are based on 15-minute

- exposures

TWAEV = Time-Weighted Average Exposure Value

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

# Section 9 - Physical and Chemical Properties

# 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless to red-brown gas with an acrid, pungent odor.
Color	Colorless to red-brown.	Odor	Acrid or pungent odor.
Odor Threshold	0.11 to 0.114 ppm (Nitrogen Dioxide)		
General Properties		•	
Boiling Point	-195.8 C(-320.44 F) (Nitrogen)	Melting Point	-210 C(-346 F) (Nitrogen)
Decomposition Temperature	Data lacking	рН	Not relevant
Specific Gravity/Relative Density	0.906 Water=1 (Nitrogen)	Density	0.072 lb(s)/ft³ @ 0 C(32 F) (Nitrogen)
Water Solubility	Data lacking	Viscosity	Data lacking
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking
Volatility		•	"
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability		•	"
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Data lacking
Flammability (solid, gas)	Nonflammable Gas.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

#### 9.2 Other Information

No additional physical and chemical parameters noted.

# **Section 10: Stability and Reactivity**

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

Stable under normal temperatures and pressures.

# 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4 Conditions to avoid

Excess heat.

# 10.5 Incompatible materials

• Nitrogen reacts with Li, Nd, and Ti at high temperatures. Oxygen is incompatible with combustible materials. The Carbon Monoxide component is mildly corrosive to nickel and iron (especially at high temperature and pressure). The trace Nitrogen Dioxide component is incompatible with acetic anhydride, alcohols, ammonia, boron trichloride, calcium, dimethyl sulfoxide, formaldehyde, hydrocarbons, nitrogen trichloride, triethylamine, tetramethyltin, unsaturated hydrocarbons, vinyl chloride, aluminum powder, carbon disulfide, halocarbons, nitroaromatics, hydrogen, oxygen, carbonyl metals, cyclopentadiene, hydrazine derivatives, pyridene or quinoline, metal acetylides or carbides and magnesium filings; however, due to the low levels in this gas mixture, these incompatibilities are not expected to be significant.

# 10.6 Hazardous decomposition products

 Combustion: Nitrogen oxides, carbon oxides; above 160°C (320°F) Nitrogen Dioxide decomposes to nitric oxide and oxygen. Hydrolysis: Nitric acid, nitrous acid.

# **Section 11 - Toxicological Information**

# 11.1 Information on toxicological effects

		Components
Nitrogen dioxide (0.0001% TO 0.022%)	10102- 44-0	Acute Toxicity: Inhalation-Rat LC50 • 88 ppm 4 Hour(s);  Mutagen: Unscheduled DNA synthesis • Inhalation-Rat • 30 ppm 1 Hour(s); Cytogenetic analysis • Inhalation-Rat • 27 ppm 3 Hour(s)-Continuous; Mutation in Mammalian Somatic Cells • Inhalation-Rat • 15 ppm 3 Hour(s)-Continuous; DNA adduct • Inhalation-Rat • 108 mg/kg 300 Day(s)-Intermittent
Hexane (0% TO 0.48%)	110-54- 3	Acute Toxicity: Ingestion/Oral-Rat LD50 • 25 g/kg; Inhalation-Rat LC50 • 48000 ppm 4 Hour(s); Irritation: Eye-Rabbit • 10 mg • Mild irritation; Reproductive: Inhalation-Rat TCLo • 5000 ppm (6-19D preg); Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system; Reproductive Effects:Specific Developmental Abnormalities:Urogenital system
Pentane (0% TO 0.75%)	109-66- 0	Acute Toxicity: Ingestion/Oral-Rat LD50 • >2000 mg/kg; Inhalation-Rat LC50 • 364 g/m³ 4 Hour(s)
Carbon monoxide (0.0005% TO 1%)	630-08- 0	Acute Toxicity: Inhalation-Rat LC50 • 1807 ppm 4 Hour(s); Reproductive: Inhalation-Rat TCLo • 150 ppm (0-20D preg); Reproductive Effects:Maternal Effects:Other effects; Reproductive Effects:Effects on Newborn:Biochemical and metabolic; Reproductive Effects:Effects on Newborn:Physical
Oxygen (0.0015% TO 23.5%)	7782- 44-7	Reproductive: Inhalation-Rat TCLo • 10 pph 9 Hour(s)(22D preg); Reproductive Effects:Specific Developmental Abnormalities:Respiratory system; Reproductive Effects:Effects on Newborn:Physical

GHS Properties Classification	
-------------------------------	--

Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Carcinogenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Skin sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Data lacking
STOT-SE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	EU/CLP • Toxic to Reproduction 1A OSHA HCS 2012 • Toxic to Reproduction 1A
Respiratory sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

# Potential Health Effects Inhalation

**Acute (Immediate)** 

• This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces. If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

**Chronic (Delayed)** 

#### Skin

Acute (Immediate)

**Chronic (Delayed)** 

#### Eve

Acute (Immediate)

**Chronic (Delayed)** 

#### Ingestion

Acute (Immediate)

**Chronic (Delayed)** 

#### Other

**Chronic (Delayed)** 

- No data available
- Under normal conditions of use, no health effects are expected.
- Under normal conditions of use, no health effects are expected.
- Under normal conditions of use, no health effects are expected.
- Under normal conditions of use, no health effects are expected.
- Ingestion is not anticipated to be a likely route of exposure to this product.
- Ingestion is not anticipated to be a likely route of exposure to this product.
- The transport of oxygen in blood ensured by haemoglobin will be slowed down because carboxyhaemoglobin instead of oxyhaemoglobin will be formed in lungs. The affinity of heamoglobin for carbon monoxide is 200 to 300 higher then for oxygen. All

related health hazards will be caused by slow respiration of cells which will damage the central nervous system, collapse the cardiovascular system, cause kidney insufficiency, coma, etc.

#### Reproductive Effects

• Inhalation of Hexane has caused reproductive effects in studies with animals. The Carbon Monoxide component of this gas mixture can cause teratogenic effects in humans. Severe exposure to Carbon Monoxide during pregnancy has caused adverse effects and the death of the fetus. In general, maternal symptoms are an indicator of the potential risk to the fetus since Carbon Monoxide is toxic to the mother before it is toxic to the fetus.

#### Key to abbreviations

TD = Toxic Dose

LC = Lethal Concentration LD = Lethal Dose TC = Toxic Concentration

# **Section 12 - Ecological Information**

# 12.1 Toxicity

Material data lacking.

# 12.2 Persistence and degradability

Material data lacking.

# 12.3 Bioaccumulative potential

Material data lacking.

# 12.4 Mobility in Soil

Material data lacking.

#### 12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been conducted for this material.

#### 12.6 Other adverse effects

No studies have been found.

# **Section 13 - Disposal Considerations**

#### 13.1 Waste treatment methods

**Product waste** 

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# **Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1956	Compressed gas, n.o.s. (Nitrogen, Oxygen, Propane)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GAS, N.O.S. (Nitrogen, Oxygen, Propane)	2.2	NDA	Potential Marine Pollutant

IMO/IMDG	UN1956	COMPRESSED GASES, N.O.S. (Nitrogen, Oxygen, Propane)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gases, n.o.s. (Nitrogen, Oxygen, Propane)	2.2	NDA	NDA

# 14.6 Special precautions for

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The
  transportation of compressed gas cylinders in automobiles or in closed-body vehicles
  can present serious safety hazards. If transporting these cylinders in vehicles, ensure
  these cylinders are not exposed to extremely high temperatures (as may occur in an
  enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated
  during transportation.
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
- Data lacking.

# **Section 15 - Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** • Pressure(Sudden Release of), Acute

State Right To Know					
Component	CAS	MA	NJ	PA	
Carbon monoxide	630-08-0	Yes	Yes	Yes	
Hexane	110-54-3	Yes	Yes	Yes	
Nitrogen	7727-37-9	Yes	Yes	Yes	
Nitrogen dioxide	10102-44-0	Yes	Yes	Yes	
Oxygen	7782-44-7	Yes	Yes	Yes	
Pentane	109-66-0	Yes	Yes	Yes	
Propane	74-98-6	Yes	Yes	Yes	

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Carbon monoxide	630-08-0	Yes	No	Yes	Yes	No
Hexane	110-54-3	Yes	No	Yes	Yes	No
Nitrogen	7727-37-9	Yes	No	Yes	Yes	No
Nitrogen dioxide	10102-44-0	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No
Pentane	109-66-0	Yes	No	Yes	Yes	No
Propane	74-98-6	Yes	No	Yes	Yes	No
			Inventory (Cor	n't.)		
Component			CAS		TSCA	
Carbon monoxide		630	0-08-0		Yes	
Hexane			110-54-3 Y		Yes	
Nitrogen			7727-37-9 Yes		Yes	
Nitrogen dioxide		101	10102-44-0 Yes			
Oxygen		778	32-44-7		Yes	

Pentane	109-66-0	Yes
Propane	74-98-6	Yes

# Canada

Carbon monoxide	630-08-0	A, B1, D1A, D2A
Pentane	109-66-0	B2
Oxygen	7782-44-7	A, C
Nitrogen dioxide	10102-44-0	A, C, D1A, D2B, E
Propane	74-98-6	A, B1
Hexane	110-54-3	B2, D2A, D2B
Nitrogen	7727-37-9	Α
Carbon monoxide	630-08-0	0.1 %
Pentane	109-66-0	1 %
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	1 %
Propane	74-98-6	Not Listed
Hexane	110-54-3	1 %
	7727-37-9	Not Listed

Canada - CEPA - Priority Substances List		
Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

# China

Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
China - Ozone Depleting Substances - Second Schedule		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

ner China - Annex I & II - Controlled Chemicals Lists		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
China - Dangerous Goods List		
Carbon monoxide	630-08-0	
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	(compressed or refrigerat liquid)
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	(compressed or refrigerate liquid)
China - Export Control List - Part I Chemicals		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

# **Europe**

Other EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification		
Carbon monoxide	630-08-0	F+; R12 T; R23-48/23 Repr.Cat.1; R61
Pentane	109-66-0	F+; R12 N; R51-53 Xn; R65 R66 R67
Oxygen	7782-44-7	O; R8
Nitrogen dioxide	10102-44-0	T+; R26 C; R34 O; R8
Propane	74-98-6	F+; R12
Hexane	110-54-3	F; R11 Xi; R38 N; R51-53 Repr.Cat.3; R62 Xn; R65-48/20 R67
Nitrogen	7727-37-9	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits		
• Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
		10%<=C: T+; R:26 1%
Nitrogen dioxide	10102-44-0	<=C<10%: T; R:23 0.1% <=C<1%: Xn; R:20
• Propane	74-98-6	Not Listed
Hexane	110-54-3	5%<=C: Xn; R:48/20
Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
Carbon monoxide	630-08-0	F+ T R:61-12-23-48/23 S:53- 45
• Pentane	109-66-0	F+ Xn N R:12-51/53-65-66-6 S:(2)-9-16-29-33-61-62
• Oxygen	7782-44-7	O R:8 S:(2)-17
Nitrogen dioxide	10102-44-0	O T+ R:8-26-34 S:(1/2)-9-26 28-36/37/39-45
• Propane	74-98-6	F+ R:12 S:(2)-9-16
• Hexane	110-54-3	F Xn N R:11-38-48/20-62-65 67-51/53 S:(2)-9-16-29-33- 36/37-61-62
• Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations	8	
Carbon monoxide	630-08-0	Е
Pentane	109-66-0	С
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	5
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		
Carbon monoxide	630-08-0	S:53-45
• Pentane	109-66-0	S:(2)-9-16-29-33-61-62
• Oxygen	7782-44-7	S:(2)-17
Nitrogen dioxide	10102-44-0	S:(1/2)-9-26-28-36/37/39-45
• Propane	74-98-6	S:(2)-9-16
Havene	110-54-3	S:(2)-9-16-29-33-36/37-61-
Hexane	110-34-3	3.(2)-3-10-23-33-30/37-01-

# Germany

Environment Germany - TA Luft - Types and Classes		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	inorganic gas Substance: 5.2.4, Class IV
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	ID Number 743, not consid hazardous to water
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	ID Number 560, not consid hazardous to water
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	ID Number 1351, not considered hazardous to water
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes		
Carbon monoxide	630-08-0	ID Number 257, hazard cla - low hazard to waters
Pentane	109-66-0	ID Number 452, hazard cla - hazard to waters
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	ID Number 285, hazard cla - low hazard to waters
Propane	74-98-6	Not Listed
Hexane	110-54-3	ID Number 124, hazard cla
Nitrogen	7727-37-9	Not Listed
Germany - Water Classification (VwVwS) - Annex 3		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

Germany - Specifically Regulated Chemicals in TRGS		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

# **Portugal**

ther		
Portugal - Prohibited Substances		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed

Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

# **United Kingdom**

nvironment United Kingdom - Pollution Inventory - Schedule 1	- Thresholds for Releases to Air	
Carbon monoxide	630-08-0	100000 kg
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

arban manavida	620.00.0	Not Listed
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
Jnited Kingdom - List of Dangerous Substances i	n Water	
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed

# **United States**

Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	250 lb TQ
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed
J.S OSHA - Specifically Regulated Chemicals		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
<ul><li>Propane</li></ul>	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
<ul> <li>Nitrogen</li> </ul>	7727-37-9	Not Listed

For decourse of		
Environment U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	
Nitrogen	7727-37-9	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	10 lb final RQ (releases to the air in amounts <1000 pounds per 24 hours which are the result of combustion and combustion-related activities are exempt from the notification requirements per 40 CFR 302.6); 4.54 kg final RQ (releases to the air in amounts <1000 pounds per 24 hours which are the result of combustion and combustion-related activities are exempt from the notification requirements per 40 CFR 302.6)
Propane	74-98-6	Not Listed
Hexane	110-54-3	5000 lb final RQ; 2270 kg final RQ
Nitrogen	7727-37-9	Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	10 lb EPCRA RQ (Releases to the air in amounts <1000 pounds per 24 hours which are the result of combustion and combustion-related activities are exempt from the notification requirements per 40 CFR 355.31)
		30.0 . ,

• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substance	es TPQs	
Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	100 lb TPQ
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
		1.0 % de minimis
Hexane	110-54-3	concentration
• Nitrogen	7727-37-9	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous	s Constituents - Appendix VIII to	40 CFR 261
• Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	waste number P078
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - P Series W	lastes - Acutely Toxic Wastes	
Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	waste number P078
• Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
	1.2. 3. 3	

# **United States - California**

### Environment -

U.S. - California - Proposition 65 - Carcinogens List

• Carbon monoxide 630-08-0 Not Listed

• Pentane	109-66-0	Not Listed
• Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Carbon monoxide	630-08-0	developmental toxicity, initial date 7/1/89
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
• Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
		. 101 =1010 4
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)	000.00.0	N. ale a l
Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female		
Carbon monoxide	630-08-0	Not Listed
Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male  • Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
	7782-44-7	Not Listed
Oxygen     Nitrogen digyida		
Nitrogen dioxide	10102-44-0	Not Listed
• Propane	74-98-6	Not Listed
• Hexane	110-54-3	Not Listed
• Nitrogen	7727-37-9	Not Listed

# **United States - Pennsylvania**

_abor		
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List  • Carbon monoxide	630-08-0	
Pentane	109-66-0	Not Listed
	7782-44-7	Not Listed
Oxygen		
Nitrogen dioxide	10102-44-0	(listed under Nitrogen oxide)
• Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances		
Carbon monoxide	630-08-0	Not Listed
• Pentane	109-66-0	Not Listed
Oxygen	7782-44-7	Not Listed
Nitrogen dioxide	10102-44-0	Not Listed
Propane	74-98-6	Not Listed
Hexane	110-54-3	Not Listed
Nitrogen	7727-37-9	Not Listed

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

#### 15.3 Other Information

 WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

# **Section 16 - Other Information**

#### Relevant Phrases (code & full text)

- H220 Extremely flammable gas
  - H224 Extremely flammable liquid and vapour
  - H225 Highly flammable liquid and vapour
  - H270 May cause or intensify fire; oxidizer
  - H304 May be fatal if swallowed and enters airways
  - H314 Causes severe skin burns and eye damage.
  - H315 Causes skin irritation
  - H330 Fatal if inhaled
  - H331 Toxic if inhaled
  - H336 May cause drowsiness or dizziness
  - H411 Toxic to aquatic life with long lasting effects
  - EUH066 Repeated exposure may cause skin dryness or cracking.
  - R8 Contact with combustible material may cause fire.
  - R11 Highly flammable.
  - R12 Extremely flammable.
  - R23 Toxic by inhalation.
  - R26 Very toxic by inhalation.
  - R34 Causes burns.
  - R38 Irritating to skin.
  - R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
  - R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.
  - R51 Toxic to aquatic organisms.
  - R53 May cause long-term adverse effects in the aquatic environment.
  - R62 Possible risk of impaired fertility.
  - R65 Harmful: may cause lung damage if swallowed.
  - R66 Repeated exposure may cause skin dryness or cracking.

R67 - Vapours may cause drowsiness and dizziness.

# **Last Revision Date Preparation Date** Disclaimer/Statement of Liability

- 05/September/2014 05/September/2014
- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations NDA = No Data Available