

MATERIAL SAFETY DATA SHEET

MSDS: **701** REV. DATE: 2/12 PAGE 1 OF 2

Section I - PRODUCT IDENTIFICATION

TRADE NAME: Oxygen USP

#3052, 3056, 3066

ZEE MEDICAL, INC.

22 Corporate Park Irvine, CA 92606 800/841-8417 Emergency Phone No. (CHEMTREC): 800/424-9300

Section II - HAZARDOUS INGREDIENTS					
<u>INGREDIENT</u> Oxygen	<u>%</u> 99	CAS <u>NUMBER</u> 7782-44-7	PEL, <u>OSHA (ppm)</u> N/E	TLV, <u>ACGIH (ppm</u>) N/E	
Section III - PHYSICAL DATA					
Boiling Point: -297 F		Specific Gravity: N/A			
Vapor Pressure: (mm Hg): 760		Melting Point: N/A			
Vapor Density: 1.1053		Evaporation Rate: N/A			
Solubility In Water: Slight					

Appearance and Odor: Colorless, odorless gas.

Section IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Extinguishing Media: Carbon dioxide, foam, water fog, dry chemical.

Special Fire Fighting Procedures: Use water spray to cool cylinders.

Unusual Fire and Explosion Hazards: Presence of combustible materials or flammable gases may accelerate combustion or cause explosion.

NFPA Hazard Rating: Health: 0 Flammability: 0 Reactivity: 1 Special: OX HMIS Hazard Rating: Health: 0 Flammability: 0 Reactivity: 1

Hazard Index: 4=Severe, 3=Serious, 2=Moderate, 1=Slight, 0=Minimal

MATERIAL SAFETY DATA SHEET

MSDS: **701** REV. DATE: 2/12 PAGE 2 OF 2

Section V - HEALTH HAZARD DATA

Primary Routes of Entry: N/A

Health Hazards: None, however, if pressurized containers rupture due to breakage or high temperature, injury may result.

Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Emergency First Aid Procedures: N/A

Section VI - REACTIVITY DATA

Stability: Stable

Hazardous Decomposition Products: None

Hazardous Polymerization: Will not occur

Incompatibilities: Combustible or flammable materials, organic matter.

Condiitons to Avoid: Do not store over 130 F.

Section VII - SPILL AND DISPOSAL PROCEDURES

Spill: N/A

Disposal: Dispose of in accordance with local, state and federal regulations.

Section VIII - SAFE HANDLING AND USE INFORMATION

Respiratory Protection: N/A

Ventilation: N/A

Protective Equipment: N/A

Section IX - SPECIAL PRECAUTIONS

Should not be used for prolonged periods except under a doctor's care.

N/A = Not applicableN/E = Not established