

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**W. F. Taylor Co., Inc.**

11545 Pacific Avenue
Fontana, CA 92337-8228
951/360-6677
CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **Latex Based Pad-Hesive**
ITEM NUMBER: 722-1
ITEM DESCRIPTION: 722 Latex Fast Tac Pad-Hesive 1-gal
PRODUCT DESCRIPTION: LATEX BASED ADHESIVE
CHEMICAL FAMILY: HYDROCARBON RESIN AND SYNTHETIC LATEX ADHESIVE
REVISION DATE: 03/26/09

HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: DARWIN C. REGIS
PREEMPTS PREVIOUS MSDS SHEETS

SECTION II HAZARDOUS INGREDIENTS

COMPONENT/CAS #	ACGIH TLV	OSHA PEL	% WT	NOTES
NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS				

SECTION III PHYSICAL DATA

BOILING POINT: 212 DEGREES F
LBS / GAL: 9.5 - 10
VAPOR PRESSURE, MM HG AT 20 DEGREES C: N.D.
EVAPORATION RATE: SAME AS WATER
VAPOR DENSITY: > 1 (AIR=1)
PERCENT VOLATILE: 35 - 40 (BY WEIGHT)
COLOR: BEIGE COLORED LIQUID
ODOR: MILD
GRAMS V.O.C. PER LITER OF MATERIAL: NEGLIGIBLE

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT, TAG C.C.: N.A.
AUTO IGNITION TEMPERATURE, F: N.A.
FLAAMABLE LIMITS IN AIR, VOLUME %: LOWER: N.A. UPPER: N.A.
FIRE EXTINGUISHING MEDIA: WATER SPRAY, CARBON DIOXIDE, FOAM, DRY CHEMICAL
SPECIAL FIREFIGHTING PROCEDURES: WEAR SELF CONTAINED BREATHING APPARATUS
UNUSUAL FIRE AND EXPLOSION HAZARD: DRY FILM WILL BURN

SECTION V HEALTH HAZARD IDENTIFICATION

SYMPTOMS OF OVER EXPOSURE:
INHALATION: NONE KNOWN
EYES: MAY CAUSE MILD IRRITATION
SKIN: NONE KNOWN
INGESTION: NONE KNOWN

PRODUCT NAME: **Latex Based Pad-Hesive**
ITEM NUMBER: 722-1
ITEM DESCRIPTION: 722 Latex Fast Tac Pad-Hesive 1-gal
REVISION DATE: 03/26/09

SECTION VI FIRST AID PROCEDURES

FIRST AID PROCEDURES:

EYES: FLUSH WITH WATER

SKIN: WASH WITH SOAP AND WATER

INHALATION: REMOVE TO FRESH AIR IF NEEDED

INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

SECTION VII HANDLING AND STORAGE

PRECAUTION FOR HANDLING AND STORING: DO NOT PUNCTURE.

KEEP OUT OF THE REACH OF CHILDREN.

PROTECT FROM FREEZING

CAUTION: DO NOT TAKE INTERNALLY. IF SWALLOWED, DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY.

SECTION VIII SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: NONE NEEDED

VENTILATION: LOCAL EXHAUST

PROTECTIVE GLOVES: NONE REQUIRED

EYES: GOGGLES

OTHER PROTECTIVE EQUIPMENT: NONE

SECTION IX SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED

KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

SECTION X STABILITY AND REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: KEEP AWAY FROM EXTREME TEMPERATURE CONDITIONS

INCOMPATIBILITY-MATERIALS TO AVOID: NONE KNOWN

HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION XI TOXICOLOGICAL PROPERTIES

NOT AVAILABLE

SECTION XII ECOLOGICAL INFORMATION

NOT AVAILABLE

SECTION XIII DISPOSAL CONSIDERATION

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS

SECTION XIV: TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: NOT APPLICABLE

PROPER HAZARD CLASS: NOT HAZARDOUS

HAZARD CODE: NOT HAZARDOUS

SECTION XV REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION STANDARD(29CFR 1910.1200)HAZARD CLASS(ES): NONE

SARA TITLE III SECTION 312 HAZARD CLASS: NONE

EPA SARA TITLE III SECTION 313: NONE

PRODUCT NAME:	Latex Based Pad-Hesive
ITEM NUMBER:	722-1
ITEM DESCRIPTION:	722 Latex Fast Tac Pad-Hesive 1-gal
REVISION DATE:	03/26/09

SECTION XVI OTHER INFORMATION

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE
HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL
LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION,
INVESTIGATION AND VERIFICATION.
