

KEM CANADA MFG.
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5

EMERGENCY # CANUTEC (613) 996-6666

"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: D2B

TEL# (905) 456-9444 MATERIAL REFERENCE NO: 727300 SECTION I - MATERIAL IDENTIFICATION AND USE |MATERIAL NAME/I.D.: KEMTREET 273 ______ |CHEMICAL NAME: NOT APPLICABLE | CHEMICAL FAMILY: ALKALINE BLEND | |CHEMICAL FORMULA: MIXTURE | MOLECULAR WEIGHT: NOT APPLICABLE| |SYNONYMS: NONE |MATERIAL USE: CORROSION CONTROL SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL _____ |APPROX.| TLV | C.A.S. | LD 50 | | % CONC.| PPM | NUMBERS | ORAL, RAT | | HAZARDOUS | INGREDIENTS ______ |1.0-5.0| NO DATA | 7320-34-5 | DERMAL LD50| | PYROPHOSPHATE | | 4650 MG/KG | | | | (RABBIT) | |SODIUM TRIPOLYPHOSPHATE |1.0-5.0| NO DATA | 7758-29-4 | 4000 MG/KG | SECTION III - PHYSICAL DATA FOR MATERIAL |PHYSICAL STATE: LIQUID _____ ODOUR AND APPEARANCE: BLUE COLOUR; SLIGHT ODOUR. |ODOUR THRESHOLD (PPM) | SPECIFIC GRAVITY | VAPOUR PRESSURE (MM) | NOT AVAILABLE | 1.039 | NOT AVAILABLE) | _____ ______ |VAPOUR DENSITY (AIR=1)| EVAPORATION RATE |SOLUBILITY IN WATER | NOT AVAILABLE | (WATER = 1) < 1 (20øC) COMPLETE ______ BOILING POINT (C) | FREEZING POINT (C) |% VOLATILE (BY WEIGHT)| NOT AVAILABLE | NOT AVAILABLE | > 90 | | ph (100% SOLUTION) | DENSITY (G/ML) | COEF.OF WATER/OIL DISTR| | 8.0-9.0 | NOT APPLICABLE | NOT AVAILABLE |



MATERIAL REFERENCE NO: 727300

SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL
FLAMMABILITY: NON-FLAMMABLE IF YES, UNDER WHICH CONDITIONS:
MEANS OF EXTINCTION: CHEMICAL FOAM, CARBON DIOXIDE, WATER FOG
SPECIAL PROCEDURES: WEAR FULL PROTECTIVE GEAR INCLUDING SELF- CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.
FLASH POINT (C) AND METHOD: NON FLAMMABLE (TCC)
HAZARDOUS COMBUSTION PRODUCTS: OXIDES OF CARBON, PHOSPHOROUS, SODIUM AND POTASSIUM.
UPPER EXPLOSION LIMIT LOWER EXPLOSION LIMIT AUTOIGNITION TEMP(C) NOT AVAILABLE NOT AVAILABLE NOT APPLICABLE
EXPLOSION DATA SENSITIVITY RATE OF BURNING EXPLOSIVE POWER TO CHEMICAL IMPACT NOT AVAILABLE NOT APPLICABLE NOT APPLICABLE
SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE
SECTION V - REACTIVITY DATA CHEMICAL STABILITY: NORMALLY STABLE IF NO, UNDER WHICH CONDITIONS: HIGH TEMPERATURES
INCOMPATIBILITY TO OTHER SUBSTANCES: YES IF SO, WHICH ONES: AVOID CONTACT WITH STRONG ACIDS, OXIDIZERS, MILD STEEL, ALUMINUM, COPPER, ZINC, NITRITES, SULPHITES.
REACTIVITY AND UNDER WHAT CONDITIONS: NOT ESTABLISHED.
HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION CAN LIBERATE OXIDES OF CARBON, PHOSPHOROUS, SODIUM AND POTASSIUM.
SECTION VI - HEALTH HAZARD DATA
ROUTE OF ENTRY:
SKIN CONTACT: YES



MATERIAL REFERENCE NO: 727300

EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES-CONTACT MAY CAUSE IRRITATION, REDNESS, TEARING. SKIN-CONTACT MAY CAUSE IRRITATION. INHALATION-EXCESSIVE INHALATION OF MIST OR VAPOURS MAY CAUSE IRRITATION OF RESPIRATORY TRACT. INGESTION-MAY CAUSE IRRITATION OF GASTROINTESTINAL TRACT, NAUSEA, VOMITING, DIARRHEA.	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: EYES-PROLONGED OR REPEATED CONTACT MAY CAUSE EYE DAMAGE. SKIN-REPEATED OR PROLONGED CONTACT MAY CAUSE DRYING OF SKIN LEADING TO DERMATITIS.	
LD 50 OF MATL. LC 50 OF MATL. EXPOSURE LIMIT(S) IRRITANCY OF MATI NOT AVAILABLE NOT AVAILABLE NOT AVAILABLE SKIN AND EYE	ı
SENSITIZATION OF MATERIAL SYNERGISTIC MATERIALS NOT AVAILABLE NOT AVAILABLE	
CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY: NONE KNOWN	
SECTION VII - PREVENTIVE MEASURES	
PERSONAL PROTECTIVE EQUIPMENT:	
GLOVES: RUBBER OR VINYL RESPIRATORY: NONE FOR NORMAL USE EYE: FACE SHIELD OR SAFETY GOGGLES FOOTWEAR: IMPERVIOUS CLOTHING: IMPERVIOUS OTHER: EYE WASH AND SAFETY SHOWER ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): LOCAL AS NEEDED TO CONTROL FUMES.	
LEAK AND SPILL PROCEDURE: STOP LEAK AND CONTAIN SPILL. TRANSFER TO SUITABLE CONTAINER FOR RECLAIM OR DISPOSAL. ABSORB REMAINING MATERIAL ONTO INERT ABSORBANT AND SCOOP INTO DISPOSAL CONTAINER. FLUSH AREA WITH LARGE AMOUNTS OF WATER.	
WASTE DISPOSAL: DISPOSE IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.	



MATERIAL REFERENCE NO: 727300

SECTION VIII - FIRST AID MEASURES | PROCEDURES: LEYES-IMMEDIATELY FLUSH EYES WITH RUNNING WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. IF PAIN OR IRRITATION PERSIST, |SEEK MEDICAL ASSISTANCE. | SKIN-REMOVE CONTAMINATED CLOTHING AND FLUSH AFFECTED AREA WITH |WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSIST, SEEK MEDICAL | ASSISTANCE. LAUNDER CLOTHING BEFORE REUSE. | INHALATION-MOVE VICTIM TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE | OXYGEN. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. | INGESTION-IF SWALLOWED-DO NOT INDUCE VOMITING. GIVE WATER, VINEGAR | AND WATER OR FRUIT JUICE. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. |GET IMMEDIATE MEDICAL ATTENTION. | SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS | ADDITIONAL INFORMATION: NONE SECTION IX - TDG SHIPPING INFORMATION SHIPPING NAME | CLASS | UN NO. | PACKING GROUP | NOT REGULATED | | | _____ | HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH EYES AND SKIN. | | WASH THOROUGHLY AFTER HANDLING. _____ |STORAGE REQUIREMENTS: STORE IN A COOL, DRY WELL VENTILATED AREA IN | ORIGINAL CONTAINER. KEEP CONTAINER CLOSED WHEN NOT IN USE. ______ |SPECIAL SHIPPING INFORMATION: HEATED SECTION X - HMIS HAZARD RATING INFORMATION | FLAMMABILITY | REACTIVITY | HEALTH 0 SECTION XI - PREPARATION DATE OF MSDS ______ |PREPARED BY: TECHNICAL DEPARTMENT TELEPHONE # (905) 456-9444 |REVIEWED: APRIL 28, 2009 ______ DISCLAIMER: THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILTY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.