# **Saltillo Grout Mix**

<u>HMIS</u>	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	Е

# 1. Product And Company Identification

<u>Supplier</u>

CUSTOM BUILDING PRODUCTS 10400 Pioneer Blvd., Unit #3

Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA Telephone Number: (562) 968-2980 Ext 103

**FAX Number:** (562) 903-2697 **E-Mail:** georgem@cbpmail.net

Web Site: www.custombuildingproducts.com

Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

Manufacturer

CUSTOM BUILDING PRODUCTS 10400 Pioneer Blvd., Unit #3

Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA Telephone Number: (562) 968-2980 Ext 103

**FAX Number:** (562) 903-2697 **E-Mail:** georgem@cbpmail.net

Web Site: www.custombuildingproducts.com

Manufacturer Emergency Contacts & Phone Number

**GEORGE MARCINA: (562) 968-2980** 

Issue Date: 04/20/2006

Product Name: Saltillo Grout Mix CAS Number: Not Established Chemical Formula: Mixture

MSDS Number: 557 Product Code: 7410

# 2. Composition/Information On Ingredients

9	redient lame	CAS Number	Percent Of Total Weight
IRONOXIDEPIGMENTS		1317-61-9	0 - 5
TITANIUMDIOXIDE		13463-67-7	0 - 5
PORTLANDCEMENT		65997-15-1	25 - 35
SILICA, Quartz, Crystalline		14808-60-7	65 - 75

### 3. Hazards Identification

#### **Primary Routes(s) Of Entry**

Inhalation, Skin Contact, Eye Contact, Ingestion

# **Eye Hazards**

Irritant, severe eye irritation. May cause eye injury. Effects may be delayed.

#### **Skin Hazards**

Contains Portland cement and exposure to dry Portland cement may cause drying of skin with consequent mild irritation. Prolonged contact with wet Portland cement may cause severe, potentially irreversible damage to the skin in the form of chemical (caustic) burns.

## Ingestion Hazards

Ingestion is not known to be harmful, however the product contains Portland cement which is caustic to mucus tissue and should not be consumed.

# **Saltillo Grout Mix**

#### 3. Hazards Identification - Continued

#### **Inhalation Hazards**

Causes respiratory tract irritation. May cause nose, throat, and lung irritation. May cause delayed lung injury.

## Chronic/Carcinogenicity Effects

CONTAINS SILICA SAND. KNOWN HUMAN CARCINOGEN.

### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

#### Skin

In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

### **Ingestion**

DO NOT INDUCE VOMITING. If victim is fully conscious, give one or two cups of water or milk to drink. Get medical attention immediately.

#### Inhalation

If inhaled, remove to fresh air. Consult a physician immediately if irritation persists. Do not give an unconscious person anything to drink.

# 5. Fire Fighting Measures

Flash Point: N/A °F Flash Point Method: N/A Lower Explosive Limit: N/A Upper Explosive Limit: N/A

## 6. Accidental Release Measures

Avoid generating dust. Sweep up and remove immediately. Use appropriate personal protective equipment (PPE). OBSERVE ALL FEDERAL, STATE AND LOCAL REGULATIONS REGARDING NOTIFICATIONS OF ACCIDENTAL RELEASES.

# 7. Handling And Storage

### **Handling And Storage Precautions**

Use only with adequate ventilation.

### **Handling Precautions**

Avoid creating dust. Avoid breathing dust. Avoid contact with skin and clothing. Avoid contact with eyes.

## Storage Precautions

Keep dry until ready to use.

# **Work/Hygienic Practices**

Use good personal hygiene. Wash thoroughly with soap and water after handling.

# 8. Exposure Controls/Personal Protection

## **Engineering Controls**

Use with adequate ventilation.

#### **Eye/Face Protection**

Safety glasses with side shields or goggles recommended.

# **Saltillo Grout Mix**

# 8. Exposure Controls/Personal Protection - Continued

#### **Skin Protection**

If hands or feet will be exposed, wear impervious gloves and/or boots.

### **Respiratory Protection**

In case of inadequate ventilation and when exposed to dust above the recommended limits, wear a suitable NIOSH-approved respirator.

# Ingredient(s) - Exposure Limits

TITANIUM DIOXIDE

ACGIH TLV-TWA 10 mg/m3 OSHA PEL-TWA 15 mg/m3

PORTLAND CEMENT

OSHA - PEL - 5mg/m3

OSHA - PEL - TWA - 50mppcf

ACGIH - TLV - 10mg/m3

SILICA, Quartz, Crystalline

ACGIH TLV-TWA 0.05 mg/m3

OSHA PEL-TWA 30/%SiO2+2mg/m3

OSHA PEL - TWA 10/% SiO2 +2 mg/m3

OSHA PEL-TWA 250/%SiO+5 mppcf

Cal EPA - OEHHA - REL - 3 micrograms/m3

# 9. Physical And Chemical Properties

# **Appearance**

Free flowing powder.

Chemical Type: Mixture
Physical State: Solid
Melting Point: NA °F
Boiling Point: N/A °F
Specific Gravity: 2.7
Vapor Density: N/A
Solubility: MINIMAL
Evaporation Rate: N/A

## 10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR.

## Conditions To Avoid (Stability)

Avoid unintentional contact with water.

## **Incompatible Materials**

Contains Portland cement which, when wet, is highly alkali. As a result, it is incompatible with acids, ammonium salts, aluminum and other alkali and alkaline earth metals.

# 11. Toxicological Information

### Chronic/Carcinogenicity

CONTAINS SILICA SAND, KNOWN HUMAN CARCINOGEN

## Ingredient(s) - Carcinogenicity

SILICA, Quartz, Crystalline

NTP - Listed On The National Toxicology Program

Listed In The IARC Monographs

# **Saltillo Grout Mix**

# 12. Ecological Information

No Data Available...

# 13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

## RCRA Information

Not considered RCRA Hazardous Waste.

# 14. Transport Information

## DOT Shipping Label

**NOT REGULATED** 

# 15. Regulatory Information

## **SARA Section 313 Notification**

This product does not contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

# Ingredient(s) - State Regulations

TITANIUM DIOXIDE

New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard New York City - Hazardous Substance

PORTLAND CEMENT

New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard

SILICA, Quartz, Crystalline

New Jersey - Workplace Hazard Pennsylvania - Workplace Hazard

California - Proposition 65

Massachusetts - Hazardous Substance

# 16. Other Information

# HMIS Rating Health: 1 Fire: 0

Reactivity: 0

Personal Protection: E

Revision/Preparer Information
MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (562) 968-2980 ext 103
This MSDS Supersedes A Previous MSDS Dated: 11/21/2005

### Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

**CUSTOM BUILDING PRODUCTS** 

Printed Using MSDS Generator™ 2000