

MATERIAL SAFETY DATA SHEET

Finished Product



Date-Issued: 01/02/2003
MSDS Ref. No: 1733-B
Date-Revised: 01/02/2003
Revision No: New MSDS

Zero Charge Mat & Table Top Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Zero Charge Mat & Table Top Cleaner**PRODUCT DESCRIPTION:** Mat/Table Top Cleaner**PRODUCT CODE:** 1733/CAN/EUR-2FP, PT, QT, G, 5G, 54G**PRODUCT FORMULATION NAME:** Zero Charge Mat & Table Top Cleaner

MANUFACTURER

Techspray, L.P.

1001 N.W. 1st Street

P.O. Box 949

Amarillo, TX 79107

Contact: Chemtrec**Product Stewardship:** 1-800-858-4043

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (U.S.): (800) 424-9300**CANUTEC:** (613) 996-6666**Emergency Phone:** 1-800-858-4043

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS#</u>	<u>EINECS#</u>
Water	90 - 95	7732-18-5	231-791-2
2-Propanol	<1	67-63-0	200-661-0
Nonionic Emulsifier (ID# OP0404)	<1		
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, disodium salt	<1	139-33-3	205-358-3
Sodium hydroxide	<1	1310-73-2	215-185-5
VARIQUAT 66	<1	68071-95-4	
Sodium Dodecylbenzenesulfonate	<2	68081-81-2	268-356-1
Poly(oxy-1,2-ethanediyl),-(nonyl 1phenyl)-w-hydroxy	<1	9016-45-9	xxx-xxx-x

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: May cause skin/eye irritaton. May be harmful if swallowed.

POTENTIAL HEALTH EFFECTS

EYES: Avoid contact with eyes; may cause redness, irritation and conjunctivitis.

SKIN: May cause skin irritation.

SKIN ABSORPTION: Skin absorption can occur.

INGESTION: Ingestion may cause nausea and diarrhea.

INHALATION: No hazard in normal industrial use.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Symptoms of overexposure include: stinging, tearing, redness and pain.

SKIN: May cause slight irritation.

SKIN ABSORPTION: Glycol ether ingredients may be absorbed through skin.

INGESTION: Ingestion may result in diarrhea and/or nausea.

INHALATION: No observable effects of overexposure.

ACUTE TOXICITY: Low hazard for usual industrial or commercial handling.

CHRONIC: Not Established

CARCINOGENICITY: Not Established

MUTAGENICITY: Not Established

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None Expected.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: If swallowed, do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: None

FLAMMABLE LIMITS: NA to NA

EXTINGUISHING MEDIA: Water, foam, dry chemical, carbon dioxide.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes and oxides of carbon.

FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

HAZARDOUS DECOMPOSITION PRODUCTS: None Expected.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid runoff into storm sewers and ditches which lead to waterways.

GENERAL PROCEDURES: Absorb the liquid and scrub the area with detergent and water.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Wash thoroughly after handling. Use only in a well ventilated area. Follow all MSDS/label precautions even after container is emptied because they may retain product residues. Store in a cool dry place.

STORAGE: Store in a cool place in original container and protect from sunlight.

STORAGE PRESSURE: Store at local atomspheric pressure.

STORAGE TEMPERATURE: Store in adequate storage area at ambient temp.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

	EXPOSURE LIMITS					
	OSHA PEL		ACGIH TLV		Supplier OEL	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
2-Propanol	TWA	400	980	400	983	NL ^[1] NL
	STEL	500	1225	500	1230	NL NL
Nonionic Emulsifier (ID# OP0404)	TWA	NE		NE		NE
	STEL	NE		NE		NE
Sodium hydroxide	TWA	NL	NL	NL	NL	NL
	STEL	NL ^[2]	C 2	NL	C 2	NL NL
Poly(oxy-1,2-ethanediyl),-(nonlylphenyl)-w-hydroxy						

OSHA TABLE COMMENTS:

- 1. NL = Not Listed
- 2. C = Ceiling

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

SKIN: The glove(s) listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection.

Buna

Butyl

Natural Latex

Neoprene

Solvex

Viton

RESPIRATORY: NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

PROTECTIVE CLOTHING: NOT listed

WORK HYGIENIC PRACTICES: Wash hands before eating and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Pleasant

COLOR: Light blue.

pH: 7.2

PERCENT VOLATILE: 70

VAPOR PRESSURE: Not Applicable

VAPOR DENSITY: Not Available

BOILING POINT: 100°C (212°F)(760 mmHg)

FREEZING POINT: 0°C (32°F)

SOLUBILITY IN WATER: 100

EVAPORATION RATE: Not Established

SPECIFIC GRAVITY: 1.03 (water=1)

MOLECULAR WEIGHT: Not Applicable

(VOC): 11 g/L

(VOC) NOTES: Non-exempt

COMMENTS:

WATER SOLUBILITY: % by weight in water

10. STABILITY AND REACTIVITY

STABLE: NO

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID: Stable. However, may decompose if heated.

STABILITY: Stable.

POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide and carbon Monoxide may form when heated to decomposition.

INCOMPATIBLE MATERIALS: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE

EYES: Irritation eye rabbit, severe

DERMAL LD₅₀: Mildly to moderately irritating.

SKIN ABSORPTION: Not Established

ORAL LD₅₀: Oral - Rat LD50:5045 mg/kg for 2-propanol.

INHALATION LC₅₀: Slight to very low toxicity.

Not Established

EYE EFFECTS: Mixture is a moderate eye irritant.

SKIN EFFECTS: Causes irritation to skin.

SUBCHRONIC:

Not Established

Not Established

CARCINOGENICITY:

IARC: Not Established

MUTAGENICITY: Not Established

REPRODUCTIVE EFFECTS: None known.

NEUROTOXICITY: None Expected.

TERATOGENIC EFFECTS: Not Established

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Available

ECOTOXICOLOGICAL INFORMATION: Isopropyl alcohol has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential

to affect secondary waste treatment microbial metabolism, a low potential to affect the germination of some plants, a high potential to biodegrade (low persistence) with unacclimated microorganisms from activated sludge.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Federal, State, and Local laws governing disposal of materials can differ. Ensure compliance with proper authorities before disposal.

GENERAL COMMENTS: Dispose of in a manner consistent with federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Nonhazardous

PRIMARY HAZARD CLASS/DIVISION: Not Regulated

UN/NA NUMBER: NA

PACKING GROUP: NA

AIR (ICAO/IATA)

PROPER SHIPPING NAME: Nonhazardous

PRIMARY HAZARD CLASS/DIVISION: No classification

UN/NA NUMBER: NA

PACKING GROUP: NA

VESSEL (IMO/IMDG)

PROPER SHIPPING NAME: Nonhazardous

PRIMARY HAZARD CLASS/DIVISION: No classification

UN/NA NUMBER: NA

PACKING GROUP: NA

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: ACUTE

FIRE: NO **PRESSURE GENERATING:** NO **REACTIVITY:** NO **ACUTE:** YES **CHRONIC:** NO

313 REPORTABLE INGREDIENTS: Glycol ethers (fractional 0.05-0.15%)

TITLE III NOTES: Residual ethylene oxide CAS# 75-21-8, range <0.0001%.

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: Residual ethylene oxide, range < 0.0001%

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Residual ethylene oxide, RQ=10.

Glycol ethers, RQ=1.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All chemicals in this product are listed in the TSCA inventory.

RCRA STATUS: D001

D002/D003

OSHA HAZARD COMM. RULE: Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR 1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS:

Residual ethylene oxide, CAS# 75-21-8.

THRESHOLD QUANTITY: 5000

CANADA

WHMIS (WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM): This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

CALIFORNIA PROPOSITION 65: This product contains a residual component (ethylene oxide, CAS# 75-21-8) known in the state of California to cause cancer.


16. OTHER INFORMATION

APPROVED BY: Pierce A. Pillon **TITLE:** Chemist

PREPARED BY: Steve Cook

REVISION SUMMARY New MSDS

NFPA CODES



DATA SOURCES: Code of Federal Regulations (CFR)
The Sigma-Aldrich Library of Regulatory and Safety Data
OSHA Hazard Communication Standard (29CFR1910.1200)
Various Federal, State and Local Regulations

MANUFACTURER DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither Tech Spray, L.P., or any of its subsidiaries assumes any liability whatsoever for the accuracy or

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.