

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Seche Soft	DATE:	10/27/2005
FORMULA:	83007	REV.	NEW

Section 1. Material Identification and Information**Hazardous Ingredients:**

Component	CAS #	%	TOXICOLOGICAL DATA
No Hazardous Ingredients			

Section 2. Physical / Chemical Characteristics

Boiling Point:	215°F	Specific Gravity:	Not Determined (H ₂ O = 1)
Vapor Pressure:	Not Determined (mm Hg and Temperature)	Melting Point:	Not Determined
Vapor Density:	>1 (Air = 1)	Evaporation Rate:	<1 (m-butyl acetate = 1)
Solubility in Water:	Soluble	Water Reactive:	N/A
Appearance:	White deliquescent liquid	Density:	8.44 lb/gl
Odor:	Odorless	Material V.O.C.:	0.00 lb/gl
		Coating V.O.C.:	0.00 lb/gl

Section 3. Fire and Explosion Hazard Data

Flash Point and Method Used:	N/A
Auto-Ignition Temperature:	N/A
Flammability Limits in Air % by Volume:	LEL: N/A UEL: N/A
Extinguisher Media:	Water is the most effective fire-extinguishing medium for Nitrocellulose. It is recommended to be used in large volume. Dry chemical, CO ₂ , or universal type foam could be used to extinguish small fires.
Special Fire Fighting Procedures:	In the event of a fire, wear full protective clothing and an NIOSH approved self-contained breathing apparatus with full-face piece operated in the pressure demand or other positive pressure mode.
Unusual Fire and Explosion Hazards:	Information not available.

Section 4. Reactivity Hazard Data

Stability: ☒ Stable ☐ Unstable

Conditions to Avoid: Information not available

Incompatibility (Materials to Avoid):
None known

Hazardous Decomposition:
Information not available

Hazardous Polymerization:

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Seche Soft	DATE:	10/27/2005
FORMULA:	83007	REV.	NEW

☐ May Occur ☒ Will Not Occur

Section 5. Health Hazard Data**Primary Routes of Entry:**

☒ Inhalation ☒ Skin Absorption ☐ Eyes ☐ Ingestion

Health Hazards: No ingredient present in this product is identified as a carcinogen or probably carcinogen by NTP, IARC, or OSHA.

Signs and Symptoms of Exposure:

Eyes: Low hazard for usual industrial handling. However, any material that contacts the eyes may be irritating or may cause mechanical injury.

Inhalation: Breathing high concentrations of vapors or mists may cause irritation of the nose and throat. Signs of nervous system depression (e.g., drowsiness, dizziness, loss of coordination and fatigue).

Skin: Nonirritant

Ingestion: Ingestion of excessive quantities may cause irritation of the digestive tract. Signs of nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue).

Medical Conditions Generally Aggravated by Exposure:

Persons with pre-existing skin disorders or eye problems or impaired respiratory function may be more susceptible to the effects of the substance.

Emergency First Aid Procedures:

Inhalation: Move person to fresh air. If breathing stops, apply artificial respiration and seek immediate medical attention.

Eye Contact: Wash eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention.

Skin Contact: Nonirritant

Ingestion: Give several glasses of water or milk, if available, to drink. Vomiting may occur spontaneously, but DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Get medical attention.

Section 6. Control and Protective Measures**Respiratory Protections (Specific Type):**

No special protection is required.

Protective Gloves: Rubber or neoprene gloves.

Eye Protection: Use chemical safety goggles and/or full face shield where splashing is possible. Contact lenses should not be worn when working with this material. Maintain eye wash fountain and quick drench facilities in work area.

Ventilation to be Used:

A system of local and/or general exhaust is recommended to keep employee exposure below the airborne exposure limits. Local exhaust ventilation is generally preferred because it can

**AMERICAN INTERNATIONAL INDUSTRIES**

2220 GASPAR AVENUE
LOS ANGELES, CA 90040
CHEM-TEL: (800) 255-3924

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Seche Soft	DATE:	10/27/2005
FORMULA:	83007	REV.	NEW

control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details.

Other Protective Clothing or Equipment:

Impervious boots, apron or coveralls as needed in areas of unusual exposure.

Work/Hygienic Practices:

Minimize breathing vapor or mist. Remove contaminated clothing; launder or dry-clean before use. Remove contaminated shoes and thoroughly clean and dry before reuse. Cleanse skin thoroughly after contact, before breaks and meals and at the end of work period. Product is readily removed from skin by washing with soap and water.

Section 7. Precautions for Safe Handling and Use / Leak Procedures

Steps to be Taken if Material is Spilled or Released:

Highway or railway spills call Chemtrec (800) 424-9300 continental US or collect 9202) 483-7616 from Alaska and Hawaii.

Clean Up:

Protective clothing and respiratory protection required for personnel. Small spills can be diluted with large quantities of water, neutralized with dilute acetic acid and washed to sewer or surface waters. Larger spills can be shoveled up for recovery or disposal. Delay in clean up will allow absorption of moisture from the atmosphere and increase the difficulties of clean up. Residue in contaminated areas should be neutralized with dilute acid and rinse with large quantities of water.

Disposal:

Scrap material can be sent in sealed caustic resistant containers as hazardous waste to a RCRA approved facility. Ensure compliance with local, state and federal regulations.

Waste Disposal Methods:

Dispose of in accordance with your local, state, and federal regulations.

Other Precautions and/or Special Hazards:

None.

Section 8. Shipping Information

Proper Shipping Name:	Water
DOT Hazard Class:	N/A
Packaging Group:	Standard
UN ID Number:	N/A