

SAFETY DATA SHEET

Page 1



GH INTERNATIONAL SEALANTS ULC
2540 RENA ROAD
MISSISSAUGA, ONTARIO, L4T 3C9
CANADA
1-905-677-5522

PRODUCT: SHUR-STIK C11 CELLULOSE ULTRA-CLEAR ADHESIVE

CODE: 8701

SECTION 01: IDENTIFICATION

Supplier identifier..... GH INTERNATIONAL SEALANTS ULC
2540 Rena Road
Mississauga, ON. L4T 3C9
1-905-677-5522
Product identifier..... SHUR-STIK C11 CELLULOSE ULTRA-CLEAR ADHESIVE
Product code..... 8701
Product use..... Wall covering adhesive.
Emergency telephone number..... CANUTEC 24-hour number (613-996-6666). CHEMTREC 1-800-424-9300.

SECTION 02: HAZARD IDENTIFICATION

Hazard classification..... Not a hazardous substance or mixture.
Signal word..... None.
Hazard statement..... None.
Precautionary statements..... None.
Other hazards..... None.
Supplemental Information..... Material can be slippery when wet.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	WT. %
Non-hazardous and other ingredients below reportable level	not available	100

SECTION 04: FIRST-AID MEASURES

Routes of exposure
Inhalation..... Remove to fresh air. If irritation persists, consult a physician.
Ingestion..... Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.
Skin contact..... Promptly wash skin thoroughly with soap and water and rinse for 15 minutes. Remove contaminated clothing and launder before reuse. If irritation develops, get medical aid.
Eye contact..... Promptly flush with large amounts of cold water for at least 15 minutes. If irritation persists, consult a physician.
Most important symptoms and effects, both acute and delayed
Medical attention and special treatment..... The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.
No special measures required.

SECTION 05: FIRE-FIGHTING MEASURES

Extinguishing media..... Not flammable. Use an extinguishing agent suitable for the surrounding fire.
Hazardous combustion products..... Burning of dried film may release oxides of carbon and nitrogen.
Special protective equipment and precautions
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.
Cool closed containers exposed to fire with water spray. Material can be slippery when wet.
Sensitivity to static discharge..... Product is not sensitive to static discharge.
Sensitivity to mechanical impact..... Product is not sensitive to mechanical impact.
Further information..... Product will not burn as supplied. Dried film may burn if subject to source of ignition.
During fire, gases hazardous to health may be formed.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures
Environmental precautions..... Use personal protective clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Do not allow material to contaminate ground water system. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.
Methods and materials for containment and cleaning up
Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into container. Dispose of absorbed material in accordance with regulations. Spills of this material are a slipping hazard. Thoroughly wash the area with water after a spill or leak.

PRODUCT: SHUR-STIK C11 CELLULOSE ULTRA-CLEAR ADHESIVE**CODE: 8701****SECTION 07: HANDLING AND STORAGE**

Handling precautions..... Keep container closed when not in use. Wear appropriate personal protective equipment.
 Storage needs..... Keep in a dry, cool and well-ventilated place. Keep containers from excessive heat and freezing.
 Materials to avoid..... Keep away from oxidizing agents.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL NIOSH
Non-hazardous and other ingredients below reportable level	not available	not available	not available	not available	not available
Engineering controls.....	No special ventilation requirements.				
Individual protection measures					
Eye/type.....	Safety glasses with side-shields.				
Clothing/type.....	Wear clean long legged, long sleeved work clothes.				
Gloves/ type.....	None required under normal conditions of use . For prolonged exposure, use butyl rubber gloves.				
Respiratory/type.....	None necessary under normal conditions of use.				
Hygiene measures.....	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke during work. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.				

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance..... liquid.
 Color..... off-white, clear when dry.
 Odour..... latex.
 Odour threshold..... no data available.
 pH..... 7-9.
 Melting point (°C)..... no data available.
 Freezing point (°C)..... 0.
 Initial boiling point (°C)..... 100.
 Flash point (°C), Method..... >100°C, closed cup.
 Evaporation rate..... no data available.
 Upper flammability limit (% vol)..... no data available.
 Lower flammability limit (% vol)..... no data available.
 Vapour pressure (mm Hg)..... 17.5.
 Vapour density (air=1)..... no data available.
 Relative density/Specific Gravity..... 0.95-0.99.
 Water solubility..... dispersible.
 Solubility in other solvents..... no data available.
 Partition coefficient — n-octanol/water..... no data available.
 Auto ignition temperature (°C)..... > 200 °C.
 Thermal decomposition temperature..... no data available.
 Viscosity..... no data available.
 % volatile by volume:..... 85-95.

SECTION 10: STABILITY AND REACTIVITY

Reactivity..... No hazardous reactions if stored and handled as prescribed/indicated.
 Chemical stability..... The product is stable if stored and handled as prescribed/indicated.
 Possibility of hazardous reactions..... No hazardous reactions when stored and handled according to instructions. The product is chemically stable.
 Conditions to avoid..... Keep away from incompatibles such as oxidizing agents.
 Incompatible materials..... Strong oxidizing agents.
 Hazardous decomposition products..... Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon (CO and CO2), fumes and smoke may be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Non-hazardous and other ingredients below reportable level	not available	not available
Routes of exposure		

PRODUCT: SHUR-STIK C11 CELLULOSE ULTRA-CLEAR ADHESIVE

CODE: 8701

SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation.....	None expected under normal use.
Ingestion.....	May cause irritation of the stomach.
Skin contact.....	May cause irritation.
Eye contact.....	Contact may cause eyes irritation.
Acute effects	
Acute oral toxicity.....	Virtually nontoxic after a single ingestion.
Acute dermal toxicity.....	Virtually nontoxic after a single skin contact.
Acute inhalation toxicity.....	Virtually nontoxic by inhalation.
Skin corrosion/irritation.....	Result: slight irritation.
Serious eye damage/eye irritation.....	Result: Mild eye irritation.
Respiratory or skin sensitisation.....	Non-sensitizing.
Specific target organ toxicity (STOT) single exposure	Based on the available information there is no specific target organ toxicity to be expected after a single exposure.
Aspiration hazard.....	No aspiration hazard expected.
Chronic toxicity/effects	
Specific target organ toxicity (STOT) repeated exposure	No known significant effects or critical hazards.
Carcinogenicity.....	No carcinogenic substances as defined by IARC, NTP, OSHA and/or ACGIH.
Reproductive toxicity.....	No known significant effects or critical hazards.
Germ cell mutagenicity.....	No known significant effects or critical hazards.
Remarks.....	The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity.....	Not expected to be harmful to aquatic organisms.
Persistence and degradability.....	The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.
Bioaccumulative potential.....	No data available.
Mobility in soil.....	No data available.
Other adverse effects.....	No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods.....	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
-----------------------	---

SECTION 14: TRANSPORT INFORMATION

TDG classification.....	Not regulated as a dangerous good.
-------------------------	------------------------------------

SECTION 15: REGULATORY INFORMATION

WHMIS regulatory status.....	This product has been classified in accordance with the hazard criteria of the Canadian Hazardous Products Regulations and the Safety Data Sheet contains all the information required by the Hazardous Products Regulations (WHMIS 2015). Not WHMIS 2015 controlled.
------------------------------	---

SECTION 16: OTHER INFORMATION

Disclaimer.....	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification.
Prepared by:	CanChem Consultant
Preparation date.....	MAY 02/2017