MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Material name Influenza Test Extraction Buffer_350276

Version # 01

Issue date 09-04-2012

Revision date - Supersedes date -

CAS # Mixture Kit number 379499

Product use Component of RapidTesta FLU II Test kit and RapidTesta FLU Stick. For use in the qualitative

detection of influenza A and B viral antigens. For In Vitro Diagnostic use only.

Synonym(s) RapidTesta FLU II Test Extraction Buffer; RapidTesta FLU Extraction Buffer

Manufacturer information

Corporate Headquarters Sekisui Diagnostics, LLC

31 New York Avenue, Framingham, MA 01701 USA

www.sekisuidiagnostics.com

Phone: 800-332-1042 Americas 1-760-476-3962

Emergency Telephone

Numbers

Europe, Middle East & Africa +1-760-476-3961

Asia Pacific +1-760-476-3960

Access code 333512

2. Hazards Identification

Physical state Liquid.

Appearance Clear, colorless liquid.

Emergency overview The chemical, physical and toxicological properties of this preparation have not been thoroughly

characterized. Avoid contact with eyes and skin. Do not ingest or inhale. The bovine serum albumin (BSA) in thisproduct is of US origin and meets the current standards for reduction of TSE

(TransmissibleSpongiform Encephalopathy) risk.

OSHA regulatory status This product is not hazardous according to OSHA 29CFR 1910.1200.

Potential health effects

Routes of exposure Skin contact. Eye contact. Eyes May cause eye irritation.

Skin May cause skin irritation.

Inhalation May cause irritation to mucous membrane and respiratory system.

Ingestion May cause discomfort if swallowed.

Target organs Eyes. Skin. Respiratory tract.

Chronic effects No data available.

Signs and symptoms Ingestion may cause irritation and malaise.

Potential environmental effects The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First Aid Measures

First aid procedures

Eye contact In case of contact, immediately flush eyes with fresh water for at least 15 minutes while holding

the eyelids open. Remove contact lenses if worn. Get medical attention if irritation persists.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if irritation develops and

persists.

Influenza Test Extraction Buffer_350276 CPH MSDS NA

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get

medical attention if irritation develops and persists.

Notes to physician Provide general supportive measures and treat symptomatically.

General advice Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire Fighting Measures

Flammable properties This product is not flammable.

Extinguishing media

Suitable extinguishing

media

Extinguish with water spray, carbon dioxide, dry chemical or material appropriate for the surrounding fire.

Unsuitable extinguishing

media

None known.

Protection of firefighters

Specific hazards arising from the chemical

When heated to decomposition, may produce hydrazoic acid fumes.

Protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Hazardous combustion

products

Carbon oxides.

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing.

Environmental precautions Do not allow to enter drains, sewers or watercourses. This mixture contains a small amount of

sodium azide which can react with copper, lead, brass or solder in plumbing systems and form

potentially explosive metal azides. Follow proper disposal procedures.

Methods for containment

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material.

Absorb spill with vermiculite or other inert material. Dispose of waste in accordance with all applicable federal, state, local and provincial environmental regulations, per Section 13.

Other information Absorb small leaks or spills with sponge, mop up large spills with plenty of soap and water. Clean

up in accordance with all applicable regulations.

7. Handling and Storage

Handling Avoid contact with skin and eyes. Wash thoroughly after handling. In case of insufficient

ventilation, wear suitable respiratory equipment. Handle and open container with care. Observe

good industrial hygiene practices.

Store between 15°C - 30°C (60°F - 86°F). Store in a closed container away from incompatible Storage

materials.

8. Exposure Controls / Personal Protection

No exposure limits noted for ingredient(s). Occupational exposure limits **Exposure guidelines** Follow standard monitoring procedures.

Engineering controls Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of

inhalation of vapors.

Personal protective equipment

Eye / face protection Wear approved safety glasses or goggles. Skin protection Remove contaminated clothing promptly.

Respiratory protection In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory

equipment.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Influenza Test Extraction Buffer 350276 906358 Version #: 01 Revision date: -Issue date: 09-04-2012

9. Physical & Chemical Properties

Appearance Clear, colorless liquid.

Physical state Liquid. **Form** Liquid.

Color Clear, colorless. Odor Not available. **Odor threshold** Not available. рΗ 7.6 Approx. Not available. Vapor pressure Vapor density Not available. Not available. **Boiling point** Melting point/Freezing point Not applicable Solubility (water) Soluble

Specific gravity Not available. Not available. Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Not applicable **Auto-ignition temperature** Partition coefficient Not applicable.

(n-octanol/water)

Other data

Not applicable Decomposition

temperature

10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions. Conditions to avoid Heat, sparks, flames, elevated temperatures.

Incompatible materials Strong oxidizing agents. Hazardous decomposition

products

No data available.

Possibility of hazardous

reactions

Hazardous polymerization will not occur.

11. Toxicological Information

Sensitization Not classified.

May cause discomfort if swallowed. **Acute effects** May cause skin and eye irritation. Local effects

Chronic effects No data available.

Not classifiable as to carcinogenicity to humans. Carcinogenicity **Epidemiology** No epidemiological data is available for this product.

Not classified. Mutagenicity Not classified. Reproductive effects

Symptoms and target organs Ingestion may cause irritation and malaise.

No other specific acute or chronic health impact noted. **Further information**

12. Ecological Information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Environmental effects**

Persistence and degradability No data is available on the degradability of this product.

Influenza Test Extraction Buffer 350276 906358 Version #: 01 Revision date: -Issue date: 09-04-2012 Bioaccumulation / Accumulation

Not available.

Partition coefficient

Not applicable.

Mobility in environmental

media

The product is soluble in water.

13. Disposal Considerations

Waste codes The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contaminated

instruments and surfaces should be disinfected in accordance with your employer's

chemical-specific and universal/standard precautions. This preparation contains a small amount of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. If preparation enters drain, flush with a large volume of water to

prevent azide build-up.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations. Contract with a licensed chemical disposal

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

TDG

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200. This mixture is a

component of an in vitro diagnostic device regulated by the U.S. Food and Drug Administration.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance (40 CFR 355, Appendix A)

No

Section 311/312 (40 CFR

No

Drug Enforcement

Administration (DEA) (21 CFR

1308.11-15)

370)

Not controlled

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Non-controlled

Influenza Test Extraction Buffer 350276 CPH MSDS NA 906358 Version #: 01 Revision date: -Issue date: 09-04-2012 4/5

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

US. Massachusetts RTK - Substance List

Not regulated.

United States & Puerto Rico

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

Mexico regulations This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2000).

16. Other Information

Recommended restrictions Use in accordance with supplier's recommendations. **Further information** HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 0

> Flammability: 0 Physical hazard: 0

NFPA ratings Health: 0

> Flammability: 0 Instability: 0

Disclaimer The information above is provided in good faith. It is believed to be accurate and represents the

> best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED. AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Sekisui Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any

special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if

Sekisui Diagnostics has been advised of the possibility of such damages.

Influenza Test Extraction Buffer 350276 CPH MSDS NA

Yes