



# Safety Data Sheet

## BOSS® 360 Sealant Siliconized Latex

### Section 1. Identification

|                            |                                     |
|----------------------------|-------------------------------------|
| Product Identifier         | BOSS® 360 Sealant Siliconized Latex |
| Synonyms                   | 36001; 02735WH10; C39018WH          |
| Manufacturer Stock Numbers | 02735WH10; C39018WH                 |

|                      |                                |
|----------------------|--------------------------------|
| Recommended use      | Refer to Technical Information |
| Uses advised against | Refer to Technical Information |

#### Manufacturer Contact

|         |                                                                       |
|---------|-----------------------------------------------------------------------|
| Address | Soudal Accumetric<br>350 Ring Road<br>Elizabethtown, KY, 42701<br>USA |
|---------|-----------------------------------------------------------------------|

|       |                |
|-------|----------------|
| Phone | (270) 769-3385 |
|-------|----------------|

|                 |                            |
|-----------------|----------------------------|
| Emergency Phone | (800) 424-9300<br>CHEMTREC |
|-----------------|----------------------------|

|     |                |
|-----|----------------|
| Fax | (270) 765-2412 |
|-----|----------------|

### Section 2. Hazards Identification

|                          |     |
|--------------------------|-----|
| Classification           | N/A |
| Signal Word              |     |
| Pictogram                |     |
| Hazard Statements        | N/A |
| Precautionary Statements |     |
| Response                 | N/A |
| Prevention               | N/A |
| Storage                  | N/A |
| Disposal                 | N/A |

## General

If medical advice is needed, have product container or label at hand  
Keep out of reach of children  
Read label before use

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

GHS Classification Not a hazardous substance or mixture.

GHS Label Element Not a hazardous substance or mixture.

Other hazards None known

## Section 3. Ingredients

| CAS        | Ingredient Name                              | Weight %   |
|------------|----------------------------------------------|------------|
| 27138-31-4 | Dipropylene glycol dibenzoate                | 1% - 5%    |
| 13463-67-7 | Titanium Dioxide                             | 1% - 5%    |
| 64742-46-7 | Distillates (petroleum), hydrotreated middle | 1% - 5%    |
| 7632-00-0  | Sodium Nitrite                               | 0.1% - Max |

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-Aid Measures

Ingestion No first aid should be needed.

Skin Contact Wash affected area with soap and water.

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate medical attention.

Eye Contact Immediately flush with large amounts of water. If irritation occurs, seek medical attention.

## Section 5. Fire Fighting Measures

Suitable Extinguishing Media Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

Unsuitable Extinguishing Media None known

Special Fire Fighting Procedures Non-flammable (aqueous emulsion). After water evaporates, remaining material will burn. Breathing apparatus required when fighting fires in enclosed areas.

Unusual Fire or Explosion Hazards Product will not burn, but may splatter if temperature exceeds boiling point of water. Dried solids can burn, giving off oxides of carbon.

## Section 6. Accidental Release Measures

### Steps to be taken in case of spill or release

Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. For small spills, wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled material, even in small quantities, may present a slip hazard. Final cleaning may require the use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

## Section 7. Handling and Storage

### Storage

Store in a cool dry place. Protect from freezing and excessive heat.

### Handling

Avoid breathing vapors in top of shipping container. Keep container closed. Use with adequate ventilation. Avoid contact with skin and clothing. Wash thoroughly after handling.

## Section 8. Exposure Controls/Personal Protection

### Occupational Exposure Limits

| Ingredient Name                              | ACGIH TLV     | OSHA PEL                 | STEL     |
|----------------------------------------------|---------------|--------------------------|----------|
| Dipropylene glycol dibenzoate                | N/A           | N/A                      | N/A      |
| Titanium Dioxide                             | TWA: 10 mg/m3 | TWA: 15 mg/m3 total dust | N/A      |
| Distillates (petroleum), hydrotreated middle | 5 mg/m3       | 5 mg/m3                  | 10 mg/m3 |
| Sodium Nitrite                               | N/A           | N/A                      | N/A      |

### Personal Protective Equipment

Goggles, Gloves

### Ventilation

Local exhaust ventilation is recommended to maintain vapor level below TLV.

### Respiratory protection

No respiratory protection should be needed with good local ventilation.

### Eye Protection

Safety goggles or glasses with side shields are recommended.

### Skin Protection

Impervious gloves are suggested.

## Section 9. Physical and Chemical Properties

### Physical State

Paste



|                                       |                             |
|---------------------------------------|-----------------------------|
| Color                                 | Refer to product label      |
| Odor                                  | Slight                      |
| Odor Threshold                        | N/A                         |
| Solubility                            | Dilutable in wet stage      |
| Partition coefficient Water/n-octanol | N/A                         |
| VOC%                                  | 9.8 g/L                     |
| Viscosity                             | 750,000 cPs                 |
| Specific Gravity                      | 1.66                        |
| Density lbs/Gal                       | 13.8                        |
| Pounds per Cubic Foot                 | 103.63042                   |
| Flash Point                           | Not determined              |
| FP Method                             | N/A                         |
| pH                                    | 7.85                        |
| Melting Point                         | Not applicable              |
| Boiling Point                         | 100C                        |
| Boiling Range                         | N/A                         |
| LEL                                   | N/A                         |
| UEL                                   | N/A                         |
| Evaporation Rate                      | Slower than n-Butyl acetate |
| Flammability                          | N/A                         |
| Decomposition Temperature             | N/A                         |
| Auto-ignition Temperature             | N/A                         |
| Vapor Pressure                        | Not determined              |
| Vapor Density                         | Lighter than air            |

#### Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

## Section 10. Stability and Reactivity

|                                      |                |
|--------------------------------------|----------------|
| Hazardous polymerization             | Will not occur |
| Chemical Stability                   | Stable         |
| Conditions to avoid                  | None known     |
| Materials to Avoid / Incompatibility | None known     |

## Section 11. Toxicological Information

Special Hazard Information on Components No known applicable information.

Component Toxicology Information No known applicable information.

## Section 12. Ecological Information

Fate and Effects in Waste Water Treatment Plants Complete information is not yet available.

Environmental Effects Complete information is not yet available.

Environmental Fate and Distribution Complete information is not yet available.

## Section 13. Disposal

Waste Disposal Method We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

## Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not regulated

DOT Classification Not regulated

Packing Group Not regulated

Air Shipment (IATA) Not subject to IATA regulations.

Ocean Shipment (IMDG) Not subject to IMDG code.

## Section 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

SARA Title III Section 302 Extremely Hazardous Substances None

SARA Titre III Section 304 None

CERCLA Substances  
dangereuses

SARA Title III Section 313 None present or none present in regulated quantities.

Toxic Chemicals

California Prop 65

WARNING: This product can expose you to chemicals including Titanium Dioxide, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects and/or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Section 16. Other Information

Revision Date

6/1/2018

Disclaimer

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.