

# IMPORTANT NOTICE CONCERNING MATERIAL SAFETY DATA SHEET/SAFETY DATA SHEET INFORMATION

Dear Valued Customer,

Sekisui Diagnostics (formerly Genzyme Diagnostics) is working to update all existing documentation in light of the change to our company name and corporate ownership. This includes the (Material) Safety Data Sheets ((M)SDSs) provided with our products.

The following contact information relative to (M)SDSs has changed effective immediately:

## **Corporate Headquarters:**

Sekisui Diagnostics, LLC 31 New York Avenue Framingham, MA 01701 USA www.sekisuidiagnostics.com

Phone: 800-332-1042

## Manufacturer:

Sekisui Diagnostics, LLC 6659 Top Gun Street San Diego, CA 92121 USA www.sekisuidiagnostics.com

Phone: 800-332-1042

## **Emergency Telephone Numbers:**

Americas: 1-760-476-3962

Europe, Middle East & Africa: +1-760-476-3961

Asia Pacific: +1-760-476-3960

Access Code: 333512

Please feel free to use the information provided above to contact us with any questions pertaining to (M)SDSs.



Corporate Headquarters
Genzyme Corporation
500 Kendall Street
Cambridge, MA 02142
USA

,0,1

Phone: 617-252-7500

Manufacturer
Genzyme Diagnostics
6659 Top Gun Street
San Diego, CA 92121
USA

Phone: 800-332-1042

## **MATERIAL SAFETY DATA SHEETS**

Catalog Number:	Kit Name:
425868	Sekisui RapidTesta hs Adenovirus

MSDS Number:	Component Name:
3607	Sekisui RapidTesta hs Adenovirus Extraction Reagent

Note: There are a total of 5 pages including this cover sheet.

Sekisui RapidTesta hs Adenovirus dipsticks and Positive Control Swabs are "articles" and do not require a MSDS.

Effective Date: July 19, 2010

## MATERIAL SAFETY DATA SHEET



## 1. Product and Company Identification

**Material name** Sekisui RapidTesta hs Adenovirus Extraction Reagent

Version # 01

Issue date 09-04-2012

**Revision date** Supersedes date

CAS# Mixture Kit number 425868

Product use Component of the Sekisui RapidTesta hs Adenovirus kit. For In Vitro Diagnostic use only.

**Manufacturer information** 

**Corporate Headquarters** Sekisui Diagnostics, LLC

31 New York Avenue, Framingham, MA 01701 USA

www.sekisuidiagnostics.com Phone: 800-332-1042 Americas 1-760-476-3962

**Emergency Telephone** 

**Numbers** 

Europe, Middle East & Africa +1-760-476-3961

Asia Pacific +1-760-476-3960

Access code 333512

#### 2. Hazards Identification

Liquid. **Physical state** 

**Appearance** Clear. Colorless liquid.

Physical and health hazard information on reagent mixtures have not been determined. **Emergency overview** 

**OSHA** regulatory status This product is not hazardous according to OSHA 29CFR 1910.1200.

Potential health effects

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact. **Eyes** Splashes may irritate and cause redness.

Skin Prolonged skin contact may cause redness, irritation and dry skin.

Inhalation Vapors and mist may irritate throat and respiratory system and cause coughing.

Ingestion May cause discomfort if swallowed.

**Chronic effects** No data available.

Signs and symptoms Ingestion may cause irritation and malaise.

Potential environmental effects The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### 3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

#### 4. First Aid Measures

First aid procedures

Eye contact In case of contact, immediately flush eyes with fresh water for at least 15 minutes while holding

the eyelids open. Remove contact lenses if worn. Get medical attention if irritation persists.

1/5

Skin contact For skin contact flush with large amounts of water while removing contaminated clothing. Get

medical attention if irritation develops and persists.

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Ingestion If material is ingested, immediately contact a poison control center. Notes to physician Provide general supportive measures and treat symptomatically.

General advice Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Sekisui RapidTesta hs Adenovirus Extraction Reagent CPH MSDS NA 905981 Version #: 01 Revision date: - Issue date: 09-04-2012

#### 5. Fire Fighting Measures

Flammable properties This product is not flammable.

**Extinguishing media** 

Suitable extinguishing

media

Extinguish with water spray, carbon dioxide, dry chemical or material appropriate for the

surrounding fire.

Unsuitable extinguishing

media

None known.

Protection of firefighters

Specific hazards arising from the chemical

When heated to decomposition, may produce hydrazoic acid fumes.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

**Hazardous combustion** 

products

Fire will generate toxic and irritating gases. Carbon monoxide and carbon dioxide.

#### 6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing.

**Environmental precautions**Do not allow to enter drains, sewers or watercourses. This mixture contains a small amount of

sodium azide which can react with copper, lead, brass or solder in plumbing systems and form

potentially explosive metal azides. Follow proper disposal procedures.

Methods for containment Absorb spillage with non-combustible, absorbent material.

Methods for cleaning up

Absorb spill with vermiculite or other inert material. Dispose of waste in accordance with all

applicable federal, state, local and provincial environmental regulations, per Section 13.

**Other information** Clean up in accordance with all applicable regulations.

7. Handling and Storage

**Handling** Avoid contact with skin and eyes. Wash thoroughly after handling. In case of insufficient

ventilation, wear suitable respiratory equipment. Handle and open container with care.

Storage Store at 2 to 30°C (36 to 86°F). Store in a closed container away from incompatible materials.

#### 8. Exposure Controls / Personal Protection

Occupational exposure limits 
No exposure limits noted for ingredient(s).

**Exposure guidelines** Follow standard monitoring procedures.

Engineering controls Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety

shower.

Personal protective equipment

**Eye / face protection** Wear approved safety glasses or goggles.

**Skin protection** Wear lab coat or other protective garments. Remove contaminated clothing promptly.

**Respiratory protection** Under normal conditions, respirator is not normally required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical & Chemical Properties

**Appearance** Clear. Colorless liquid.

Physical state Liquid.
Form Liquid.

ColorColorless, clear.OdorNot available.Odor thresholdNot available.pH7.5 - 7.7Vapor pressureNot available.

Sekisui RapidTesta hs Adenovirus Extraction Reagent
905981 Version #: 01 Revision date: - Issue date: 09-04-2012

Not available. Vapor density Not available. **Boiling point** Not available. Melting point/Freezing point Solubility (water) Soluble.

Specific gravity Not available. Not available. Flash point Not available. Flammability limits in air,

upper, % by volume

Flammability limits in air, lower, % by volume

Not available.

Not available. **Auto-ignition temperature** 

## 10. Chemical Stability & Reactivity Information

Chemical stability Material is stable under normal conditions.

Conditions to avoid Protect against direct sunlight.

Incompatible materials Strong oxidizing agents. Acids. Heavy metals.

**Hazardous decomposition** 

products

None.

Possibility of hazardous

reactions

Contact with acids liberates toxic gas.

## 11. Toxicological Information

Sensitization No data available.

**Acute effects** May cause discomfort if swallowed.

Local effects May cause eye irritation on direct contact.

**Chronic effects** No data available. Not classified. Carcinogenicity

**Epidemiology** No epidemiological data is available for this product.

Not classified. Mutagenicity Not classified. Reproductive effects

May cause eye irritation on direct contact. Symptoms and target organs

**Further information** No other specific acute or chronic health impact noted.

#### 12. Ecological Information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Environmental effects** 

Not classified. **Aquatic toxicity** 

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulation / **Accumulation** 

Not available.

Mobility in environmental

media

The product is soluble in water.

#### 13. Disposal Considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. This preparation contains a small amount

> of sodium azide which can react with copper, lead, brass or solder in plumbing systems and form potentially explosive metal azides. If preparation enters drain, flush with a large volume of water to

prevent azide build-up.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Sekisui RapidTesta hs Adenovirus Extraction Reagent Version #: 01 Revision date: - Issue date: 09-04-2012

#### 14. Transport Information

#### DOT

Not regulated as a hazardous material by DOT.

#### **IATA**

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### **TDG**

Not regulated as dangerous goods.

#### 15. Regulatory Information

US federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

This mixture is a component of an in vitro diagnostic device regulated by the U.S. Food and Drug

Administration.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance (40 CFR 355, Appendix A)

Section 311/312 (40 CFR No

370)

**Drug Enforcement** 

Not controlled

Administration (DEA) (21 CFR

1308.11-15)

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

**WHMIS** status Non-controlled

Inventory status

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

#### US. Massachusetts RTK - Substance List

Not regulated.

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

# US. Pennsylvania RTK - Hazardous Substances

Not regulated.

#### **Mexico regulations** This safety data sheet was prepared in accordance with the Official Mexican Standard

(NOM-018-STPS-2000).

905981 Version #: 01 Revision date: - Issue date: 09-04-2012

4/5

#### 16. Other Information

**Recommended restrictions** 

Use in accordance with supplier's recommendations.

**Further information** 

HMIS® is a registered trade and service mark of the NPCA.

**HMIS®** ratings

Health: 0 Flammability: 0 Physical hazard: 0

NFPA ratings

Health: 0 Flammability: 0 Instability: 0

Disclaimer

The information above is provided in good faith. It is believed to be accurate and represents the best information currently available to us. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE. EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Sekisui Diagnostics be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if

Sekisui Diagnostics has been advised of the possibility of such damages.

Sekisui RapidTesta hs Adenovirus Extraction Reagent

CPH MSDS NA 905981 Version #: 01 Revision date: - Issue date: 09-04-2012



# **English:**

3E verified with the supplier provided that no SDS has been created for this product.

3E will periodically contact the supplier to reconfirm no SDS is available.

# **Deutsch**:

3E bestätigt, dass für dieses Produkt kein Sicherheitsdatenblatt (SDB) vom Lieferanten erstellt wurde. 3E wird regelmäßig Kontakt mit dem Lieferanten aufnehmen, um sich bestätigen zu lassen, dass (weiterhin) kein SDB erforderlich ist.

# Français:

3E a vérifié avec le fournisseur approprié qu'aucune FDS n'a été créée pour ce produit.

3E recontactera périodiquement le fournisseur pour confirmer qu'aucune FDS n'existe pour ce produit.

# Español:

3E ha comprobado que el proveedor no ha creado ninguna SDS para este producto.3E contactará periódicamente con el proveedor para asegurarse de que no exista ninguna SDS disponible.

# Italiano:

3E ha verificato che nessuna SDS è stata creata per questo prodotto.3E contatterà periodicamente il fornitore per confermare che nessuna SDS è disponibile.

# 中文:

3E公司已与供货商确认,本产品没有SDS。 3E公司将会定期与供货商联系,重新确认本产品没有SDS。



# **English:**

3E verified with the supplier provided that no SDS has been created for this product.

3E will periodically contact the supplier to reconfirm no SDS is available.

# Deutsch:

3E bestätigt, dass für dieses Produkt kein Sicherheitsdatenblatt (SDB) vom Lieferanten erstellt wurde. 3E wird regelmäßig Kontakt mit dem Lieferanten aufnehmen, um sich bestätigen zu lassen, dass (weiterhin) kein SDB erforderlich ist.

# Français:

3E a vérifié avec le fournisseur approprié qu'aucune FDS n'a été créée pour ce produit.

3E recontactera périodiquement le fournisseur pour confirmer qu'aucune FDS n'existe pour ce produit.

# Español:

3E ha comprobado que el proveedor no ha creado ninguna SDS para este producto.3E contactará periódicamente con el proveedor para asegurarse de que no exista ninguna SDS disponible.

# Italiano:

3E ha verificato che nessuna SDS è stata creata per questo prodotto.3E contatterà periodicamente il fornitore per confermare che nessuna SDS è disponibile.

# 中文:

3E公司已与供货商确认,本产品没有SDS。 3E公司将会定期与供货商联系,重新确认本产品没有SDS。