Version: 1.0

1. Identification of the Substance and Company

Steraffirm[™] Steam Class 6 Emulating Indicators

Product No. See Chart Below NFPA 704 HAZARD RATING: SDS No. B103US HEALTH: Prepared by: Richard Bancroft REACTIVITY:

asksteris_msds@steris.com

Date Created: October 26, 2005 Date Revised: September 4, 2014 Date Reviewed: N/A

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC) Telephone Number for information: 1-800-444-9009 (Customer Service-Scientific Products)

Albert Browne Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park,

Leicester, LE5 1QZ, UK

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276 8636

Product Number	Cycle Parameters	Shipping Information
PCC012	Exposure Parameters 121°C for 15 Minutes Steam	Not Restricted
PCC013	Exposure Parameters 134°C for 3.5 Minutes Steam	Not Restricted
PCC014	Exposure Parameters 134°C for 9 Minutes Steam	Not Restricted

The Steraffirm [™] Steam Class 6 Emulating Indicators are not hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200 and the Controlled Products Regulations; and are free of lead and other heavy metals.

Steraffirm Steam Class 6 Emulating Indicators do not contain any components derived from animal origin, do not come into contact with materials of animal origin and therefore comply with the "Note for guidance of minimizing the risk of transmitting animal spongiform encephalopathy agents via human Veterinary medicinal products (EMEA/410/01 Rev. 2-October 2003)."

Steraffirm[™] Steam Class 6 Emulating Indicators are free of latex and natural dry rubber products.

Steraffirm [™] Steam Class 6 Emulating Indicators are cycle verification indicators which integrate all the critical parameters of the steam sterilization cycle (temperature, saturated steam and exposure time).

The Steraffirm[™] Steam Class 6 Emulating Indicator should be stored in unopened or resealed packages in cool (0-30°C) dry (20-60% RH) conditions away from direct sunlight.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.