**XEROX** Material Safety Data Sheet MSDS No: A-0202A

**Date:** 7/1/93 **Revision:** 6/24/03

Manufacturer: Telephone #(s) Safety Information: (800) 828-6571

Xerox Corporation Health Emergency: (716) 422-2177

Rochester, N.Y. 14644 Transportation Emergency(Chemtrec): (800) 424-9300

**Section I - Product Identification** 

Trade Names/Synonyms: ES 8180, MAX 200 Red Toner Part No.: NACO: 6R823

EO: 6R90236, 6R90312

Chemical Name: None USCO: 6R999

6R1005

WHMIS Status: This is not a WHMIS controlled product.

 Ingredients (% by wt.)
 CAS No.

 Styrene/butylacrylate copolymer (80-90%)
 25767-47-9

 Red pigment (8-12%)¹
 7585-41-3

Polyolefins (5-10%) 9003-07-0/9002-88-4

Quarternary ammonium salt (<5%) 102561-46-6 Titanium dioxide (<1%) 13463-67-7

Section II - Emergency and First Aid

Primary Route of Entry: Symptoms of Overexposure:

Inhalation Minimal respiratory tract irritation may occur as with **Eyes:** exposure to large amounts of any non-toxic dust.

Flush with water.

Skin: Medical Conditions Generally Aggravated by Exposure:

Wash with soap and water.

None when used as described by product literature.

Inhalation:

Remove from exposure.

**Ingestion:** Additional Information:

Dilute stomach contents with several glasses of water. None

**Section III - Toxicology and Health Information** 

This material has been evaluated by Xerox Corporation.

Oral LD<sub>50</sub>: >5 g/kg (rats) practically non-toxic.<sup>2</sup>
TLV: 10mg/m<sup>3</sup> (total dust)

Dermal LD<sub>50</sub>: >5 g/kg (rabbits) practically non-toxic.<sup>2</sup>
5 mg/m<sup>3</sup> (respirable d

**Dermal LD**<sub>50</sub>: >5 g/kg (rabbits) practically non-toxic. 5 mg/m³ (respirable dust) >5 mg/l (rats, 4 hr exposure) practically non-toxic. PEL: 15 mg/m³ (total dust)

Inhalation LC<sub>50</sub>: >5 mg/l (rats, 4 hr exposure)practically non-toxic. <sup>2</sup> PEL: 15 mg/m<sup>3</sup> (total dust) >20 mg/l (rats, calculated 1 hr exposure) non-poisonous, 5 mg/m<sup>3</sup> (respirable dust)

DOT. <sup>2</sup> STEL: N.E.

**Eye Irritation:** Not an irritant.<sup>2</sup> **Ceiling:** N.E. **Skin Sensitization:** Not a sensitizer.<sup>2</sup> **XEL**<sup>3</sup>: 2.5 mg/m<sup>3</sup> (to

**Skin Sensitization:** Not a sensitizer. <sup>2</sup> **Skin Irritation:** Not an irritant. <sup>2</sup> **XEL**<sup>3</sup>: 2.5 mg/m<sup>3</sup> (total dust)
0.4 mg/m<sup>3</sup> (respirable dust)

**Human Patch:** Non-irritating, non-sensitizing. <sup>1</sup>

**Mutagenicity:** No mutagenicity detected in Ames assay.

Carcinogens: None present

Aquatic LC<sub>50</sub>: >1125mg/l (rainbow trout) non-toxic.<sup>1</sup>

Additional Information: The results obtained from a Xerox sponsored, Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1mg/m3) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in one-forth of the animals at the middle (4mg/m3) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16mg/m3) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more repirable than commercially available Xerox toner, and would not be functionally suitable for Xerox equipment.

Notes: <sup>1</sup>This ingredient is a toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. <sup>2</sup>Based on testing similar xerographic materials. <sup>3</sup>XEL-Xerox Exposure Limit

**XEROX** Trade Name: ES 8180, MAX 200 Red Toner MSDS No.: A-0202A

## **Section IV - Physical Data**

**Appearance/Odor:** Red powder / faint odor **Softening Range:** 85°C to 100°C

**Boiling Point:** N.A. **Melting Point:** N.A. **Solubility in Water:** Negligible Specific Gravity (H<sub>2</sub>O=1): ~1 **Evaporation Rate:** Vapor Pressure (mm Hg): N.A. N.A. pH= Vapor Density (Air=1): N.A. N.A.

Volatile N.A.% (Wgt) N.A. % (Vol.)

## **Section V - Fire and Explosion Data**

Flash Point (Method Used): N.A.

Flammable Limits

NFPA 704:

Extinguishing Media:

LEL: N.A. UEL: N.A.

Health-0, Fire-3, Reactivity-0

CO<sub>2</sub>, dry chemical, foam, water

**Special Fire Fighting Procedures:** Avoid inhalation of smoke. Wear protective clothing and self-contained breathing apparatus. **Fire and Explosion Hazards:** Toner is a combustible powder. Like most organic materials in powder form, when dispersed

in air, it can form explosive mixtures.

# Section VI - Reactivity Data

Stability: Stable

Hazardous Polymerization: Will Not Occur

**Hazardous Decomposition Products:** Products of combustion may be toxic. Avoid breathing smoke.

Incompatibility (Materials to Avoid): None known

## **Section VII - Special Protection Information**

**Respiratory Protection:**None required when used as intended in Xerox equipment. **Protective Gloves:**None required when used as intended in Xerox equipment.
None required when used as intended in Xerox equipment.

Other: For use other than normal customer - operating procedures (such as in bulk toner processing

facilities), goggles and respirators may be required. For more information, contact Xerox.

#### **Section VIII - Special Precautions**

**Handling and Storage:** Use with adequate ventilation

**Conditions to Avoid:** Avoid prolonged inhalation of excessive dust.

# Section IX- Spill, Leak, and Disposal Procedures

For Spills or Leakage: Sweep up or vacuum spilled toner and carefully transfer into sealable waste container. Sweep slowly

to minimize generation of dust during clean-up. If a vacuum is used, the motor must be rated as dust tight. A conductive hose bonded to the machine should be used to reduce static buildup (See Section V). Residue can be removed with soap and cold water. Garments may be washed or dry cleaned,

after removal of loose toner.

Waste Disposal Method: This material is not a hazardous waste according to Federal Regulation 40 CFR 261. State and Local

waste disposal requirements may however, be more restrictive. Consult with the appropriate State

and Local authorities for specific information. Incinerate only in a closed container.

### **Section X - Transportation Information**

**DOT Proper Shipping Name:** N.A. (Not Regulated) **ID Number:** N.A.

Hazard Classification: N.A. Packing Group: N.A.