

# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

A07299 ZEP PRO PNT RMVR GEL R18201 20N18 Material name

Material number 00000000001040621

Manufacturer or supplier's details

Zep Inc. Company

1310 Seaboard Industrial Blvd., NW Address

Atlanta, GA 30318

Telephone 404-352-1680

**Emergency telephone numbers** 

For SDS Information Compliance Services 1-877-428-9937 For a Medical Emergency 877-541-2016 Toll Free - All Calls Recorded CHEMTREC: 800-424-9300 - All Calls Recorded. For a Transportation

In the District of Columbia 202-483-7616 **Emergency** 

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

| Appearance | Aerosol containing a liquefied gas |  |  |
|------------|------------------------------------|--|--|
| Colour     | translucent, amber                 |  |  |
| Odour      | solvent-like                       |  |  |

## **GHS Classification**

Flammable aerosols : Category 2 Gases under pressure : Liquefied gas Acute toxicity (Oral) : Category 4 Skin irritation : Category 2 Eye irritation : Category 2A Carcinogenicity : Category 2 Specific target organ toxicity -: Category 1

single exposure

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure (Oral)

Specific target organ toxicity -

repeated exposure

(Inhalation)

: Category 3 (Respiratory system, Central nervous system)

: Category 2 (Liver, Blood)

: Category 2 (Central nervous system)

**GHS** Label element

Hazard pictograms









Signal word : Danger



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

Hazard statements : H223 Flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer. H370 Causes damage to organs.

H373 May cause damage to organs (Liver, Blood) through

prolonged or repeated exposure if swallowed.

H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure if inhaled.

## Precautionary statements

#### : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

P260 Do not breathe dust/fume/ gas/mist/vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.

# Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER or doctor/ physician if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/physician.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

### Storage:

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

## **Potential Health Effects**

### Carcinogenicity:



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

**IARC** Group 2B: Possibly carcinogenic to humans

> dichloromethane 75-09-2 ethylbenzene 100-41-4

**ACGIH** Confirmed animal carcinogen with unknown relevance to

humans

dichloromethane 75-09-2 ethylbenzene 100-41-4

OSHA specifically regulated carcinogen **OSHA** 

> dichloromethane 75-09-2

NTP Reasonably anticipated to be a human carcinogen

> dichloromethane 75-09-2

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Hazardous components**

| Chemical Name      | CAS-No.  | Concentration [%] |
|--------------------|----------|-------------------|
| dichloromethane    | 75-09-2  | >= 50 - < 70      |
| butane             | 106-97-8 | >= 10 - < 20      |
| methanol           | 67-56-1  | >= 5 - < 10       |
| propane            | 74-98-6  | >= 1 - < 5        |
| 1-aminopropan-2-ol | 78-96-6  | >= 1 - < 5        |
| ethylbenzene       | 100-41-4 | >= 0.1 - < 1      |

### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious place in recovery position and seek medical

advice.

: Wash off immediately with plenty of water for at least 15 In case of skin contact

minutes.

If skin irritation persists, call a physician.

If on clothes, remove clothes.

In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.

If eye irritation persists, consult a specialist.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Take victim immediately to hospital.



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray jet

Carbon dioxide (CO2) Alcohol-resistant foam

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: Carbon dioxide (CO2) Carbon monoxide

Smoke

Chlorine compounds

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use a water spray to cool fully closed containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist.



# **A07299 ZEP PRO PNT RMVR GEL R18201 20N18**

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Always replace cap after use.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects. No smoking.

Observe label precautions.

Keep in a dry, cool and well-ventilated place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

| Components      |           |           | Control Basis |           |  |
|-----------------|-----------|-----------|---------------|-----------|--|
|                 |           | (Form of  | parameters /  |           |  |
|                 |           | exposure) | Permissible   |           |  |
|                 |           |           | concentration |           |  |
| dichloromethane | 75-09-2   | TWA       | 50 ppm        | ACGIH     |  |
|                 |           | PEL       | 25 ppm        | OSHA CARC |  |
|                 |           | STEL      | 125 ppm       | OSHA CARC |  |
| butane          | 106-97-8  | TWA       | 800 ppm       | NIOSH REL |  |
|                 |           |           | 1,900 mg/m3   |           |  |
|                 |           | TWA       | 800 ppm       | OSHA P0   |  |
|                 |           |           | 1,900 mg/m3   |           |  |
| methanol        | 67-56-1   | TWA       | 200 ppm       | ACGIH     |  |
|                 |           | STEL      | 250 ppm       | ACGIH     |  |
|                 |           | TWA       | 200 ppm       | NIOSH REL |  |
|                 |           |           | 260 mg/m3     |           |  |
|                 |           | ST        | 250 ppm       | NIOSH REL |  |
|                 |           |           | 325 mg/m3     |           |  |
|                 |           | TWA       | 200 ppm       | OSHA Z-1  |  |
|                 |           |           | 260 mg/m3     |           |  |
|                 |           | STEL      | 250 ppm       | OSHA P0   |  |
|                 |           |           | 325 mg/m3     |           |  |
|                 |           | TWA       | 200 ppm       | OSHA P0   |  |
|                 |           |           | 260 mg/m3     |           |  |
| propane         | 74-98-6   | TWA       | 1,000 ppm     | ACGIH     |  |
|                 |           | TWA       | 1,000 ppm     | NIOSH REL |  |
|                 |           |           | 1,800 mg/m3   |           |  |
|                 |           | TWA       | 1,000 ppm     | OSHA Z-1  |  |
|                 |           |           | 1,800 mg/m3   |           |  |
|                 |           | TWA       | 1,000 ppm     | OSHA P0   |  |
|                 |           |           | 1,800 mg/m3   |           |  |
| xylenes         | 1330-20-7 | TWA       | 100 ppm       | ACGIH     |  |
|                 |           | STEL      | 150 ppm       | ACGIH     |  |
| ethylbenzene    | 100-41-4  | TWA       | 100 ppm       | ACGIH     |  |



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

| STEL | 125 ppm              | ACGIH     |
|------|----------------------|-----------|
| TWA  | 100 ppm              | NIOSH REL |
|      | 435 mg/m3            |           |
| ST   | 125 ppm<br>545 mg/m3 | NIOSH REL |
| TWA  | 100 ppm<br>435 mg/m3 | OSHA Z-1  |
| TWA  | 100 ppm<br>435 mg/m3 | OSHA P0   |
| STEL | 125 ppm<br>545 mg/m3 | OSHA P0   |

# Biological occupational exposure limits

| Component           | CAS-No.  | Control     | Biological  | Sampling  | Permissible   | Basis     |
|---------------------|----------|-------------|-------------|-----------|---------------|-----------|
|                     |          | parameters  | specimen    | time      | concentration |           |
| DICHLOROMETHANE     | 75-09-2  | Dichloromet | Urine       | End of    | 0.3 mg/l      | ACGIH BEI |
|                     |          | hane        |             | shift (As |               |           |
|                     |          |             |             | soon as   |               |           |
|                     |          |             |             | possible  |               |           |
|                     |          |             |             | after     |               |           |
|                     |          |             |             | exposure  |               |           |
|                     |          |             |             | ceases)   |               |           |
| Methanol            | 67-56-1  | Methanol    | Urine       | End of    | 15 mg/l       | ACGIH BEI |
|                     |          |             |             | shift (As |               |           |
|                     |          |             |             | soon as   |               |           |
|                     |          |             |             | possible  |               |           |
|                     |          |             |             | after     |               |           |
|                     |          |             |             | exposure  |               |           |
|                     |          |             |             | ceases)   |               |           |
| ETHYLBENZENE        | 100-41-4 | Sum of      | Urine       | End of    | 700 mg/g      | ACGIH BEI |
|                     |          | mandelic    |             | shift at  |               |           |
|                     |          | acid and    |             | end of    |               |           |
|                     |          | phenyl      |             | workwee   |               |           |
|                     |          | glyoxylic   |             | k         |               |           |
|                     |          | acid        |             |           |               |           |
| Remarks: Creatinine |          |             |             |           |               |           |
| ETHYLBENZENE        |          | Ethylbenzen | In end-     | Not       |               | ACGIH BEI |
|                     |          | е           | exhaled air | critical  |               |           |

# Personal protective equipment

: Use respiratory protection unless adequate local exhaust Respiratory protection

> ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : translucent, amber

Odour : solvent-like

Odour Threshold : no data available pH : not applicable Melting point/freezing point : no data available

Boiling point : -40 °C

Flash point

no data available

Evaporation rate : < 1

n-Butyl Acetate = 1.0

Flammability (solid, gas) : Flammable aerosol.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : no data available

Density : 1.23 g/cm3

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : not determined

Thermal decomposition : no data available

Viscosity

Viscosity, kinematic : no data available

Heat of combustion : > 20 kJ/g

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

No decomposition if stored and applied as directed.

Conditions to avoid : Extremes of temperature and direct sunlight.

Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Carbon dioxide (CO2) Carbon monoxide

Hydrogen chloride gas

Chlorine Phosgene

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

**Product:** 

Acute oral toxicity : Acute toxicity estimate : 1,024 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 5.17 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 3,006 mg/kg

Method: Calculation method

**Components:** 

butane:

Acute inhalation toxicity :

: LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 1,355 mg/l

propane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l

Exposure time: 2 h

LC50 rat: 658 mg/l Exposure time: 4 h

LC50 rat: 1,355 mg/l

# 1-aminopropan-2-ol:



# **A07299 ZEP PRO PNT RMVR GEL R18201 20N18**

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

Acute oral toxicity : LD50 Oral rat: 1,715 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: 1,573 mg/kg

## Skin corrosion/irritation

#### **Product:**

Remarks: May cause skin irritation in susceptible persons.

### Serious eye damage/eye irritation

#### **Product:**

Remarks: May cause irreversible eye damage.

## Respiratory or skin sensitisation

no data available

## Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

## Reproductive toxicity

no data available

dichloromethane:

butane:

methanol:

propane:

1-aminopropan-2-ol:

ethylbenzene:

# STOT - single exposure

no data available

# STOT - repeated exposure

no data available

## Aspiration toxicity

no data available

### **Further information**

### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### **SECTION 12. ECOLOGICAL INFORMATION**



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

: Remarks: no data available

## **Ecotoxicity**

no data available

Persistence and degradability

no data available

**Bioaccumulative potential** 

**Product:** 

Partition coefficient: n-

octanol/water <u>Components:</u> butane :

Partition coefficient: n-

octanol/water

ethylbenzene:

Partition coefficient: n-

octanol/water

: Pow: 2.89

: Pow: 3.6

Mobility in soil

no data available

Other adverse effects

no data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

: no data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

### **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):

UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

## SECTION 15. REGULATORY INFORMATION

## **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

| Components      | CAS-No. | Component RQ | Calculated product RQ |
|-----------------|---------|--------------|-----------------------|
|                 |         | (lbs)        | (lbs)                 |
| dichloromethane | 75-09-2 | 1000         | 1516                  |

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Sudden Release of Pressure Hazard

Acute Health Hazard Chronic Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the

reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

 dichloromethane
 75-09-2
 65.9698 %

 methanol
 67-56-1
 9.6754 %

 ethylbenzene
 100-41-4
 0.1025 %

California Prop 65 WARNING! This product contains a chemical known to the

State of California to cause cancer.

dichloromethane 75-09-2 ethylbenzene 100-41-4

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive

harm.



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

methanol 67-56-1

## The components of this product are reported in the following inventories:

TSCA On TSCA Inventory

**DSL** All components of this product are on the Canadian DSL.

AICS
Not in compliance with the inventory
NZIoC
Not in compliance with the inventory
PICCS
Not in compliance with the inventory
IECSC
Not in compliance with the inventory


## **Inventory Acronym and Validity Area Legend:**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

# **Further information**

### NFPA:



Special hazard.

### HMIS III:

| HEALTH          | 3* |
|-----------------|----|
| FLAMMABILITY    | 3  |
| PHYSICAL HAZARD | 2  |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### OSHA GHS Label Information:

Hazard pictograms









Signal word

Danger:

Hazard statements

Flammable aerosol. Contains gas under pressure; may explode if heated. Harmful if sw allowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drow siness or dizziness. Suspected of causing cancer. Causes damage to organs. May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed. May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary statements

**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep aw ay fromheat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection/ face protection. Wear protective gloves. Use personal protective equipment as required.

**Response:** IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unw ell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. IF INHALED:



# A07299 ZEP PRO PNT RMVR GEL R18201 20N18

Version 1.0 Revision Date 05/31/2015 Print Date 03/31/2016

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage: Store locked up. Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F. **Disposal:** Dispose of contents/container in accordance with local regulation.

| Version:       | 1.0        |
|----------------|------------|
| Revision Date: | 05/31/2015 |
| Print Date:    | 03/31/2016 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.