HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

ABF

Revision Date: 15-Sep-2015 Revision Number: 25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name ABF Internal ID Code HM000013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Additive

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number +44 8 08 189 0979 / 1-760-476-3961

Europe 112

Croatia Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)

Cyprus +210 7793777

Denmark Poison Control Hotline (DK): +45 82 12 12 12

France ORFILA (FR): + 01 45 42 59 59

Germany Poison Center Berlin (DE): +49 030 30686 790

Italy Poison Center, Milan (IT): +39 02 6610 1029

Netherlands National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)

italy	1 03011 Center, William (11): 103 02 0010 1023
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Snain	Poison Information Service (FS): +34 91 562 04 20

NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Acute Oral Toxicity	Category 3 - H301
Skin Corrosion / irritation	Category 1 B - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - H335
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - H372

2.2. Label Elements

United Kingdom

Hazard Pictograms



Signal Word Danger

Hazard Statements

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Contains

SubstancesCAS NumberAmmonium bifluoride1341-49-7

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances Substance

Substances	EINECS	CAS Number	PERCENT (w/w)	EU - CLP Substance Classification	REACH No.
Ammonium bifluoride	215-676-4	1341-49-7	60 - 100%	Acute Tox. 3 (H301) Skin Corr. 1B (H314) Eye Corr. 1 (H318) STOT SE 3 (H335) STOT RE 1 (H372)	No data available

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes Immediately flush eyes with large amounts of water for at least 30 minutes.

Seek prompt medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at

least 15 minutes. Get medical attention. Remove contaminated clothing and

launder before reuse.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

4.2. Most Important symptoms and effects, both acute and delayed

Toxic if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. May cause damage to internal organs.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Use water spray to cool fire exposed surfaces. Decomposition in fire may produce harmful gases.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Evacuate all persons from the area.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from acids. Store away from alkalis. Store in a cool, dry location. Product has a shelf life of 24 months.

7.3. Specific End Use(s)

Exposure Scenario No information available Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Exposure Emilie						
Substances	CAS Number	EU	UK	Netherlands	France	
Ammonium bifluoride	1341-49-7	Not applicable	2.5 mg/m ³	3,5 mg/m ³	2.5 mg/m ³	

Substances	CAS Number	Germany	Spain	Portugal	Finland
Ammonium bifluoride	1341-49-7	1 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Ammonium bifluoride	1341-49-7	Not applicable	2.5 mg/m ³ TWA	Not applicable	TWA: 0.5 mg/m ³

					STEL: 1.5 mg/m ³
Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Ammonium bifluoride	1341-49-7	2.5 mg/m ³	1 mg/m ³	2.5 mg/m ³	2.5 mg/m ³

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Ammonium bifluoride	1341-49-7	2.5 mg/m ³	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL)

Worker

No information available.

General Population

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Controls

Use in a well ventilated area. Localized ventilation should be used to control dust levels.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

HEPA Respirator. If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation

time as per EN 374): Butyl rubber gloves. (>= 0.7 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Skin Protection

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists. Eyewash fountains and safety showers must be easily accessible. Other Precautions

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

White Physical State: Solid Color:

Odor: Acrid Odor Threshold: No information available

Property Values

Remarks/ - Method

No data available Freezing Point/Range Melting Point/Range No data available **Boiling Point/Range** 239 °C / 463 °F No data available **Flash Point** Flammability (solid, gas) No data available upper flammability limit No data available lower flammability limit No data available No data available **Evaporation rate**

Vapor Pressure 1 hPa

Vapor Density No data available 1.5

Specific Gravity

Water Solubility Soluble in water

Solubility in other solventsNo data availablePartition coefficient: n-octanol/waterNo data availableAutoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

Molecular Weight 57.05

VOC Content (%)

Bulk Density

No data available 43.7 (lbs/ft3)

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong acids. Strong alkalis.

10.6. Hazardous Decomposition Products

Ammonia. Hydrogen fluoride.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation Causes severe respiratory irritation.

Eye Contact Skin ContactCauses severe eye burns.
Causes severe burns.

Ingestion Causes burns of the mouth, throat and stomach. May cause damage to bones and teeth.

Chronic Effects/Carcinogenicity

Prolonged or repeated exposure may result in fluorosis. Symptoms include nausea, vomiting, loss of appetite, diarrhea, and/or constipation. Fluorosis also results in bone

density increase.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium bifluoride	1341-49-7	130 mg/kg (Rat)	No data available	No data available
Substances	CAS Number	Skin corrosion/irritation		

Substances	CAS	Skin corresion/irritation
	Number	
Ammonium bifluoride	1341-49-7	Causes severe skin irritation with tissue destruction.

	CAS Number	Eye damage/irritation
Ammonium bifluoride	1341-49-7	Causes severe eye irritation which may damage tissue.

	CAS Number	Skin Sensitization
Ammonium bifluoride	1341-49-7	No information available

	CAS Number	Respiratory Sensitization
Ammonium bifluoride	1341-49-7	No information available

	CAS Number	Mutagenic Effects
Ammonium bifluoride		While some in vitro tests were positive and/or equivocal, in vivo results were negative. (similar substances)

Substances	CAS Number	Carcinogenic Effects	
Ammonium bifluoride	1341-49-7	No information available.	
Substances	CAS Number	Reproductive toxicity	
Ammonium bifluoride	1341-49-7	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)	
Substances	CAS Number	STOT - single exposure	
Ammonium bifluoride	1341-49-7	No data of sufficient quality are available.	
Substances	CAS Number	STOT - repeated exposure	
Ammonium bifluoride	1341-49-7	Causes damage to organs through prolonged or repeated exposure: skeletal system	
Substances	CAS Number	Aspiration hazard	
Ammonium bifluoride	1341-49-7	Not applicable	

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Ammonium bifluoride	1341-49-7	EC50 (72h) 369.9 mg/L (Skeletonema costatum)	LC50 (96h) 173 mg/L (Scophthalamus maximus) LC50 (96h) 421.4 mg/L LC100 (96h) 562 mg/L (Danio rerio) LC0 (96h) 237 mg/L (Danio rerio) NOEC (21d) 4 mg/L (Oncorhynchus mykiss)	No information available	LC50 (48h) 61 mg/L (Acartia tonsa) NOEC (21d) 8.9 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Ammonium bifluoride	1341-49-7	The methods for determining biodegradability are
		not applicable to inorganic substances.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Substances	CAS Number	Log Pow
Ammonium bifluoride	1341-49-7	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Ammonium bifluoride	1341-49-7	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Ammonium bifluoride	Not PBT/vPvB

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Contaminated Packaging

Disposal should be made in accordance with federal, state, and local regulations. This bag may contain residue of a hazardous material. Some authorities may regulate such containers as hazardous waste. Dispose of container according to national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN1727

UN Proper Shipping Name: Ammonium Hydrogendifluoride, Solid

Transport Hazard Class(es): 8
Packing Group: 8

Environmental Hazards: Not applicable

RID

UN Number: UN1727

UN Proper Shipping Name: Ammonium Hydrogendifluoride, Solid

Transport Hazard Class(es): 8

Packing Group:

Environmental Hazards: Not applicable

ADR

UN Number: UN1727

UN Proper Shipping Name: Ammonium Hydrogendifluoride, Solid

Transport Hazard Class(es): 8
Packing Group: 8

Environmental Hazards: Not applicable

IATA/ICAO

UN Number: UN1727

UN Proper Shipping Name: Ammonium Hydrogendifluoride, Solid

Transport Hazard Class(es): 8
Packing Group: ||

Environmental Hazards: Not applicable

14.1. UN Number: UN1727

14.2. UN Proper Shipping Name: Ammonium Hydrogendifluoride, Solid

14.3. Transport Hazard Class(es): 8

14.4. Packing Group:

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
All components listed on inventory or are exempt.
Canadian DSL Inventory
All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering Classes (WGK)

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification,

Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC - European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg – milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC - Chemical Product category

PEL - Permissible Exposure Limit

ppm - parts per million

PROC - Process category

REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

OSHA

ECHA C&L

Issuing Date: 01-Dec-2010 15-Sep-2015 **Revision Date:**

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet