



SAFETY DATA SHEET

Revision Date 04/17/2015

REVISION NUMBER: 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name AEROSOL, ZEAL

Other means of identification

Product code 251968

UN/ID No. 1950

Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended Use Air Freshener.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624 USA

Importer

Rochester Midland Limited
5353 John Lucas Drive
Suite 103
Burlington, ON L7L 6G5
Canada

Emergency telephone number

EMERGENCY TELEPHONE
INFOTRAC: 1-800-535-5053
OUTSIDE U.S.: +1-352-323-3500
CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes serious eye irritation

May cause drowsiness or dizziness

Extremely flammable aerosol

**Appearance** No information available**Physical state** Aerosol**Odor** Pleasant fragrance as labeled.**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Wear eye/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Do not spray on an open flame or other ignition source
Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

- Toxic to aquatic life.
- Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Acetone	67-64-1	60 - 80	*
Butane	106-97-8	10 - 20	*
Propane	74-98-6	10 - 20	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures****General advice**

Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact	IF ON SKIN: Wash with soap and water.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion	IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
-----------------	---------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Alcohol resistant foam. Water spray (fog). Dry chemical. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

EXTREMELY FLAMMABLE. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

Explosion data

Sensitivity to Mechanical Impact NONE.

Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Keep people away from and upwind of spill/leak. Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Avoid breathing vapors or mists. Ventilate affected area. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
-----------------------------	---

Environmental precautions

Environmental precautions	Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage. Do not allow into any sewer, on the ground or into any body of water.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Eliminate all ignition sources if safe to do so. Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Flush residue with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Contents under pressure. Never pierce, drill, grind, cut, saw or weld any empty container. All equipment used when handling the product must be grounded. Do not reuse container. Avoid breathing vapors or mists. Avoid contact with eyes. Avoid prolonged contact. Use only in well-ventilated areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep locked up and out of reach of children. Protect from sunlight. Keep at a temperature not exceeding 50 °C. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Acids. Strong oxidizing agents. Nitrates. Chlorine. Fluorine.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	(vacated) STEL: 2400 mg/m ³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m ³ TWA: 1000 ppm TWA: 2400 mg/m ³	2500 ppm
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	-
Propane 74-98-6	TWA: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ TWA: 1000 ppm TWA: 1800 mg/m ³	2100 ppm

Appropriate engineering controls

ENGINEERING CONTROLS Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses are recommended to minimize eye contact.

Skin and body protection Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Aerosol

Appearance	No information available	Odor	Pleasant fragrance as labeled.
Color	No information available	Odor threshold	No information available
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	Unknown		
Melting point/freezing point	No information available		
Boiling point / boiling range	56 °C / 133 °F		
Flash point	-104 °C / -156 °F	Estimated for propellant	
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	9.5%		
Lower flammability limit:	1.9%		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	0.148		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
<u>Other Information</u>			
Softening point	No information available		
VOC (EPA METH.24) (G/L):	281.7		
Density	0.15 g/cm3		
Bulk density	No information available		

10. STABILITY AND REACTIVITY

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Strong oxidizing agents. Nitrates. Chlorine. Fluorine.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Serious eye damage/eye irritation.
Inhalation	May cause drowsiness or dizziness.

Eye contact Severely irritating to eyes.

Skin contact No data available.

Ingestion No data available.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	-	-	= 50100 mg/m ³ (Rat) 8 h
Butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Propane 74-98-6	-	-	= 658 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.
Reproductive Toxicity No information available.
STOT - single exposure Central nervous system.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Acetone 67-64-1	-	8300: 96 h Lepomis macrochirus mg/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50	12600 - 12700: 48 h Daphnia magna mg/L EC50 10294 - 17704: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Acetone 67-64-1	-0.24
Butane 106-97-8	2.89
Propane 74-98-6	2.8

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not reuse container.

14. TRANSPORT INFORMATION**DEPT. OF TRANSPORTATION**

UN/ID No.	1950
Proper shipping name	AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)
Hazard Class	2.1
Packing Group	NA
Description	5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

TDG

UN/ID No.	1950
Proper shipping name	AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)
Hazard Class	2.1
Packing Group	NA
Description	1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

15. REGULATORY INFORMATION**International Inventories**

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	YES
Sudden release of pressure hazard	YES
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Acetone 67-64-1	5000	

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Acetone 67-64-1	0006	Listed	Listed
Butane 106-97-8	0273	Listed	Listed
Propane 74-98-6	1594	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION**NFPA**

Health hazards 1

Flammability 4

Instability 0

Physical and Chemical Properties -

HMIS

Health hazards 1

Flammability 4

Physical hazards 0

Personal protection B

Revision Date

04/17/2015

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***