Tel.: 07761/562-0

Fax: 07761/562299

Safety Data Sheet acc. to OSHA HCS

Reviewed on 12/19/2013 Printing date 12/19/2013

1 Identification

· Product identifier

· Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

· Article number: B505/1075.2075

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation Auxiliary for manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

VITA Zahnfabrik

H. Rauter GmbH & Co. KG

Postfach 1338 D 79704 Bad Säckingen

· Emergency telephone number: Tel.: ++49-(0)761-19240

e-mail: info@vita-zahnfabrik.com

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Extremely flammable aerosol.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Extremely flammable

Extremely flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Warning! Pressurized container.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Danger
- · Hazard statements

H222 Extremely flammable aerosol.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 2)

Printing date 12/19/2013 Reviewed on 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

(Contd. of page 1)

- · Classification system
- · NFPA ratings (scale 0-4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
75-28-5 isobutane	F+ R12⊕ H220; H280	25-100%
64-17-5 ethanol	<i>FR11</i>♠ H225	1-<10%

• Additional information For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing If symptoms persist consult doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

 No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents

Water.

Water with full jet.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information None

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

(Contd. on page 3)

Printing date 12/19/2013 Reviewed on 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

(Contd. of page 2)

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

 $Store\ in\ cool,\ dry\ conditions\ in\ well\ sealed\ receptacles.$

Protect from heat and direct sunlight.

- · Storage class 2 B
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-28-5 isobutane

REL () 1900 mg/m³, 800 ppm

TLV () | Varies mg/m³, 1000 ppm

64-17-5 ethanol

PEL () 1900 mg/m³, 1000 ppm

REL() 1900 mg/m³, 1000 ppm

TLV () Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 4)

Printing date 12/19/2013 Reviewed on 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

(Contd. of page 3)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

e.g. Camatril Velour, KCL Nr. 730

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

e.g. Camatril Velour 30 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles.

9 Physical and chemical properties

· Information	on basic	physical	and che	mical pi	roperties

· General Information

· Appearance:

Form:
Color:
Whitish
Odor:
Characteristic
Not determined.

pH-value:
Not determined.

· Change in condition

Melting point/Melting range: undetermined
Boiling point/Boiling range: -11 °C (12 °F)

· Flash point: -60 °C (-76 °F)

· Flammability (solid, gaseous) Not applicable.

• Ignition temperature: 425 °C (797 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower: 1.8 Vol %
Upper: 8.5 Vol %
Oxidizing properties None

• Vapor pressure at 20 °C (68 °F): 3000 hPa (2250 mm Hg)

• Density at 20 °C (68 °F): 0.64 g/cm³ (5.341 lbs/gal)

· Relative density Not determined.

(Contd. on page 5)

Printing date 12/19/2013 Reviewed on 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

		(Contd. of page 4
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	6.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No decomposition if used and stored according to specifications.
- · Chemical stability No decomposition if used and stored according to specifications.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: Not determined
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 6)

Printing date 12/19/2013 Reviewed on 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

(Contd. of page 5)

- · vPvB: Not applicable.
- $\cdot \textit{Other adverse effects} \ \textit{No further relevant information available}.$

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1950
UN proper shipping name DOT, IATA ADR IMDG	AEROSOLS, flammable 1950 AEROSOLS AEROSOLS
Transport hazard class(es)	
DOT	
TO ANNUAL E CALL	
Class	2.1
Label	2.1
ADR	
Class	2 5F Gases
Label	2
IMDG, IATA	
Class	2.1
Label	2.1
Packing group DOT, ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler):	Warning: Gases

Printing date 12/19/2013 Reviewed on 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

Contd. of page 6)

• EMS Number: F-D,S-U

• Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code Not applicable.

• UN "Model Regulation": UN1950, AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

· SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A3

· MAK (German Maximum Workplace Concentration)

64-17-5 ethanol

5

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	5-<10

- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Reviewed on 12/19/2013 Printing date 12/19/2013

Trade name: VITA AKZENT Plus Glaze SPRAY, Plus Glaze LT Spray

(Contd. of page 7)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.