

Page : 1
Revised edition no : 3

Date: 15 / 11 / 2012 Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, Compressed Gas Mixture, including NITRONOX

ALH002

Danger





SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : MEDICAL NITROUS OXIDE in OXYGEN,

Compressed Gas Mixture, including NITRONOX

SDS Nr : ALH002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Industrial and professional. Perform risk assessment prior to use.

Test gas / Calibration gas. Laboratory use Contact supplier for more uses information

1.3. Details of the supplier of the safety data sheet

Company identification : Air Liquide Healthcare Pty Limited

Unit 5, 476 Gardeners Road Alexandria NSW 2015 Australia

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries @AirLiquide.com

1.4. Emergency telephone number

Emergency telephone number : 1800 812 588

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category Code Regulation EC 1272/2008 (CLP)

• Physical hazards : Oxidizing gases - Category 1 - Danger - (CLP : Ox. Gas 1) - H270

Gases under pressure - Compressed gas - Warning - (CLP : Press. Gas) - H280

Classification EC 67/548 or EC 1999/45

: O; R8

2.2. Label elements

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms





• Hazard pictograms code : GHS03 - GHS04

• Signal word : Danger

• Hazard statements : H270 - May cause or intensify fire; oxidizer.

H280 - Contains gas under pressure; may explode if heated.

Precautionary statements

- **Prevention** : P244 - Keep valves and fittings free from oil and grease

P220 - Keep away from combustible materials.

- Response : P370+P376 - In case of fire : Stop leak if safe to do so.

- Storage : P403 - Store in a well-ventilated place.

2.3. Other hazards

: None.

Air Liquide Healthcare Pty Limited

Unit 5, 476 Gardeners Road Alexandria NSW 2015 Australia

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page: 2 Revised edition no: 3

Date: 15 / 11 / 2012

Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, **Compressed Gas Mixture, including NITRONOX**

ALH002

SECTION 2. Hazards identification (continued)

SECTION 3. Composition/information on ingredients

3.1. Substance / 3.2. Mixture

Mixture.

Substance name		Contents	CAS No	EC No	Annex No		Classification
Oxygen	:	Between 45 and 55 %	7782-44-7	231-956-9	008-001-00-8	* 1	O; R8 Ox. Gas 1 (H270)
							Press. Gas (H280)
Nitrous oxide	:	Between 45 and 55 %	10024-97-2	233-032-0		* 2	O; R8
							Ox. Gas 1 (H270) Liq. Gas (H280)

Contains no other components or impurities which will influence the classification of the product.

- 1: Listed in Annex IV / V REACH, exempted from registration.
- 2: Registration deadline not expired.
- * 3: Registration not required: Substance manufactured or imported < 1t/y Full text of R-phrases see chapter 16. Full text of H-statements see chapter 16

SECTION 4. First aid measures

4.1. Description of first aid measures

- Inhalation : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep

victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

- Skin contact : Adverse effects not expected from this product. - Eye contact : Adverse effects not expected from this product.

: Ingestion is not considered a potential route of exposure. - Ingestion

4.2. Most important symptoms and effects, both acute and delayed

: In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/

consciousness. Victim may not be aware of asphyxiation.

Refer to section 11.

4.3. Indication of any immediate medical attention and special treatment needed

: None.

SECTION 5. Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media : All known extinguishants can be used.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products : Nitrogen oxides.

5.3. Advice for fire-fighters

Specific methods : Coordinate fire measure to the surrounding fire. Cool endangered containers with water spray

jet from a protected position. Do not empty contaminated fire water into drains.

If possible, stop flow of product.

Special protective equipment for fire

fighters

: In confined space use self-contained breathing apparatus.

Air Liquide Healthcare Pty Limited

Unit 5, 476 Gardeners Road Alexandria NSW 2015 Australia

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page : 3
Revised edition no : 3

Date: 15 / 11 / 2012 Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, Compressed Gas Mixture, including NITRONOX

ALH002

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

: Evacuate area.

Try to stop release.

Ensure adequate air ventilation. Eliminate ignition sources.

Consider the risk of potentially explosive atmospheres.

6.2. Environmental precautions

: Try to stop release.

6.3. Methods and material for containment and cleaning up

: Ventilate area.

6.4. Reference to other sections

: See also sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Safe use of the product

: Take precautionary measures against static discharge.

Purge air from system before introducing gas.

Keep away from ignition sources (including static discharges).

Do not smoke while handling product.

Assess the risk of potentially explosive atmosphere and the need for explosion-proof

equipment.

Consider the use only non-sparking tools.

Use only properly specified equipment which is suitable for this product, its supply pressure

and temperature. Contact your gas supplier if in doubt.

Only experienced and properly instructed persons should handle gases under pressure. The product must be handled in accordance with good industrial hygiene and safety

roceaures.

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Safe handling of the gas receptacle

: Refer to supplier's container handling instructions.

Do not allow backfeed into the container.

Protect cylinders from physical damage; do not drag, roll, slide or drop.

When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.)

designed to transport cylinders.

Leave valve protection caps in place until the container has been secured against either a wall

or bench or placed in a container stand and is ready for use.

If user experiences any difficulty operating cylinder valve discontinue use and contact

supplier.

Never attempt to repair or modify container valves or safety relief devices.

Damaged valves should be reported immediately to the supplier.

Keep container valve outlets clean and free from contaminates particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is

disconnected from equipment.

Close container valve after each use and when empty, even if still connected to equipment.

Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents.

7.2. Conditions for safe storage, including any incompatibilities

: Segregate from oxidant gases and other oxidants in store.

All electrical equipment in the storage areas should be compatible with the risk of potentially explosive atmosphere.

Keep container below 50℃ in a well ventilated plac e.

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Containers should be stored in the vertical position and properly secured to prevent toppling. Stored containers should be periodically checked for general condition and leakage.

Container valve guards or caps should be in place.

Store containers in location free from fire risk and away from sources of heat and ignition.

Air Liquide Healthcare Pty Limited

Unit 5, 476 Gardeners Road Alexandria NSW 2015 Australia

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page: 4 Revised edition no: 3

Date: 15 / 11 / 2012

Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, **Compressed Gas Mixture, including NITRONOX**

ALH002

SECTION 7. Handling and storage (continued)

Keep away from combustible materials.

7.3. Specific end use(s)

: None

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Nitrous oxide : Value 15min. (CZ) [mg/m3]: 360

: Value 8h (CZ) [mg/m3]: 180

: MAK (AU) Tagesmittelwert (ml/m3): 100 : MAK (AU) Kurzzeitwerte (mg/m3): 720 : MAK (AU) Tagesmittelwert (mg/m³): 180 : MAK (AU) Kurzzeitwerte (ml/m3): 400

: TLV© -TWA [ppm] : 50 : LTEL - UK [mg/m3]: 183 : LTEL - UK [ppm] : 100

: AGW (8h) - Germany [mg/m³] TRGS 900 : 180 : AGW (8h) - Germany [ppm] TRGS 900 : 100

: VLA-ED - Spain [ppm]: 50 : VLA-ED - Spain [mg/m3]: 92

: NGV - [ppm] : 100 : NGV - [mg/m³] : 180 : KTV - [ppm] : 500 : KTV - [mg/m³] : 500

: Grænserværdier (DK) (ppm) : 50 : HTP-värden (FI) - 8 H - [ppm] : 100 : HTP-värden (FI) - 8 H - [mg/m3] : 180

: Grænserværdier (DK): 90

: GV Value Limit (Norway) [ppm] : 50 : GV Value Limit (Norway) [mg/m³]: 90 : TLV-TWA (Belgium) (ppm): 50

DNEL: Derived no effect level PNEC: Predicted no effect

concentration

: None available. : None available.

8.2. Exposure controls

8.2.1. Appropriate engineering

controls

: Systems under pressure shoud be regularily checked for leakages.

Provide adequate general and local exhaust ventilation.

Ensure exposure is below occupational exposure limits (where available).

Consider work permit system e.g. for maintenance activities.

8.2.2. Individual protection measures, : e.g. personal protective equipment

Consider the use of flame resistant anti-static safety clothing.

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk.

The following recommendations should be considered.

Wear safety glasses with side shields

Wear leather safety gloves and safety shoes when handling cylinders.

8.2.3. Environmental exposure

controls

: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

specific methods for waste gas treatment.

Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page : 5
Revised edition no : 3

Date: 15 / 11 / 2012

Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, Compressed Gas Mixture, including NITRONOX

ALH002

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

- Physical state at 20℃ / 101.3kPa : Gas.

- Colour : Colourless gas.

Odour : No odour warning properties.

Odour threshold : Odour threshold is subjective and inadequate to warn for overexposure.

pH value : Not applicable for gas-mixtures.

Molar mass [g/mol] : Not applicable for gases and gas-mixtures.

Melting point [°]: Not applicable for gas-mixtures.Boiling point [°]: Not applicable for gas-mixtures.

Flash point [℃] : Not flammable.

Evaporation rate (ether=1) : Not applicable for gas-mixtures.

Flammability range [vol% in air] : Non flammable.

Vapour pressure [20℃] : Not applicable.

Relative density, gas (air=1) : Lighter or similar to air.

Solubility in water [mg/l] : Not known, but considered to have low solubility.

Partition coefficient n-octanol/water : Not applicable for gas-mixtures.

Viscosity at 20℃ [mPa.s] : Not applicable. Explosive Properties : Not applicable.

9.2. Other information

Other data : None.

SECTION 10. Stability and reactivity

10.1. Reactivity

: No reactivity hazard other than the effects described in sub-sections below.

10.2. Chemical stability

: Stable under normal conditions.

10.3. Possibility of hazardous reactions

: May react violently with oxidants. Can form explosive mixture with air.

10.4. Conditions to avoid

: Oxidant. Strongly supports combustion. May react violently with combustible materials.

10.5. Incompatible materials

Avoid oil, grease and all other combustible materials.
 May react violently with reducing agents.

10.6. Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page : 6
Revised edition no : 3

Date: 15 / 11 / 2012 Supersedes: 26 / 9 / 2012

ALH002

MEDICAL NITROUS OXIDE in OXYGEN, Compressed Gas Mixture, including NITRONOX

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity : No known toxicological effects from this product.

Rat inhalation LC50 [ppm/4h] : No data available.

Skin corrosion/irritation : No known effects from this product. Serious eye damage/irritation : No known effects from this product. : No known effects from this product. Respiratory or skin sensitisation : No known effects from this product. Carcinogenicity Germ cell mutagenicity : No known effects from this product. Toxic for reproduction : Fertility : No known effects from this product. Toxic for reproduction: unborn child: No known effects from this product. STOT-single exposure : No known effects from this product. STOT-repeated exposure : No known effects from this product. : Not applicable for gases and gas-mixtures. Aspiration hazard

SECTION 12. Ecological information

12.1. Toxicity

: No data available.

12.2. Persistence - degradability

: No data available.

12.3. Bioaccumulative potential

: No data available.

12.4. Mobility in soil

: No data available.

12.5. Results of PBT and vPvB assessment

: No data available.

12.6. Other adverse effects

Effect on ozone layer : None.

Effect on the global warming : Contains greenhouse gas(es) not covered by 842/2006/EC

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not discharge into areas where there is a risk of forming an explosive mixture with air. Waste gas should be flared through a suitable burner with flash back arrestor.

Do not discharge into any place where its accumulation could be dangerous.

Ensure that the emission levels from local regulations or operating permits are not exceeded.

Refer to the code of practice of EIGA (Doc. 30/10 "Disposal of Gases, downloadable at http://

In case of emergency: 1800 812 588

www.eiga.org) for more guidance on suitable disposal methods Contact supplier if guidance is required.

13.2. Additional information

: None

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page : 7
Revised edition no : 3

Date: 15 / 11 / 2012 Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, Compressed Gas Mixture, including NITRONOX

ALH002

SECTION 14. Transport information

UN number : 3156

Labelling ADR, IMDG, IATA





: 2.2 : Non flammable, non toxic gas.

5.1 : Oxidizing substances.

Land transport (ADR/RID)

H.I. nr : 25

UN proper shipping name : COMPRESSED GAS, OXIDIZING, N.O.S. (Oxygen, Nitrous oxide)

Transport hazard class(es) : 2
Classification code : 1 O
Packing Instruction(s) : P200

Tunnel Restriction : E : Passage forbidden through tunnels of category E.

HAZCHEM - Emergency Action Code : 2S

2 = Fine water spray.

S = Risk of violent reaction or explosion. Recommended personal protective equipment : Full

fire kit and breathing apparatus. Appropriate measures : dilute.

Sea transport (IMDG)

Proper shipping name : COMPRESSED GAS, OXIDIZING, N.O.S. (Oxygen, Nitrous oxide)

Class : 2.2
Emergency Schedule (EmS) - Fire : F-C
Emergency Schedule (EmS) - Spillage : S-W
Packing instruction : P200

Air transport (ICAO-TI / IATA-DGR)

Proper shipping name (IATA) : COMPRESSED GAS, OXIDIZING, N.O.S. (Oxygen, Nitrous oxide)

Class : 2.2

Passenger and Cargo Aircraft : Allowed.

Packing instruction - Passenger and : 200

Cargo Aircraft

Cargo Aircraft only : Allowed.
Packing instruction - Cargo Aircraft : 200

only

Special precautions for user

: Avoid transport on vehicles where the load space is not separated from the driver's

compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.

Before transporting product containers:
- Ensure there is adequate ventilation.

- Ensure that containers are firmly secured.

Ensure cylinder valve is closed and not leaking.

- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

- Ensure valve protection device (where provided) is correctly fitted.

Tel: +61 2 9364 7474 Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com



Page: 8 Revised edition no: 3 Date: 15 / 11 / 2012

Supersedes: 26 / 9 / 2012

MEDICAL NITROUS OXIDE in OXYGEN, **Compressed Gas Mixture, including NITRONOX**

ALH002

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Seveso directive 96/82/EC

National legislation

: Covered

: Ensure all national/local regulations are observed.

15.2. Chemical Safety Assessment

: A CSA does not need to be carried out for this product.

SECTION 16. Other information

Indication of changes : Revised safety data sheet in accordance with commisssion regulation (EU) No 453/2010

: Receptacle under pressure. Training advice

List of full text of R-phrases in section: R8: Contact with combustible material may cause fire.

: H270 - May cause or intensify fire; oxidizer.

List of full text of H-statements in

section 3.

H280 - Contains gas under pressure; may explode if heated.

Further information

Classification in accordance with calculation methods of regulation (EC) 1272/2008 CLP / (

EC) 1999/45 DPD.

This Safety Data Sheet has been established in accordance with the applicable European

Union legislation.

DISCLAIMER OF LIABILITY : Before using this product in any new process or experiment, a thorough material compatibility

and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or

damage resulting from its use can be accepted.

The contents and format of this SDS are in accordance with EC Commission Directive 2001/58/EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

In case of emergency: 1800 812 588

Fax: +61 2 8338 9797 ALAEnquiries@AirLiquide.com