Material Safety Data Sheet: RESISTOL DEFOAMER

SECTION 1 - IDENTIFICATION

Product identifier/Trade name: RESISTOL DEFOAMER

Other means of identification: ANFO

Recommended use: ANTI-FOAM AGENT

Restriction on use: For industrial, institutional and food plants use only.

Initial supplier identifier: Chemotec (PM) Inc.

8820 Place Ray-Lawson

Anjou, Quebec, Canada H1J 1Z2

Phone: (514) 729-6321; 1-800-729-6321

Emergency phone number: (613) 996-6666 (CANUTEC)

SECTION 2 - HAZARDS IDENTIFICATION

2a WHMIS 2015 - GHS (Globally Harmonized System) classification

This product is classified as a skin irritant category 2 and an eye irritant category 2

2b Label elements



Pictogram

Precautionary statement

Wash hands thoroughly after handling. Wear eye protection. Wear rubber gloves.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

IF ON SKIN: Wash with plenty water. If skin irritation occurs: get medical advice. Take off contaminated clothing and wash it before reuse.

Signal word:

Warning.

Hazard statement

Causes serious eye irritation. Causes skin irritation.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients CAS # % (weight) GHS CLASSIFICATION

Ethoxylated alcohol 34398-01-1 1-5 Eye irritation, category 2

Acute toxicity, oral category 4

SECTION 4 - FIRST AID MEASURES

4a Description of first aid measures

Eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.

Skin contact:

Wash with plenty water. If skin irritation occurs: get medical advice. Take off contaminated clothing and wash it before reuse.

Inhalation:

No effect expected.

Ingestion:

Rinse mouth. Call a doctor if you feel unwell. Never give anything by mouth if the person is unconscious

4b Most important symptoms and effects

Eye: May cause irritation, redness, tears, burning sensation.

Skin: May cause irritation. **Inhalation:** No effect expected.

Ingestion: May cause slight irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

4c Immediate medical attention and special treatment needed

No special treatment

SECTION 5 - FIRE FIGHTING MEASURES

5a Extinguishing media

Suitable extinguishing media:

Water (if possible avoid powerful jets), foam, dry chemicals, carbon dioxide. Product itself is not flammable. Unsuitable extinguishing media:

None known.

Specific hazards for product

Hazardous combustion products:

Oxides of carbon, silicone, formaldehyde and other irritating gases.

Special protective equipment and precautions for firefighters

Special fire-fighting procedures/equipment:

During a fire, irritating smoke and fumes may be generated. A self-contained breathing apparatus is required for fire-fighting personnel to protect themselves from irritating products produced during the combustion. Move containers from fire area if it can be done without risk. A stream of water directed into the product generates a lot of foam.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6a Personal precautions, protective equipment and emergency procedures

Personal protection:

Avoid contact with eyes. Use adequate aeration and ventilation. Floor will be slippery in case of a spill. Use

appropriate personal protection equipment (see section 8)

6b Methods and materials for containment and cleaning:

Stop the leak. For large spills, pump the product into drums or clean up spills using absorbent material. Resume cleaning by rinsing with water. Caution: floors will be slippery.

6c Environmental precautions:

Product is biodegradable. Do not let large quantities go to the sewers.

SECTION 7 - HANDLING AND STORAGE

7a Precautions for Safe handling:

Avoid contact with eyes. When used as directed, no special precautions.

7b Condition for safe storage:

Store in a sealed container in a well-ventilated place. Do not store with food products. Keep from freezing.

7c Special packaging materials: none.

No incompatibility with most materials found in most workplaces.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

8a Control parameters

·	Ontario Time-weighted Average Limit (TWA)	Ontario Short-Term Exposure Limit (STEL)	Notations
Ethoxylated alcohol	None established	None established	

8b Engineering controls:

Not required under normal applications.

8c Individual protection measures

Respiratory Protection:

Not required under normal applications.

Skin protection and other protective equipment:

Waterproof boots for large spills. Rubber gloves.

Eye / face protection:

Not required under normal applications.

General hygiene considerations:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes. Never eat, drink, or smoke in work areas. Good hygiene is recommended after use of this product.

Material Safety Data Sheet: RESISTOL DEFOAMER

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance and odour: Milky white liquid, characteristic odour

Odour threshold: N/Av pH: 7-8

Melting point and freezing point:Approximately 0 °C

Boiling point:

Approximately 100 °C

Flash point: None to boil

Evaporation rate (n-BuAc =1): Approximately 0.4 (water)

Lower flammable limit (% by volume): N/Av
Upper flammable limit (% by volume): N/Av.
Explosion data - Sensitivity to mechanical impact: Not sensitive
Explosion data - Sensitivity to static discharge: Not sensitive

Vapour pressure (mm Hg)Approximately 20 (water)Vapour density:Approximately 0.6 (water)

Specific gravity or density (water = 1 at 4 °C): 1.0 g/cm³@ 20 °C

Solubility in water:

Partition coefficient – n-octanol/water:

Auto-ignition temperature:

Not available

Not available

Not available

Viscosity: 1,000-1,400 cps @ 25 °C

SECTION 10 - STABILITY AND REACTIVITY

10a Reactivity:

Not applicable when used as directed.

10b Chemical stability:

Stable at room temperature, in normal handling and storage conditions.

10c Possibility of hazardous reactions:

May react with strong oxidizing agents.

10d Conditions to avoid:

Avoid contact with oxidizing agents.

10e Incompatible materials

Strong acids

10f Hazardous decomposition products:

With strong oxidizing agents.: carbon oxides and other dangerous gases, heat, water vapour.

SECTION 11 - TOXICOLOGICAL INFORMATION

Primary entry route(s): Eye and ingestion.

Eve: May cause irritation, redness, tears, burning sensation.

Skin: Prolonged contact may cause irritation.

Inhalation: No effect expected.

Ingestion: May cause slight irritation, headache, abdominal pain, diarrhoea, nausea and vomiting.

Carcinogenicity: No ingredient listed by IARC as a possible

carcinogen.

Teratogenicity, mutagenicity, other reproductive effects: No applicable information found

Skin sensitization:

No applicable information found

Respiratory tract sensitization:

Synergistic materials:

Other important hazards:

Not available

Not available

Toxicological data: The calculated LD₅₀ for this product is greater than 10,000 mg/Kg, oral, rat; our products are not tested on animals.

Ingredient	LD ₅₀ (route, species)	LC ₅₀ # hours (species)
Ethoxylated alcohol	>2,000 mg/kg (oral, rat)	Not available
	>2,000 mg/kg (dermal, rabbit)	

For more details, refer to Section 3.

SECTION 12 - ECOLOGICAL INFORMATION

12a Ecotoxicity:

TOXICITY (Fish)	Results	Exposure time	Method
Ethoxylated alcohol	5-10 mg/kg	96H	Not available

TOXICITY (Daphnia)	Results	Exposure time	Method
Ethoxylated alcohol	5-10 mg/L	48H	Not available

TOXICITY (Algea)	Results	Exposure time	Method
Ethoxylated alcohol	10-100 mg/L	72H	Not available

12b Persistence and degradability: Product is expected to be readily biodegradable as per OECD 301.

12c Bioaccumulation potential:No bioaccumulation expected

12d Mobility in soil: There is no test data on this product.

12e Other adverse effectNo applicable information found

SECTION 13 - DISPOSAL CONSIDERATIONS

Eliminate according to federal, provincial and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

Transportation of Dangerous Goods (TDG) in Canada:

Not regulated

UN number Not applicable
Proper shipping name: Not applicable
Class: Not applicable
Identification number: Not applicable
Packing group: Not applicable
Special case: Not applicable

Material Safety Data Sheet: RESISTOL DEFOAMER

SECTION 15 - REGULATORY INFORMATION

In Canada

WHMIS information:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and this safety data sheet (SDS) contains all the information required by the HPR.

WHMIS Classification: See section 2a

CEPA information: Ingredients are listed on the DSL inventory.

SECTION 16 - OTHER INFORMATION

Date of latest revision 2016-08-30

References:

1. Manufacturer'/suppliers' MSDS.

2. Occupational Exposure Limits for Ontario Workplaces required under Regulation 833

3. International Agency for Research on Cancer Monographs

4. The European Chemicals Agency (ECHA) website.

Abbreviations:

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Service

CEPA Canadian Environmental Protection Act

cps Centipoises

DSL Domestic Substance List

HMIS Hazardous Material Information System
IARC International Agency for Research on Cancer

LC Lethal concentration
LD Lethal Dosage
N/Av Not available
N/Ap Not Applicable

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program (U.S.A.)

OSHA Occupational Safety and Health Administration (U.S.A.)

PEL Permissible Exposure Limit TLV Threshold Limit Value

WHMIS Workplace Hazardous Materials Information System

End of the MSDS