



MATERIAL SAFETY DATA SHEET

Page 1 of 4

AQH00 - AQUA LITE MRX100 (HOMOGENIZED)

1. Product And Company Identification			
Supplier HENRY COMPANY 909 N. Sepulveda Blvd., Suite 650 El Segundo, CA 90245-2724 Company Contact: Technical Services Telephone Number: (800) 486-1278 Web Site: www.henry.com www.bakor.com		Manufacturer HENRY COMPANY 909 N. Sepulveda Blvd., Suite 650 El Segundo, CA 90245-2724 Company Contact: Technical Services Telephone Number: (800) 486-1278 Web Site: www.henry.com www.bakor.com	
Supplier Emergency Contacts & Phone Number CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666		Manufacturer Emergency Contacts & Phone Number CHEMTREC: (800) 424-9300 CHEMTREC: (703) 527-3887 CANUTEC: (613) 996-6666	
 Issue Date: 09/22/2010 Product Name: AQH00 - AQUA LITE MRX100 (HOMOGENIZED) Product Code: AQH00			
2. Composition/Information On Ingredients			
Ingredient Name		CAS Number	Percent Of Total Weight
paraffin wax		8002-74-2	30 - 50
polyvinyl alcohol		9002-89-5	1 - 5
sodium lignosulfonate		8061-51-6	1 - 5
water		7732-18-5	40 - 60
EMERGENCY OVERVIEW			
CAUTION! Direct skin and eye contact may cause irritation. Breathing fumes may cause respiratory tract irritation.			
Appearance/Odor: Beige fluid, no odor			
3. Hazards Identification			
Primary Routes(s) Of Entry Inhalation			
Eye Hazards May cause moderate eye irritation (burning, tearing, redness or swelling).			
Skin Hazards May cause skin irritation.			
Ingestion Hazards Not expected.			
Inhalation Hazards Exposure to vapors may cause respiratory tract irritation.			



AQH00 - AQUA LITE MRX100 (HOMOGENIZED)

3. Hazards Identification - Continued

Chronic/Carcinogenicity Effects

None of the ingredients of this product comprising over 0.1% are classified as carcinogenic according to OSHA, National Toxicology Program (NTP), International Agency for Research on Cancer (IARC) or the American Conference of Governmental Industrial Hygienists (ACGIH).

4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

Skin

Remove contaminated clothing and shoes. Wash affected areas with soap and water.

Ingestion

Get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious victim.

Inhalation

Remove the person from the contaminated area to fresh air. Get medical attention immediately.

5. Fire Fighting Measures

Flash Point: >212 °F

Flash Point Method: closed cup

Lower Explosive Limit: not available

Upper Explosive Limit: not available

Fire And Explosion Hazards

Thermal decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors and fumes.

Extinguishing Media

Chemical foam, carbon dioxide (CO₂), dry chemical, or water fog.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Collect and dispose in accordance with applicable regulations. Avoid runoff to waterways and sewers.

7. Handling And Storage

Handling And Storage Precautions

Keep containers tightly closed. Store in a cool, dry, well-ventilated area. Protect from extreme temperatures. KEEP FROM FREEZING. Do not handle or store near heat, strong oxidants or strong acids.

8. Exposure Controls/Personal Protection

Engineering Controls

Use with adequate general and local exhaust ventilation. When used outdoors, stay well away from building air intakes or close and seal the intakes to prevent product from entering building.

Eye/Face Protection

Safety glasses with side shields or goggles recommended.

AQH00 - AQUA LITE MRX100 (HOMOGENIZED)

8. Exposure Controls/Personal Protection - Continued

Skin Protection

Use with chemical-protective gloves made of neoprene to prevent skin contact.

Respiratory Protection

The level of respiratory protection needed should be based on the evaluation of chemical exposures by a health or safety professional. If required, use a NIOSH-approved air purifying respirator with organic vapor cartridge and particulate filter or supplied air respirator.

Occupational Exposure Limits for individual ingredients (if available) are listed below.

Ingredient(s) - Exposure Limits

paraffin wax

ACGIH TLV-TWA 2 mg/m³ (as a fume)

9. Physical And Chemical Properties

Appearance

Beige Fluid

Odor

No Odor

Chemical Type: Mixture

Physical State: Liquid

Boiling Point: 212-220 °F

Specific Gravity: 0.96

Percent Volatiles: 57.7

Vapor Pressure: 760@212°F

Vapor Density: >1

pH Factor: 10.5 - 11.5

Solubility: dispersible

Evaporation Rate: <1

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Incompatible Materials

Avoid contact with strong oxidizing agents and acids.

Hazardous Decomposition Products

Toxic and irritating gases, vapors or fumes of carbon monoxide (CO), carbon dioxide (CO₂).

11. Toxicological Information

Miscellaneous Toxicological Information



Toxicological testing has not been conducted for this product overall.

Ingredient(s) - Toxicological Data

sodium lignosulfonate

LD50 (Oral-Rat) - >12 g/kg

AQH00 - AQUA LITE MRX100 (HOMOGENIZED)

12. Ecological Information									
No specific information available.									
13. Disposal Considerations									
Dispose in accordance with applicable federal, state and local government regulations.									
14. Transport Information									
Ground	Not Restricted								
IMDG	Not Restricted								
IATA	Not Restricted								
15. Regulatory Information									
<u>Ingredient(s) - State Regulations</u> paraffin wax Pennsylvania - Workplace Hazard Massachusetts - Hazardous Substance <u>Canadian Regulatory Information</u> This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. WHMIS Classification: D2B - Toxic									
<u>WHMIS - Canada (Pictograms)</u> <div style="text-align: center; margin-top: 10px;">  </div>									
<u>NFPA</u> <div style="text-align: center; margin-top: 10px;">  </div>	<u>HMIS</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 5px;">HEALTH</td> <td style="text-align: center; width: 50px;">1</td> </tr> <tr> <td style="padding: 2px 5px;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="padding: 2px 5px;">REACTIVITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="padding: 2px 5px;">PERSONAL PROTECTION</td> <td style="width: 50px;"></td> </tr> </table>	HEALTH	1	FLAMMABILITY	0	REACTIVITY	0	PERSONAL PROTECTION	
HEALTH	1								
FLAMMABILITY	0								
REACTIVITY	0								
PERSONAL PROTECTION									
16. Other Information									
<u>Revision/Preparer Information</u> This MSDS Supersedes A Previous MSDS Dated: 02/11/2008									
Disclaimer									
Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).									