



MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/28/2008
DATE PRINTED: 11/11/2008

REVISION NUMBER: 4
PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **AUTO SPRAY-WAX**
PRODUCT CODE: 118720

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
Information: 585-336-2200
Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Low toxicity. This product has laxative properties and may result in abdominal cramps and diarrhea. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.

SKIN CONTACT: Causes mild skin irritation.

INHALATION: May be harmful if inhaled.

EYE CONTACT: May cause mild eye irritation.

CHRONIC EFFECTS: Prolonged or repeated inhalation of high concentration of mist may cause a benign form of pulmonary fibrosis.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Ethylene glycol butyl ether 111-76-2	1 - 5	20 ppm	240 mg/m ³ 50 ppm
Hexylene Glycol 107-41-5	1 - 5	NA	NA

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Aspiration hazard. Rinse mouth with water many times. Drink one or two glasses of water. Get medical attention. Never give anything by mouth to an unconscious person.

SKIN: Wash with soap and water. Get medical attention if irritation persists. Remove contaminated clothing and laundry before reuse.

INHALATION: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTES TO PHYSICIAN: None.

AUTO SPRAY-WAX

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): NONE (C): NA
METHOD: PMCC

FLAMMABLE LIMITS IN AIR

- LOWER (%): NA
- UPPER (%): NA

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE:

SUITABLE EXTINGUISHING MEDIA:

FIRE FIGHTING PROCEDURES:

NO

Sensitivity to static discharge is not expected.

Water. Carbon dioxide. Dry chemical. Alcohol foam.

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Mop up all possible. Rinse down drain.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS: NA

ENVIRONMENTAL PRECAUTIONS: NA

METHODS FOR CLEANING UP: NA

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

Keep out of reach of children.

OTHER PRECAUTIONS:

None.

SPECIFIC USE(S):

NA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

None required.

PROTECTIVE GLOVES:

Chemical resistant gloves.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION
EQUIPMENT:

Appropriate protective clothing as needed to prevent skin contact.

VENTILATION:

None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear. Yellow. Brown. Liquid. Lemon odor.

BOILING POINT (F):

212°F

(C) NA

VAPOR PRESSURE:

NE

VAPOR DENSITY (AIR=1):

NE

SOLUBILITY IN WATER:

COMPLETE

SPECIFIC GRAVITY:

0.96 - 0.97

AUTO SPRAY-WAX

9. PHYSICAL AND CHEMICAL PROPERTIES

VOC Content (%): 4.7
VOV Content (%): NE
EVAPORATION RATE: Similar to water
PH: 5 - 6

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Hydrogen halides
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidents, such as nitric acid, or hypochlorites.
CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE
EFFECTS OF CHRONIC EXPOSURE: NE
OTHER TOXIC EFFECTS: NE

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: NA
PERSISTENCE/DEGRADABILITY: NA
BIOACCUMULATIVE POTENTIAL: NA
OTHER ADVERSE EFFECTS: NA

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed	Listed	Listed	Not Listed
Hexylene Glycol 107-41-5	1 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Ethylene glycol butyl ether 111-76-2	1 - 5	Not Listed	Not Listed	Listed
Hexylene Glycol 107-41-5	1 - 5	Not Listed	Not Listed	Not Listed

AUTO SPRAY-WAX

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Hexylene Glycol 107-41-5	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Hexylene Glycol 107-41-5	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Hexylene Glycol 107-41-5	1 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Ethylene glycol butyl ether 111-76-2	1 - 5	Listed
Hexylene Glycol 107-41-5	1 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***