

according to Regulation (EC) No. 1907/2006

Revision Date 21.05.2020

Version 5.7

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

REACH Registration

Number

01-2119471330-49-XXXX

CAS-No. 67-64-1

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

In compliance with the conditions described in the annex to

this safety data sheet.

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49

6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in

number your country.

# **SECTION 2. Hazards identification**

# 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Flammable liquid, Category 2, H225 Eye irritation, Category 2, H319

Specific target organ toxicity - single exposure, Category 3, Central nervous system,

H336

For the full text of the H-Statements mentioned in this Section, see Section 16.



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms





# Signal word Danger

### Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

### Precautionary statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P240 Ground/bond container and receiving equipment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

# Reduced labelling (≤125 ml)

Hazard pictograms





Signal word Danger

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

*Index-No.* 606-001-00-8

#### 2.3 Other hazards

None known.

# SECTION 3. Composition/information on ingredients

#### 3.1 Substance

Formula CH<sub>3</sub>COCH<sub>3</sub> C<sub>3</sub>H<sub>6</sub>O (Hill)

Index-No. 606-001-00-8

Page 2 of 24



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

EC-No. 200-662-2 Molar mass 58,08 g/mol

# Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration Classification

number

acetone (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

67-64-1 01-2119471330-

49-XXXX Flammable liquid, Category 2, H225

Eye irritation, Category 2, H319

Specific target organ toxicity - single exposure, Category

3, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

### **SECTION 4. First aid measures**

# 4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

Risk of corneal clouding.

Drying-out effect resulting in rough and chapped skin.

irritant effects, Drowsiness, Dizziness, narcosis, Nausea, Vomiting,

Stomach/intestinal disorders, Headache, somnolence, Salivation, Coma

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Merck

according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

# 5.2 Special hazards arising from the substance or mixture

Combustible.

Pay attention to flashback.

Forms explosive mixtures with air at ambient temperatures.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6. Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

## **SECTION 7. Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.



# according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Protected from light.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

### **SECTION 8. Exposure controls/personal protection**

# 8.1 Control parameters

## **Derived No Effect Level (DNEL)**

Worker DNEL, acute	Local effects	inhalation	2420 mg/m³
Worker DNEL, longterm	Systemic effects	dermal	186 mg/kg Body weight
Worker DNEL, longterm	Systemic effects	inhalation	1210 mg/m³
Consumer DNEL, longterm	Systemic effects	dermal	62 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	inhalation	200 mg/m <sup>3</sup>
Consumer DNEL, longterm	Systemic effects	oral	62 mg/kg Body weight

# **Predicted No Effect Concentration (PNEC)**

PNEC Fresh water	10,6 mg/l
PNEC Marine water	1,06 mg/l
PNEC Fresh water sediment	30,4 mg/kg
PNEC Marine sediment	3,04 mg/kg
PNEC Soil	29,5 mg/kg
PNEC Sewage treatment plant	100 mg/l

# 8.2 Exposure controls

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

### **Individual protection measures**

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material: butyl-rubber Glove thickness: 0,7 mm Break through time: 480 min

splash contact:

Glove material: natural latex
Glove thickness: 0,6 mm
Break through time: 10 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated. Recommended Filter type: Filter AX (EN 371)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

# **Environmental exposure controls**

Do not let product enter drains.

Risk of explosion.

### **SECTION 9. Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Merck

# according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Odour fruity

Odour Threshold 0,1 - 662,5 ppm

pH 5 - 6

at 395 g/l 20 °C

Melting point -95,4 °C

Boiling point/boiling range 56,2 °C

at 1.013 hPa

Flash point < -20 °C

Method: DIN 51755 Part 1

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 2,6 %(V)

Upper explosion limit 12,8 %(V)

Vapour pressure 233 hPa

at 20 °C

Relative vapour density 2,01

Density 0,79 g/cm<sup>3</sup>

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

log Pow: -0,24 (experimental)

Bioaccumulation is not expected. (Lit.)

Auto-ignition temperature No information available.

Decomposition temperature Distillable in an undecomposed state at normal

pressure.

Viscosity, dynamic 0,32 mPa.s

at 20 °C

Explosive properties Not classified as explosive.



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Oxidizing properties none

9.2 Other data

Ignition temperature 465 °C

DIN 51794

Conductivity  $0,01 \mu S/cm$ 

at 20 °C

# **SECTION 10. Stability and reactivity**

## 10.1 Reactivity

Vapours may form explosive mixture with air.

# 10.2 Chemical stability

Sensitivity to light Sensitive to air.

### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

chromosulfuric acid, chromyl chloride, ethanolamine, Fluorine, Strong oxidizing agents, strong reducing agents, Nitric acid, chromium(VI) oxide

Risk of explosion with:

nonmetallic oxyhalides, halogen-halogen compounds, Chloroform, nitrating acid, nitrosyl compounds, hydrogen peroxide, halogen oxides, organic nitro compounds, peroxi compounds

Exothermic reaction with:

Bromine, Alkali metals, alkali hydroxides, Halogenated hydrocarbon, Sulphur dichloride, phosphorous oxichloride

# 10.4 Conditions to avoid

Warming.

# 10.5 Incompatible materials

rubber, various plastics

# 10.6 Hazardous decomposition products

no information available

### **SECTION 11. Toxicological information**

### 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 5.800 mg/kg

(ECHA)

Symptoms: Stomach/intestinal disorders, Risk of aspiration upon vomiting., Pulmonary failure possible after aspiration of vomit.

Merck

# according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Acute inhalation toxicity

LC50 Rat: 76 mg/l; 4 h; vapour

(Lit.)

Symptoms: mucosal irritations

Acute dermal toxicity

LD50 Rabbit: 20.000 mg/kg

(IUCLID) Skin irritation Rabbit

Result: No irritation

(External MSDS)

Repeated exposure may cause skin dryness or cracking.

Eye irritation Rabbit

Result: Eye irritation

(External MSDS)

Causes serious eye irritation.

Risk of corneal clouding.

Sensitisation

Maximisation Test Guinea pig

Result: negative

(ECHA)

Germ cell mutagenicity Genotoxicity in vivo Micronucleus test Result: negative

(National Toxicology Program)

Genotoxicity in vitro

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

Method: OECD Test Guideline 473

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Carcinogenicity

Did not show carcinogenic effects in animal experiments. (IUCLID)

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Target Organs: Central nervous system

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

### 11.2 Further information

After absorption:

Headache, Salivation, Nausea, Vomiting, Dizziness, narcosis, Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12. Ecological information**

## 12.1 Toxicity

Toxicity to fish

LC50 Oncorhynchus mykiss (rainbow trout): 5.540 mg/l; 96 h

(Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 6.100 mg/l; 48 h

(Lit.)

EC5 E.sulcatum: 28 mg/l; 72 h

(maximum permissible toxic concentration) (Lit.)

Toxicity to algae

NOEC M.aeruginosa: 530 mg/l; 8 d

Analytical monitoring: no

DIN 38412

(maximum permissible toxic concentration) (IUCLID)

Toxicity to bacteria

EC50 activated sludge: 59 - 67,4 mg/l; 30 min

(Lit.)

EC5 Pseudomonas putida: 1.700 mg/l; 16 h

(maximum permissible toxic concentration) (IUCLID)

# 12.2 Persistence and degradability

Biodegradability

91 %; 28 d

(IUCLID)

Readily biodegradable

Biochemical Oxygen Demand (BOD)

1.850 mg/g (5 d)

(IUCLID)



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Chemical Oxygen Demand (COD)

2.070 mg/g

(IUCLID)

Theoretical oxygen demand (ThOD)

2.200 mg/g

(Lit.)

# 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -0,24 (experimental)

Bioaccumulation is not expected. (Lit.)

## 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

### 12.6 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14. Transport information**

## Land transport (ADR/RID)

**14.1 UN number** UN 1090 **14.2 Proper shipping** ACETONE

name

**14.3 Class** 3 **14.4 Packing group** II **14.5 Environmentally** --

hazardous

14.6 Special precautions yes

for user

Tunnel restriction code D/E

# Inland waterway transport (ADN)

Not relevant

Air transport (IATA)



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

**14.1 UN number** UN 1090 **14.2 Proper shipping** ACETONE

name

14.3 Class314.4 Packing groupII14.5 Environmentally--

hazardous

14.6 Special precautions no

for user

Sea transport (IMDG)

**14.1 UN number** UN 1090 **14.2 Proper shipping** ACETONE

name

14.3 Class314.4 Packing groupII14.5 Environmentally--

hazardous

14.6 Special precautions yes

for user

EmS F-E S-D

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

### **SECTION 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation FLAMMABLE LIQUIDS

P5c

Quantity 1: 5.000 t Quantity 2: 50.000 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young

people at work.

Regulation (EC) No 1005/2009 on substances not regulated

that deplete the ozone layer

Regulation (EC) No 850/2004 of the not regulated

European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

and amending Directive 75/117/LLC



# according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Substances of very high concern (SVHC) This product

3

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq 0.1$  % (w/w).

National legislation Storage class

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16. Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

### Training advice

Provide adequate information, instruction and training for operators.

### Labelling

Hazard pictograms





# Signal word Danger

## Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

# Precautionary statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Merck

according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

### **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

# **EXPOSURE SCENARIO 1 (Industrial use)**

## 1. Industrial use Reagent for analysis)

#### Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial

sites

SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

### **Chemical product category**

PC21 Laboratory chemicals

### **Process categories**

*PROC1* Use in closed process, no likelihood of exposure

PROC2 Use in closed, continuous process with occasional controlled exposure

*PROC3* Use in closed batch process (synthesis or formulation)

PROC4 Use in batch and other process (synthesis) where opportunity for exposure

arises

PROC5 Mixing or blending in batch processes for formulation of preparations and

articles (multistage and/ or significant contact)

PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/

large containers at non-dedicated facilities

PROC8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/

large containers at dedicated facilities

PROC9 Transfer of substance or preparation into small containers (dedicated filling line,

including weighing)

PROC10 Roller application or brushing

PROC14 Production of preparations or articles by tabletting, compression, extrusion,

pelletisation

PROC15 Use as laboratory reagent

### **Environmental Release Categories**

ERC1 Manufacture of substances ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of

intermediates)

ERC6b Industrial use of reactive processing aids

### 2. Contributing scenarios: Operational conditions and risk management measures

### 2.1 Contributing scenario controlling environmental exposure for: ERC1

### **Amount used**

Annual amount per site 10550 t

Daily amount per site (Msafe) 29,31 t

### **Environment factors not influenced by risk management**

Flow rate 18.000 m3/d

Page 15 of 24



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per

360

year

Emission or Release Factor: 5 %

Air

Emission or Release Factor: 6 %

Water

Emission or Release Factor: 0,01 %

Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment

Default industrial size

Plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

Effectiveness (of a measure)

88 %

### 2.2 Contributing scenario controlling environmental exposure for: ERC2

**Amount used** 

Annual amount per site 31650 t

Daily amount per site (Msafe) 87,92 t

**Environment factors not influenced by risk management** 

Flow rate 18.000 m3/d

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per

360

year

Emission or Release Factor: 2,5 %

Aır

Emission or Release Factor: 2 %

Water

Emission or Release Factor: 0,01 %

Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment

Default industrial size

Plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

Effectiveness (of a measure) 88 %

### 2.3 Contributing scenario controlling environmental exposure for: ERC6a

Page 16 of 24



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

**Amount used** 

Annual amount per site 31650 t

Daily amount per site (Msafe) 87,92 t

**Environment factors not influenced by risk management** 

Flow rate 18.000 m3/d

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per

360

year

Emission or Release Factor:

5 %

Air

Emission or Release Factor:

2 %

Water

Emission or Release Factor:

1 %

Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment

Default industrial size

Plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

Effectiveness (of a measure) 88 %

# 2.4 Contributing scenario controlling environmental exposure for: ERC6b

**Amount used** 

Annual amount per site 12660 t

Daily amount per site (Msafe) 35,17 t

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per 360

vear

Emission or Release Factor: 0,1 %

Air

Emission or Release Factor: 5 %

Water

Emission or Release Factor: 0,02 %

Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Default industrial size

Page 17 of 24



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

Effectiveness (of a measure) 88 %

# 2.5 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15

### **Product characteristics**

Concentration of the Covers the percentage of the substance in the product

Substance in Mixture/Article up to 100 % (unless stated differently).

Physical Form (at time of use) High volatile liquid

Frequency and duration of use

Frequency of use 8 hours/day

# Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with good general ventilation

# Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Use suitable eye protection.

### Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice Wear suitable gloves tested to EN374.

advice

# 3. Exposure estimation and reference to its source

### **Environment**

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC1	29,31 t/day	Fresh water	1	EUSES
2.2	ERC2	87,92 t/day	Fresh water	1	EUSES
2.3	ERC6a	87,92 t/day	Fresh water	1	EUSES
2.4	ERC6b	35,17 t/day	Fresh water	1	EUSES



# according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

### **Workers**

CS	Use descriptor	Exposure duration, route, effect RCR		Exposure Assessment Method
2.5	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA 3
		longterm, dermal, systemic	< 0,01	ECETOC TRA 3
		longterm, combined, systemic	< 0,01	
2.5	PROC2	longterm, inhalative, systemic	0,10	ECETOC TRA 3
		longterm, dermal, systemic	0,01	ECETOC TRA 3
		longterm, combined, systemic	0,11	
2.5	PROC3	longterm, inhalative, systemic	0,20	ECETOC TRA 3
		longterm, dermal, systemic	< 0,01	ECETOC TRA 3
		longterm, combined, systemic	0,20	
2.5	PROC4	longterm, inhalative, systemic	0,20	ECETOC TRA 3
		longterm, dermal, systemic	0,04	ECETOC TRA 3
		longterm, combined, systemic	0,24	
2.5	PROC5	longterm, inhalative, systemic	0,50	ECETOC TRA 3
		longterm, dermal, systemic	0,07	ECETOC TRA 3
		longterm, combined, systemic	0,57	
2.5	PROC8a	longterm, inhalative, systemic	0,50	ECETOC TRA 3
		longterm, dermal, systemic	0,07	ECETOC TRA 3
		longterm, combined, systemic	0,57	
2.5	PROC8b	longterm, inhalative, systemic	0,30	ECETOC TRA 3
		longterm, dermal, systemic	0,04	ECETOC TRA 3
		longterm, combined, systemic	0,34	
2.5	PROC9	longterm, inhalative, systemic	0,40	ECETOC TRA 3
		longterm, dermal, systemic	0,04	ECETOC TRA 3
		longterm, combined, systemic	0,44	
2.5	PROC10	longterm, inhalative, systemic	0,50	ECETOC TRA 3
		longterm, dermal, systemic	0,15	ECETOC TRA 3
		longterm, combined, systemic	0,65	
2.5	PROC14	longterm, inhalative, systemic	0,10	ECETOC TRA 3
		longterm, dermal, systemic	< 0,01	ECETOC TRA 3
		longterm, combined, systemic	0,10	
2.5	PROC15	longterm, inhalative, systemic	0,10	ECETOC TRA 3
		longterm, dermal, systemic	< 0,01	ECETOC TRA 3
		longterm, combined, systemic	0,10	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

For scaling of environmental exposure assessments, please refer to the ECT tool at http://www.reachcentrum.eu/consortium/phenol-derivatives-reach-consortium-149.html



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

### **EXPOSURE SCENARIO 2 (Professional use)**

### 1. Professional use Reagent for analysis)

### **Sectors of end-use**

SU 22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

### **Chemical product category**

PC21 Laboratory chemicals

## **Process categories**

PROC15 Use as laboratory reagent

## **Environmental Release Categories**

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of

intermediates)

ERC6b Industrial use of reactive processing aids

### 2. Contributing scenarios: Operational conditions and risk management measures

# 2.1 Contributing scenario controlling environmental exposure for: ERC2

#### Amount used

Annual amount per site 31650 t

Daily amount per site (Msafe) 87,92 t

## **Environment factors not influenced by risk management**

Flow rate 18.000 m3/d

Dilution Factor (River) 10

# Other given operational conditions affecting environmental exposure

Number of emission days per 360

year

Emission or Release Factor: 2,5 %

Air

Emission or Release Factor: 2 %

Water

Emission or Release Factor: 0,01 %

Soil

# Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Default industrial size

Plant

Flow rate of sewage treatment 2.000 m3/d

plant effluent

Effectiveness (of a measure) 88 %

### 2.2 Contributing scenario controlling environmental exposure for: ERC6a



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

**Amount used** 

31650 t Annual amount per site

Daily amount per site (Msafe) 87,92 t

**Environment factors not influenced by risk management** 

18.000 m3/d Flow rate

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per

360

vear

Air

5 % Emission or Release Factor:

Emission or Release Factor: 2 %

Water

Emission or Release Factor: 1 %

Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Default industrial size

Plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

Effectiveness (of a measure) 88 %

# 2.3 Contributing scenario controlling environmental exposure for: ERC6b

**Amount used** 

Annual amount per site 12660 t

Daily amount per site (Msafe) 35,17 t

**Environment factors not influenced by risk management** 

Flow rate 18.000 m3/d

Dilution Factor (River) 10

Other given operational conditions affecting environmental exposure

Number of emission days per 360

Emission or Release Factor: 0,1 %

Air

5 % Emission or Release Factor:

Water

Emission or Release Factor: 0,02 %

Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Default industrial size

Page 22 of 24



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

Plant

Flow rate of sewage treatment

2.000 m3/d

plant effluent

Effectiveness (of a measure) 88 %

# 2.4 Contributing scenario controlling worker exposure for: PROC15

### **Product characteristics**

Concentration of the Covers the percentage of the substance in the product

Substance in Mixture/Article up to 100 % (unless stated differently).

Physical Form (at time of use) High volatile liquid

### Frequency and duration of use

Frequency of use 8 hours/day

# Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with good general ventilation

### Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Use suitable eye protection.

# Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice Wear suitable gloves tested to EN374.

advice

## 3. Exposure estimation and reference to its source

# **Environment**

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2	87,92 t/day	Fresh water	1	EUSES
2.2	ERC6a	87,92 t/day	Fresh water	1	EUSES
2.3	ERC6b	35,17 t/day	Fresh water	1	EUSES

# Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.4	PROC15	longterm, inhalative, systemic	0,10	ECETOC TRA 3
		longterm, dermal, systemic	< 0,01	ECETOC TRA 3
		longterm, combined, systemic	0,10	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).



according to Regulation (EC) No. 1907/2006

Catalogue No. 107021

Product name Acetone for analysis EMPARTA® ACS

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

For scaling of environmental exposure assessments, please refer to the ECT tool at http://www.reachcentrum.eu/consortium/phenol-derivatives-reach-consortium-149.html

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

