



Acetylene, dissolved

## **Section 1: Product and Company Identification**

Oxarc, Inc. 4003 E. Broadway Ave. Spokane, WA 99202 1-800-765-9055

Product Code: Acetylene, dissolved

## **Section 2: Hazards Identification**



#### Hazard Classification:

Flammable (Category 1) Gases Under Pressure

#### Hazard Statements:

Contains gas under pressure; may explode if heated Extremely flammable gas

### **Precautionary Statements**

#### Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### Response:

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

#### Storage:

Protect from sunlight. Store in well-ventilated place.

# Section 3: Composition/Information on Ingredients



| Chemical Substance | Chemical Family          | Trade Names   |
|--------------------|--------------------------|---|
| ACETYLENE,         | Hydrocarbons, Aliphatic, | ACETYLENE; ETHYNE; WELDING GAS; ACETYLEN; ETHINE; NARCYLEN; |
| DISSOLVED          | Unsaturated              | VINYLENE; UN 1001; C2H2                                     |

## **Section 4: First Aid Measures**

| Skin Contact  | Eye Contact  | Ingestion  | Inhalation   | Note to<br>Physicians            |
|---|--|--|--|----------------------------------|
| Gas: Not applicable. Liquid: If it is safe to do so, remove victim to an uncontaminated area, and place them in a comfortable position to wait for medical attention. Immediately remove contaminated clothes and shoes. Cleanse the affected skin areas thoroughly with soap under running water for 15 minutes. Seek medical treatment. | Gas: Not applicable. Liquid: Rinse the affected eye thoroughly for 10 minutes under running water. Seek immediate medical treatment. | Swallowing is not a<br>likely route of<br>exposure. Seek<br>medical treatment.<br>Do not induce<br>vomiting. | If it is safe to do so, remove victim to fresh air, and place them in a comfortable position to wait for medical attention. Administer oxygen or artificial respiration if breathing is difficult. Seek immediate medical treatment. | For inhalation, consider oxygen. |

## **Section 5: Fire Fighting Measures**

| Suitable Extinguishing Media   | Products of<br>Combustion | Protection of Firefighters  |
|--|---------------------------|---|
| Carbon dioxide, regular dry chemical Large fires: Use regular foam or flood with fine water spray. | Oxides of carbon          | <ul> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> <li>Any self-contained breathing apparatus with a full facepiece.</li> </ul> |

# Section 6: Accidental Release Measures

| Personal Precautions   | Environmental Precautions                                 | Methods for Containment  |
|--|---|--|
| Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. | Avoid heat, flames, sparks and other sources of ignition. | Stop leak if possible without personal risk. Reduce vapors with water spray, Remove sources of ignition. |

| Methods for Cleanup  | Other Information |
|--|-------------------|
| Evacuate, stop leak if possible. Remove sources of ignition. | None              |

# Section 7: Handling and Storage

| Handling  | Storage  |
|---|--|
| Keep container tightly closed in a locked area. Protect from sunlight.    | Always handle in a well ventilated area. Use only in closed systems. |
| Protect from ignition sources. Secure cylinders upright to keep them from | Open valve slowly. Close cylinder valve after each use; keep closed  |
| falling or being knocked over. Store only where temperature will not      | even when empty. Avoid contact with skin and eyes. Keep away from    |
| exceed 125 degrees F (52 degrees C).                                      | heat and ignition sources.   |

## **Section 8: Exposure Controls/Personal Protection**

### **Exposure Guidelines**

ACETYLENE, DISSOVED: ACETYLENE: ACGIH (simple asphyxiant) 2500 ppm (2662 mg/m3) NIOSH recommended ceiling

### **Engineering Controls**

Handle only in fully enclosed systems.

| Eye Protection  | Skin Protection           | Respiratory Protection                   |
|---|---------------------------|--|
| Wear splash resistant safety goggles with a face shield. Provide an | Wear appropriate chemical | Respiratory protection may be needed for |
| emergency eye wash fountain and shower in work area.                | resistant clothing.       | frequent or heavy exposure.              |

### General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

### Section 9: Physical and Chemical Properties

| Physical State | Appearance | Color     | Change in Appearance | Physical Form | Odor       | Taste |
|----------------|------------|-----------|----------------------|---------------|------------|-------|
| Gas            | Colorless  | Colorless | N/A                  | Liquefied gas | Sweet odor | N/A   |

| Flash Point  | Flammability | Partition<br>Coefficient  | Autoignition<br>Temperature | Upper Explosive Limits  | Lower<br>Explosive<br>Limits |
|--|--------------|---|-----------------------------|---|------------------------------|
| Flammable gas. Can be ignited at all normal temperatures. A flash point of 0 F (-18 C) (CC) has been reported. |              | 2691.53 (log =<br>3.44) (estimated<br>from water<br>solubility) | 581 F (305 C)               | 81%; 100% if there is a substantial energy ignition source, and under certain conditions of pressure, container size and shape. | 0.025                        |

| Boiling<br>Point  | Freezing<br>Point | Vapor<br>Pressure      | Vapor<br>Density | Specific<br>Gravity | Water<br>Solubility | рН                | Odor<br>Threshold  | Evaporation Rate  | Viscosity          |
|---|-------------------|------------------------|------------------|---------------------|---------------------|-------------------|--|-------------------|--------------------|
| -103 F<br>(-75 C)<br>@ 170<br>kPa<br>abs<br>(24.7<br>psi abs)<br>or 69<br>kPa<br>gage<br>(10 psi<br>gage) | Not<br>available  | 760<br>mmHg @<br>-84 C | 0.9<br>(Air=1)   | Not<br>applicable   | 0.94% @<br>25 C     | Not<br>applicable | 240 mg/m3<br>(226 ppm)<br>(detection)<br>(4); 657<br>mg/m3<br>(620 ppm)<br>(not<br>specified)<br>(8) 1300-<br>2750<br>mg/m3<br>(1222-2585<br>ppm) (not<br>specified) | Not<br>applicable | 0.010 cP<br>@ 20 C |

| Molecular<br>Weight | Molecular<br>Formula | Density             | Weight per<br>Gallon | Volatility by<br>Volume | Volatility        | Solvent Solubility                           |
|---------------------|----------------------|---------------------|----------------------|-------------------------|-------------------|--|
| 26.04               | H-C-C-H              | 1.1747 g/L @<br>0 C | Not available        | Not available           | Not<br>applicable | Soluble: Acetone, benzene, chloroform, ether |

## Section 10: Stability and Reactivity

| Stability  | Conditions to Avoid  | Incompatible Materials  |
|--|--|---|
| May decompose violently on heating. May explode when heated. | May decompose violently on heating. May explode when heated. | Metals, halogens, oxidizing materials, metal carbide, reducing agents, halo carbons<br>BRASS. CALCIUM HYPOCHLORITE, COPPER, MERCURY AND SILVER SALTS,<br>HALOGENS, HEAVY METALS, HYDRIDES, LIQUID NITROGEN, NITRIC ACID,<br>OXYGEN, OZONE, PERCHLORIC ACID, POTASSIUM |

Oxarc, Inc.

| Hazardous Decomposition Products | Possibility of Hazardous Reactions   |
|----------------------------------|--|
| Hydrogen                         | Polymerizes with evolution of heat. Avoid contact with curing agents, accelerators, and/or initiators. |

## **Section 11: Toxicology Information**

### Acute Effects

| Oral LD50          | Dermal<br>LD50     | Inhalation   |
|--------------------|--------------------|--|
| Not<br>established | Not<br>established | Central nervous system depression, difficulty breathing, asphyxiant nausea, vomiting, chest pain, wheezing, headache, drowsiness, dizziness, loss of coordination, bluish skin color, suffocation, lung congestion, coma |

| Eye Irritation                                | Skin Irritation | Sensitization |
|---|-----------------|---------------|
| No information on significant adverse effects | Rash            |               |

### **Chronic Effects**

| Carcinogenicity | Mutagenicity    | Reproductive Effects | Developmental Effects |
|-----------------|-----------------|----------------------|-----------------------|
| Not established | Not established | Not established      | No data               |

## Section 12: Ecological Information

### Fate and Transport

| Eco toxicity  | Persistence / Degradability   | Bioaccumulation / Accumulation                             | Mobility in Environment                                 |
|---|---|--|---|
| Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available available other toxicity: Not available | Relatively non-persistent in the environment. Highly volatile from water. | Accumulates very little in the bodies of living organisms. | Not expected to leach through the soil or the sediment. |

# Section 13: Disposal Considerations

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001. D003.

## **Section 14: Transportation Information**


### U.S. DOT 49 CFR 172.101

| Proper<br>Shipping<br>Name | ID<br>Number | Hazard<br>Class or<br>Division | Packing<br>Group | Labeling<br>Requirements | Passenger Aircraft<br>or Railcar Quantity<br>Limitations | Cargo Aircraft<br>Only Quantity<br>Limitations | Additional<br>Shipping<br>Description |
|----------------------------|--------------|--------------------------------|------------------|--------------------------|--|--|---------------------------------------|
| Acetylene,<br>dissolved    | UN1001       | 2.1                            | Not applicable   | 2.1                      | Forbidden  | 15 kg  | N/A                                   |

### Canadian Transportation of Dangerous Goods

| Shipping Name        | UN Number | Class | Packing Group / Risk Group |
|----------------------|-----------|-------|----------------------------|
| Acetylene, dissolved | UN1001    | 2.1   | Not applicable             |





# Section 15: Regulatory Information

U.S. Regulations

| CERCLA Sections | SARA 355.30    | SARA 355.40    |
|-----------------|----------------|----------------|
| Not regulated.  | Not regulated. | Not regulated. |

SARA 370.21

| Acute | Chronic | Fire | Reactive | Sudden Release |
|-------|---------|------|----------|----------------|
| Yes   | No      | Yes  | Yes      | Yes            |

**SARA 372.65** 

Not regulated.

**OSHA Process Safety** 

Not regulated.

State Regulations

CA Proposition 65

Not regulated.

Canadian Regulations

WHMIS Classification

A, B1

**National Inventory Status** 

| US Inventory (TSCA)  | TSCA 12b Export Notification | Canada Inventory (DSL/NDSL) |
|----------------------|------------------------------|-----------------------------|
| Listed on inventory. | Not listed.                  | Not determined.             |

## Section 16: Other Information

NFPA Rating

HEALTH=1 FIRE=4 REACTIVITY=3

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Oxarc, Inc.

page 5 of 5

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

Generated: 06/12/2018 11:29:11

|  | , . |
|--|-----|
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  |     |
|  | The |
|  | 120 |
|  |     |
|  |     |
|  |     |