

Report 28-May-15 Date

Page 1 of 4

Identification

Product Name : AdSpray 80 Synonyms: None

Product Use: Nonionic Surfactant Manufacturer/Supplier: Helena Chemical Company

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number: CHEMTREC:800-424-9300

Hazard Identification

Signal Word: Warning

Skin Irritation: Prolonged skin contact may cause mild irritation. **Eye Irritation**: Direct eye contact with liquid may cause irritation.

Acute Toxicity Oral : No data available Acute Toxicity Dermal : No data available

Hazard Categories: Eye/Skin irritation - 2B/3; Oral/Dermal/Inhalation Toxicity - 5/5/5;

Combustible Liquid - 4

Hazard Statement : May be harmful if swallowed

May be harmful in contact with skin

May be harmful if inhaled Causes mild skin irritation Causes eye irritation Combustible liquid

Composition / Information on Ingredients

CAS Number Weight % Component Alkylphenol Ethoxylate, 1,2-Propane Proprietary 80.00 Diol, and Alcohol Ethoxylate Other ingredients Nonhazardous 20.00

First Aid Measures

Eye: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth to mouth, if possible.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have

person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth if

unconscious.

Attention and Special Treatment

Needed

Indication of Immediate Medical : Treat symptomatically.

Fire Fighting Measures

Extinguishing Media: Use water spray, foam solution or carbon dioxide extinguishing agents.



Report Date 28-May-15

Page 2 of 4

Specific Hazards Arising from the : Can be dangerous when exposed to extreme heat and flame. Do not breathe

Chemical mist/vapors/spray.

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures

Personal Precautions : Isolate area. Keep unprotected and unnecessary personnel out of spill area.

Protective Equipment: Chemical goggles or face shield, boots, apron or full body suit, nitrile or rubber gloves. Use NIOSH-approved respirator when needed. Safety shower should be

available in work area.

Emergency Procedures : Keep upwind of spill. Spilled material may cause a slipping hazard. Ventilate

area of leak or spill.

Methods and Materials for : Stop the flow of material, if this is without risk. Collect and dispose of spillage

Containment and Cleanup properly. Prevent entry into waterways, sewers, basements or confined areas.

7. Handling and Storage

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and again before leaving work. Handle in accordance with

good industrial hygiene and safety procedures.

Conditions for Safe Storage : Store in original container only. Do not store near heat or open flame. Do not

store with oxidizing agents or ammonium nitrate.

8. Exposure Controls / Personal Protection

TLV/PEL: No information found

Appropriate Engineering Controls : Local exhaust ventilation may be needed.

Personal Protective Equipment : Chemical goggles or face shield, boots, apron or full body suit, nitrile or rubber

gloves. Use NIOSH-approved respirator when needed. Safety shower should be

available in work area.

9. Physical and Chemical Properties

Odor/Appearance: Slightly hazy amber liquid with alcohol odor.

Flash Point, °F : 175 to 180 Degrees F.

Boiling Point, ⁰F : 212 Degrees F.

Melting Point(Freezing point), ⁰C : <40 Degrees F.

Vapor Pressure, mm Hg @ 20 ⁰C : No information found

Vapor Density: No information found

Solubility in Water : Soluble

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 1.024-1.060

Evaporation Rate(Butyl Acetate = : No information found

1)

Octanol/Water Partition : No information found

Coefficient

pH : 5.0-7.0

Flammable Limits (approximate : No information found

volume % in air)

Auto-ignition Temperature : Not available

Decomposition temperature: No information found



Report 28-May-15 Date

Page 3 of 4

10. Stability and Reactivity

Reactivity: No information found.

Chemical Stability: Stable

Hazardous Decomposition: Carbon monoxide and asphyxiants may be emitted under fire conditions.

Products

Hazardous Polymerization: Will not occur

Conditions to Avoid: Avoid extreme temperatures. Incompatible Materials: Store away from oxidizers.

11. Toxicological Information

Acute Toxicity (Oral LD50) : Alcohol ethoxylate >1,300 mg/kg (rat) Acute Toxicity (Dermal LD50) : Alkylphenol exthoxylate 2 g/kg (rabbit)

Acute Toxicity Inhalation LC50 : No information found Likely Routes of Exposure: Skin and eyes. **Skin Irritation**: Mild skin irritation **Eve Irritation**: Eve irritation Skin Sensitization : No data available

Carcinogenic: No data available Chronic Effects: No information found Other Hazards : No information found

12. Ecological Information

Ecotoxicity: Alcohol ethoxylate and Alkylphenol ethoxylate LC50 Algae > 1 mg/L (72-hour

exposure time); EC50 Daphnia > 1 mg/L (48 hour expsoure time); LC50 Fish > 1

mg/L (96 hour exposure time)

Persistence and Degradability: Not established Bioaccumulative Potential: Not established Mobility in Soil: Not available

Other Adverse Effects: Avoid release to open bodies of water.

13. Disposal Considerations

: This material must be disposed of according to Federal, State or Local **Waste Disposal Method**

procedures under the Resource Conservation and Recovery Act.

14. Transport Information

UN Proper Shipping Name : Not regulated by DOT in non-bulk packages. Not regulated by IATA or IMDG.

For DOT bulk packages, ship as Combustible Liquid, n.o.s., (Alcohol

Ethoxylate/Alkylphenol Ethoxylate)

Transport Hazard Class: None UN Identification Number : None Packaging Group: None

Environmental Hazards: No information found

Transport in Bulk : Bulk DOT packages, ship as NA1993, Combustible Liquid, n.o.s., (Alcohol

Ethoxylate/Alkylphenol Ethoxylate), PG III "ERG #128"

Special Precautions for : No information found

Transportation

Freight Classification: Adhesives, Adjuvants, Spreaders or Stickers, N.O.I. (NMFC Item 42652, Class

60)



Report Date 28-May-15

Page 4 of 4

15. Regulatory Information

National Fire Protection :

Association Rating

Health: 1 Fire: 2 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate(Acute) Health: Y Delayed (Chronic) Health: N

Sudden Release of N Pressure:

Fire: Y Reactive: N

16. Other Information

Data of Preparation/Revision: 28-May-2015