

Routes of Entry

Inhalation:

Yes

Eyes / Skin:

Yes

SIMONIZ CARPET & UPHOLSTERY CLEANER S3363012 Quick Identifier (In Plant Common Name) **Material Safety Data Sheet HMIS Symbol: NFPA Symbol:** Simoniz USA, Inc. **HMIS NFPA** 201 Boston Toke 0 Insignificant Minimal Health 1 Reactivity Bolton, CT 06043 Slight 1 Slight Flammability 1 2 Moderate Moderate 3 Serious High 0 Reactivity (770) 433-0210 (8am-5pm;M-F) **Emergency** 4 Extreme Severe Telephone No. (800) 255-3924 24 Hours **NEW Date Prepared:** February 16, 2012 Prepared By: Rurnell Supercedes: **SECTION 1 - IDENTITY** Common Name: (used on label) SIMONIZ CARPET & UPHOLSTERY CLEANER S3363012 (Trade name & Synonyms) **Chemical Name** Mixture packaged in pressurized aerosol spray can. **SECTION 2 - HAZARDOUS INGREDIENTS Principal Hazardous Component(s)** CAS No. **OSHA PEL** ACGIH TLV **Other Limits Propane** 74-98-6 Unknown 1000 ppm 106-97-8 n-Butane Unknown 800 ppm *Section 313 Supplier Notification - Indicates hazardous ingredients which are toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372. SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS **Specific Gravity** Vapor Pressure **Boiling** >100°F 0.990 - 1.00g/mLNo Data (H₂0=1)(Conc) **Point** (Propellant) **Evaporation Rate** % - VOC 5.00% <1.00 pН 9.80 - 10.80(BuAc=1) **Solubility** Appearance Soluble/Insoluble Light straw clear- slightly hazy liquid with a pine odor In Water and Odor **SECTION 4 - FIRE & EXPLOSION DATA Flammability** Non-Flammable Limits Lower **Upper** Extinguisher Water, CO₂, (per flame projection) **Flammable** in Air (Propellants) N/A N/A Media Dry Chemical Keep containers cool using water spray. Use proper equipment to protect personnel from Special Fire **Fighting Procedures** bursting containers. Contents under pressure. Do not expose to temperatures exceeding 120° F as containers **Unusual Fire and Explosion Hazards** may vent, rupture or burst. **SECTION 5 - PHYSICAL HAZARDS** Unstable □ **Conditions** Open Flames: Hazardous May Occur **Stability** Temp. > 120°F. **Polymerization** to Avoid Stable Will not Occur ■ Strong Oxidizers **Incompatibility (Materials to Avoid) Hazardous Decomposition Products** CO, CO₂ **SECTION 6 - HEALTH HAZARDS**

Ingestion:

Unlikely

Signs and Symptoms of Exposure (Acute & Chronic)		individe EYE of pathology organ SKIN historiafter in INGE single	INHALATION: May cause allergic type response in susceptible or hypersensitive individuals upon repeated or prolonged exposure; EYE CONTACT: This material may cause eye irritation. Organisms used are non-pathogenic but can cause infection when in contact with open wounds. These organisms are susceptible to many commonly used antibiotics. SKIN CONTACT: Slight redness on hands and forearms, if individuals has a history of dermal allergic reaction. Dermatitis and skin sensitization can develop after repeated and/or prolonged contact with human skin. INGESTION: No effect if ingested in small amounts. Relative to other materials, a single dose of this product is rarely toxic by ingestion. Irritation of the mouth, pharynx, esophagus and stomach can develop following ingestion.									
Medical Cond Generally Agg by Exposure		Pre-ex	isting skin conditions									
Chemical List or Potential C		nogen	National Toxicology Program	Yes No		I.A.R.C. Monographs	Yes No		OSHA	Yes No		
Emergency an	d First Aid	Proced	ures									
1. Inhalation 2. Eyes	Immediat medical a	ely flus attentior										
3. Skin			inated clothing and foo fore reuse.	twear	. was	sn skin with pien	ty of so	ap an	d water.	wasn c	ciotning	
4. Ingestion		er or m	ilk to dilute. Induce vo	miting	only i	f advised by phy	/sician	or poi	son contro	ol cente	er. Call	
SECTION 7	7 – SPECI	AL PI	ROTECTION INFO)RM	ATIO	N						
Respiratory P (Specify Type) Ventilation			required for normal of			Mechanical (General)	I/A \$	Specia	ı N/A	Othe	er N/A	
Protective Glo	oves Ch	emical	Resistant			Eye P	rotectio	n	Safety G	lasses		
Other Protect	ive Clothing	or Equ	ipment Wash har	nds af	ter us	se.						
SECTION 8	3 – SPECI	AL PI	RECAUTIONS ANI	D SPI	LL/I	EAK PROCE	EDURI	ES				
Precautions to be Taken Handling and Storage			HANDLING: Contents under pressure. Keep out of reach of children. Read label cautions carefully. Follow label directions to avoid injury. Use with adequate ventilation. Keep away from heat, sparks or open flames. Wash hands thoroughly after each use. Do not smoke while using. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not puncture container. STORAGE: Keep out of reach of children. Do not store near heat, sparks, or open flames. Do not expose to temperatures above 120°F as container may vent, rupture or burst. Do not puncture or incinerate container. Do not store in direct sunlight. Store in a cool, dry, well-ventilated area away from incompatible materials. Store in accordance with NFPA 30B for Level 1 Aerosols.									
Other Precautions			Read label cautions carefully. Follow label directions to avoid injury.									
Steps to be Taken in Case Material is Released or Spilled			Absorb spill with inert material then place in a chemical waste container. Dispose of spill material in accordance with regulations.									
Waste Disposal Methods			DISPOSAL: Before offering for recycling, empty the container by using the product according to the label. If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with regulations.									
Proposition 65			California Safe Drinking Water and Toxic Enforcement Act of 1986 This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.									

	DOT CLASSIFICATION: HAZARDOUS PACKING GROUP: N/A					
Transportation Info	DESCRIPTION : CONSUMER COMMODITY, ORM-D					
	UN NUMBER: UN 1950 HAZARD CLASS: 2.1					

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.

1264283 / 9004283 121602