MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier : Air Brake Conditioner

Product Code(s) : 00157, 90157, 00158, 90158, 00159

Product Use : Automotive - Brake System

Chemical Family : Alcohol

Supplier's name and address: Manufacturer's name and address:

FPPF Chemical Company, Inc. Refer to Supplier

117 West Tupper Street Buffalo, NY, USA

14201

Information Telephone # : 1-800-735-3773

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887

(Outside U.S.).

SECTION 2 - HAZARDS IDENTIFICATION

Classification : OSHA: Hazardous classification: Flammable liquid; Acute Health Hazard; Chronic

Health Hazard.

WHMIS classification: Class B2 (Flammable Liquids); Class D1B (Materials Causing Immediate and Serious Toxic Effects, Toxic Material); Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material); Class D2B (Materials Causing Other Toxic

Effects, Toxic Material).

Emergency Overview : Clear colourless liquid. Mild odor.

Warning!! Flammable liquid and vapour. Vapour may cause flash fire! Burns with colourless

flame.

POISON! May be fatal or cause blindness if swallowed, cannot be made non-poisonous. Harmful by inhalation and in contact with skin. May cause central nervous system depression. May cause respiratory irritation. Causes skin and eye irritation. May be an aspiration hazard. Possible birth defect hazard - contains material that may cause birth defects, based on animal

data.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation: May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain,

headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Affected person could experience a latent period of no symptoms, followed by blurred vision and

possibly blindness.

Skin : May cause mild to moderate skin irritation. May be absorbed and cause symptoms similar to those

for inhalation.

Eyes: May cause mild to moderate irritation. May be absorbed and cause symptoms similar to those for

inhalation.

Ingestion: May cause blindness if swallowed - cannot be made non-poisonous. May cause irritation of mouth,

throat, and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Affected person could experience a latent period of no symptoms, followed by blurred vision and possibly blindness. May result in unconsciousness and possibly death. May be an aspiration hazard. Aspiration into the lungs during

swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Effects of long-term (chronic) exposure

: Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Prolonged exposure can cause central nervous system effects.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : Potential teratogen. See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
Methanol	67-56-1	60.00 - 100.00

SECTION 4 - FIRST AID MEASURES

Inhalation : Immediately remove person to fresh air. If breathing has stopped, give artificial

respiration. If breathing is difficult, give oxygen by qualified medical personnel only.

Get medical attention.

Skin contact: Remove/Take off immediately all contaminated clothing. Wash off immediately with

plenty of water for at least 15 minutes. Seek immediate medical attention/advice.

Eye contact : Immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate

medical attention/advice.

Ingestion : Seek immediate medical attention/advice. Do not induce vomiting, unless directed to

do so by qualified medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to

reduce the risk of aspiration.

Notes For Physician : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

: Flammable liquid and vapour. Burns with colourless flame. Will ignite when exposed to heat, flame and other sources of ignition. Vapours are heavier than air and collect in confined and low-lying areas. Vapour can travel to ignition source and flash back. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.1200)

: Flammable Liquid Class 1B.

Oxidizing properties : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact. May be sensitive to static

lischarge.

Suitable extinguishing media : Dry chemical, foam, carbon dioxide and water fog. Water may be ineffective because it

may not cool product below the flashpoint.

Special fire-fighting procedures/equipment

: Firefighters should wear proper protective equipment and self contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment

exposed to heat and flame.

Hazardous combustion products

: Carbon oxides; formaldehyde; irritating fumes and smoke.

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 1 Flammability: 3 Instability: 0 Special Hazards: 0

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions : All persons dealing with clean-up should wear the appropriate protective equipment

including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

For large spills, dike the area to prevent spreading.

Spill response/cleanup : Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools

and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as

required

Prohibited materials : Do not use combustible absorbents, such as sawdust.

Special spill response procedures

In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).

US CERCLA Reportable quantity (RQ): Methanol (5000 lbs / 2270 kg)

SECTION 7 - HANDLING AND STORAGE

Safe Handling procedures : Use in a well ventilated area. Wear suitable protective equipment during handling. Do

not ingest. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks, and open flames. Use proper bonding and grounding techniques when transferring liquid. Avoid contact with incompatible materials. Wash

thoroughly after handling.

Storage requirements : Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of

direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or

leaks. No smoking in the area.

Incompatible materials : Strong oxidizing agents; Acids; Reactive metals.

Special packaging materials : Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits				
ACGIH TLV OSHA PEL				A PEL
<u>Ingredients</u>	<u>TWA</u>	<u>STEL</u>	PEL	STEL
Methanol	200 ppm	250 ppm	200 ppm ; 260 mg/m³	N/Av

Ventilation and engineering measures

: Use general or local exhaust ventilation to maintain air concentrations below

recommended exposure limits.

Respiratory protection : If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised.

Skin protection : Impervious gloves must be worn when using this product. Advice should be sought

from glove suppliers.

Eye / face protection : Chemical splash goggles are recommended. A full face shield may also be

necessary.

Other protective equipment : Wear resistant clothing and boots. Other equipment may be required depending on

workplace standards. An eyewash station and safety shower should be made available

in the immediate working area.

General hygiene considerations

Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing

home.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid Appearance : Clear, colorless liquid.

Odour : Mild. Odour threshold : N/Av

pH : N/Av

Melting/Freezing point : N/Av Coefficient of water/oil distribution

: N/Av

Vapour pressure (mmHg @ 20° C / 68° F)

Solubility in water : Complete

: 96

Vapour density (Air = 1) : 1.1 Evaporation rate (n-Butyl acetate = 1)

: 3.5

Volatile organic Compounds (VOC's) Volatiles (% by weight) : N/Av

: N/Av

Flash point : 12° C / 54° F

Flash point Method : Tag closed cup Auto-ignition temperature : N/Av

Lower flammable limit (% by vol.)
: 5.5%

Upper flammable limit (% by vol.)
: 36.5%

Flame Projection Length : N/Ap Flashback observed : N/Ap

Section 10: Stability And Reactivity

Stability and reactivity : Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization : Will not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Ensure adequate

ventilation, especially in confined areas.

Materials To Avoid And Incompatibility

See Section 7 (Handling and Storage) section for further details.

Hazardous decomposition products

None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, digestive system, central nervous system.

Routes of exposure : Inhalation: YES Skin Absorption: YES Skin & Eyes: YES Ingestion: YES

Toxicological data : There is no available data for the product itself, only for the ingredients. See

below for individual ingredient acute toxicity data.

	LCso(4hr)	LDs	1	
<u>Ingredients</u>	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Methanol	64000ppm/4H	5628 mg/kg	15800 mg/kg	

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects: Not expected to be cause reproductive effects.

Teratogenicity : Contains methanol, which may cause teratogenic effects at doses which are not

maternally toxic.

Mutagenicity: Not expected to be mutagenic in humans.

Epidemiology : Not available.

Sensitization to material : Not expected to be a skin or respiratory sensitizer.

Synergistic materials : Not available.

Irritancy : May cause eye, skin and respiratory tract irritation.

other important hazards : May cause blindness if swallowed.

Conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity : No data is available on the product itself.

Mobility : No data is available on the product itself.

Persistence : No data is available on the product itself.

Bioaccumulation potential : No data is available on the product itself.

Other Adverse Environmental effects

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7. Empty containers retain

residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on

or near this container.

Methods of Disposal : Dispose of in accordance with federal, provincial and local hazardous waste laws.

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the

criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and

federal environmental agencies.

SECTION 14	4: TR	ANPORT	INFORM	MATION

TDG	UN1230	METHANOL	3	II	3 6	
TDG Additional information	dditional exceeding 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping					
49CFR/DOT	UN1230	METHANOL	3	II	3	
49CFR/DOT Additional information	May be shipped as a Limited Quantity according to packaging section 173.150.					
49CFR/DOT	UN1230	METHANOL	3	II	3	
49CFR/DOT Additional information	The above shipping description and additional information applies to U.S. Domestic ground shipments only.					

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

This material is classified as hazardous under OSHA regulations (29CFR 1910.1200). See Section 2.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Acute Health Hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements, since it contains Toxic Chemical constituents above their de minimus concentrations. This product contains: Methanol

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). See Section 2.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SECTION 16 - OTHER INFORMATION

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: *2 Flammability: 3 Reactivity: 0

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TPQ: Threshold Planning Quantity TSCA: Toxic Substance Control Act TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2009

2. International Agency for Research on Cancer Monographs, searched 2009

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases

(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheet from manufacturer.

5. US EPA Title III List of Lists 6. California Proposition 65 List

Prepared for:

References

FPPF Chemical Company, Inc. 117 West Tupper Street Buffalo, NY, USA 14201 Telephone: 1-800-735-3773

Please direct all enquiries to FPPF Chemical Company

Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from FPPF Chemical Company, Inc and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and FPPF Chemical Company, Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and FPPF Chemical Company, Inc.

Preparation Date (dd/mm/yyyy)

: 03/01/2013

END OF DOCUMENT