**Chemwatch Independent Material Safety Data Sheet** 

Issue Date: 3-Nov-2010

NA317EC

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 1 of 8

#### Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT NAME

**DENTSPLY AL-COTE SEPARATOR** 

## **PRODUCT USE**

Fabrication of dentures.

#### **SUPPLIER**

Company: Dentsply (AUSTRALIA) Pty Ltd

Address:

11- 21 Gilby Road Mount Waverley VIC, 3149 Australia

Telephone: +61 3 9538 8240 Telephone: 1300 552 929

Emergency Tel: 1300 552 929 (Hrs. Mon.- Fri. 9am-

5p

Fax: +61 3 9538 8260

Website: www.dentsply.com.au

# **Section 2 - HAZARDS IDENTIFICATION**

#### STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to NOHSC Criteria, and ADG Code.

#### **RISK**

•None under normal operating conditions.

#### **SAFETY**

- Do not breathe gas/fumes/vapour/spray.
- Avoid contact with skin.
- Wear eye/face protection.
- In case of contact with eyes, rinse with plenty of water and

contact Doctor or Poisons Information Centre.

#### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME CAS RN %
Ingredients determined not to be hazardous 1-5
water 7732-18-5 >60

# **Section 4 - FIRST AID MEASURES**

# **SWALLOWED**

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming

Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010 NA317EC

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 2 of 8 Section 4 - FIRST AID MEASURES

#### unconscious.

- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- · Seek medical advice.

#### **EYE**

- If this product comes in contact with the eyes:
- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Seek medical attention without delay; if pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### SKIN

- If skin or hair contact occurs:
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

#### **INHALED**

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

#### **NOTES TO PHYSICIAN**

■ Treat symptomatically.

### **Section 5 - FIRE FIGHTING MEASURES**

# **EXTINGUISHING MEDIA**

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

#### **FIRE FIGHTING**

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.
- DO NOT approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

#### FIRE/EXPLOSION HAZARD

- · Non combustible.
- Not considered a significant fire risk, however containers may burn.

May emit poisonous fumes.

May emit corrosive fumes.

# FIRE INCOMPATIBILITY

■ None known.

# **HAZCHEM**

None

# PERSONAL PROTECTION

Glasses:

Gloves:

Chemical goggles.

1.NEOPRENE 2.VITON 3.BUTYL

Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010

**NA317EC** 

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 3 of 8

#### **Section 6 - ACCIDENTAL RELEASE MEASURES**

# **MINOR SPILLS**

- · Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- Place in a suitable, labelled container for waste disposal.

# **MAJOR SPILLS**

- Moderate hazard.
- · Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- · Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.
- · Stop leak if safe to do so.
- · Contain spill with sand, earth or vermiculite.
- · Collect recoverable product into labelled containers for recycling.
- Neutralise/decontaminate residue.
- · Collect solid residues and seal in labelled drums for disposal.
- · Wash area and prevent runoff into drains.
- After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
- If contamination of drains or waterways occurs, advise emergency services.

# Personal Protective Equipment advice is contained in Section 8 of the MSDS.

#### Section 7 - HANDLING AND STORAGE

# PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- DO NOT enter confined spaces until atmosphere has been checked.
- DO NOT allow material to contact humans, exposed food or food utensils.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- · Always wash hands with soap and water after handling.
- Work clothes should be laundered separately. Launder contaminated clothing before re-use.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

# **SUITABLE CONTAINER**

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

# STORAGE INCOMPATIBILITY

Avoid reaction with oxidising agents.

Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010 NA317EC

CD 2010/3 Page 4 of 8 Section 7 - HANDLING AND STORAGE

**CHEMWATCH 25-1847** 

Version No:2.0

#### STORAGE REQUIREMENTS

- Store in original containers.
- · Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

#### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **EXPOSURE CONTROLS**

The following materials had no OELs on our records

• water: CAS:7732- 18- 5

#### **MATERIAL DATA**

**DENTSPLY AL-COTE SEPARATOR:** 

■ Sensory irritants are chemicals that produce temporary and undesirable side-effects on the eyes, nose or throat. Historically occupational exposure standards for these irritants have been based on observation of workers' responses to various airborne concentrations. Present day expectations require that nearly every individual should be protected against even minor sensory irritation and exposure standards are established using uncertainty factors or safety factors of 5 to 10 or more. On occasion animal no-observable-effect-levels (NOEL) are used to determine these limits where human results are unavailable. An additional approach, typically used by the TLV committee (USA) in determining respiratory standards for this group of chemicals, has been to assign ceiling values (TLV C) to rapidly acting irritants and to assign short-term exposure limits (TLV STELs) when the weight of evidence from irritation, bioaccumulation and other endpoints combine to warrant such a limit. In contrast the MAK Commission (Germany) uses a five-category system based on intensive odour, local irritation, and elimination half-life. However this system is being replaced to be consistent with the European Union (EU) Scientific Committee for Occupational Exposure Limits (SCOEL); this is more closely allied to that of the USA.

OSHA (USA) concluded that exposure to sensory irritants can:

- · cause inflammation
- · cause increased susceptibility to other irritants and infectious agents
- lead to permanent injury or dysfunction
- · permit greater absorption of hazardous substances and
- acclimate the worker to the irritant warning properties of these substances thus increasing the risk of overexposure.

#### WATER:

■ No exposure limits set by NOHSC or ACGIH.

# PERSONAL PROTECTION

#### **EYE**

- · Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010

NA317EC

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 5 of 8

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

# HANDS/FEET

- Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: such as:
- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739).

- When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended.
- When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended.
- Contaminated gloves should be replaced.

Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

- Wear chemical protective gloves, eg. PVC.
- · Wear safety footwear or safety gumboots, eg. Rubber.

#### **OTHER**

- · Overalls.
- P.V.C. apron.
- · Barrier cream.
- · Skin cleansing cream.
- · Eye wash unit.

# **RESPIRATOR**

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required. For further information consult site specific CHEMWATCH data (if available), or your Occupational Health and Safety Advisor.

### **ENGINEERING CONTROLS**

■ General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

# **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

>95

#### **APPEARANCE**

Pink coloured liquid with a slight odour; mixes with water.

# **PHYSICAL PROPERTIES**

Volatile Component (%vol)

Liquid.

Mixes with water.

State Melting Range (°C) Boiling Range (°C) Flash Point (°C) Decomposition Temp (°C) Autoignition Temp (°C) Upper Explosive Limit (%) Lower Explosive Limit (%)	Liquid Not Available 100 Not Applicable Not Available Not Available Not Applicable Not Applicable Not Applicable	Molecular Weight Viscosity Solubility in water (g/L) pH (1% solution) pH (as supplied) Vapour Pressure (kPa) Specific Gravity (water=1) Relative Vapour Density	Not Applicable Not Available Miscible Not Available Not Available Not Available 1.009 Not Available
Lower Explosive Limit (%)	Not Applicable	(air=1)	NOT Available

**Evaporation Rate** 

same as water

Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010

**NA317EC** 

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 6 of 8

# Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

# **CONDITIONS CONTRIBUTING TO INSTABILITY**

- Presence of incompatible materials.
- · Product is considered stable.
- Hazardous polymerisation will not occur.

For incompatible materials - refer to Section 7 - Handling and Storage.

#### Section 11 - TOXICOLOGICAL INFORMATION

#### POTENTIAL HEALTH EFFECTS

# **ACUTE HEALTH EFFECTS**

#### **SWALLOWED**

■ Accidental ingestion of the material may be damaging to the health of the individual.

#### EYE

■ Limited evidence exists, or practical experience suggests, that the material may cause eye irritation in a substantial number of individuals and/or is expected to produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.

## SKIN

■ Open cuts, abraded or irritated skin should not be exposed to this material.

Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.

### **INHALED**

■ Not normally a hazard due to non-volatile nature of product.

Acute effects from inhalation of high vapour concentrations may be chest and nasal irritation with coughing, sneezing, headache and even nausea.

### **CHRONIC HEALTH EFFECTS**

■ Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

# **TOXICITY AND IRRITATION**

WATER:

DENTSPLY AL-COTE SEPARATOR:

■ No significant acute toxicological data identified in literature search.

### **DENTSPLY AL-COTE SEPARATOR:**

■ unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY IRRITATION

Oral (None) LD50: >5000 mg/kg

Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010 NA317EC

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 7 of 8 Section 11 - TOXICOLOGICAL INFORMATION

# **Section 12 - ECOLOGICAL INFORMATION**

Refer to data for ingredients, which follows:

**DENTSPLY AL-COTE SEPARATOR:** 

■ DO NOT discharge into sewer or waterways.

#### **Section 13 - DISPOSAL CONSIDERATIONS**

- Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.
- A Hierarchy of Controls seems to be common the user should investigate:
- Reduction
- Reuse
- Recycling
- · Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

# Section 14 - TRANSPORTATION INFORMATION

#### **HAZCHEM:**

None (ADG7)

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: ADG7, UN, IATA, IMDG

# **Section 15 - REGULATORY INFORMATION**

POISONS SCHEDULE None

# **REGULATIONS**

Regulations for ingredients

# water (CAS: 7732-18-5) is found on the following regulatory lists;

"Australia Inventory of Chemical Substances (AICS)","IMO IBC Code Chapter 18: List of products to which the Code does not apply","International Fragrance Association (IFRA) Survey: Transparency List","OECD Representative List of High Production Volume (HPV) Chemicals"

**Chemwatch Independent Material Safety Data Sheet Issue Date: 3-Nov-2010** 

NA317EC

CHEMWATCH 25-1847 Version No:2.0 CD 2010/3 Page 8 of 8 Section 15 - REGULATORY INFORMATION

No data for Dentsply Al-Cote Separator (CW: 25-1847)

# **Section 16 - OTHER INFORMATION**

■ Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at: www.chemwatch.net/references.

■ The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 3-Nov-2010 Print Date: 3-Nov-2010

This is the end of the MSDS.